

2008

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

66

Northumberland County

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
 Traffic Engineering Division
 2008
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Northumberland Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: []																
200 Jesse DuPont Memorial Hwy	Northumberland County	5.09	4900	F	96%	0%	1%	1%	1%	0%	F	0.088	F	0.672	5300	F
To: []																
From: []																
200 Jesse DuPont Memorial Hwy	Northumberland County	5.09	4800	F	96%	0%	1%	1%	1%	0%	C	0.09	F		5200	F
To: []																
From: []																
201 Courthouse Rd	Northumberland County	6.92	1700	F	97%	0%	1%	1%	0%	0%	F	0.09	F	0.503	1900	F
To: []																
From: []																
202 Hampton Hall Rd	Northumberland County	3.52	2900	F	93%	0%	2%	1%	4%	0%	C	0.086	F		3100	F
To: []																
From: []																
360 Richmond Rd	Northumberland County	3.19	5500	F	95%	0%	1%	1%	3%	0%	F	NA		5900	F	
To: []																
From: []																
360 Northumberland Hwy	Northumberland County	0.39	7100	F	95%	0%	1%	1%	2%	0%	F	0.084	F		7600	F
To: []																
From: []																
360 Northumberland Hwy	Northumberland County	6.74	6900	G	95%	0%	1%	1%	2%	0%	F	NA		7100	G	
To: []																
From: []																
360 Northumberland Hwy	Northumberland County	7.91	4400	F	95%	0%	1%	1%	2%	0%	C	0.086	F		4700	F
To: []																
From: []																
360 Northumberland Hwy	Northumberland County	3.05	4800	F	95%	0%	1%	1%	2%	0%	F	NA		5200	F	
To: []																
From: []																
360 Northumberland Hwy	Northumberland County	2.14	2900	F	95%	0%	1%	1%	2%	0%	F	0.083	F	0.543	3100	F
To: []																
From: []																
360 Main St	Northumberland County	0.45	1000	F	95%	0%	1%	1%	2%	0%	F	0.110	F	0.516	1100	F
To: []																

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Northumberland County																	
603	Chestnut Grove Rd	0.01	130	N								NA		NA		07/18/2005	
615	Beans Rd	0.20	590	N	97%	1%	1%	0%	1%	0%	N	0.104	N	0.5	630	N	2008
615	Beans Rd	0.07	590	N	97%	1%	1%	0%	1%	0%	N	0.104	N	0.5	630	N	2008
615	Beans Rd	0.26	590	N	97%	1%	1%	0%	1%	0%	N	0.104	N	0.5	630	N	2008
615	Beans Rd	0.13	590	N	97%	1%	1%	0%	1%	0%	N	0.104	N	0.5	630	N	2008
615	Beans Rd	0.02	590	N	97%	1%	1%	0%	1%	0%	N	0.104	N	0.5	630	N	2008
615	Crawfords Corner Rd	0.05	560	N	97%	1%	1%	0%	1%	0%	N	0.112	N	0.577	600	N	2008
600	Ridge Rd	1.10	750	F	95%	1%	1%	1%	2%	0%	F	0.096	F	0.669	800	F	2008
600	Ridge Rd	0.90	1200	F	95%	1%	1%	1%	2%	0%	F	0.093	F	0.772	1200	F	2008
600	Ridge Rd	2.69	1200	F	95%	1%	1%	1%	2%	0%	C	0.102	F	0.634	1300	F	2008
600	Gibeon Rd	0.10	1500	F	97%	1%	1%	0%	1%	0%	F	0.101	F	0.624	1600	F	2008
600	Gibeon Rd	1.60	720	F	97%	1%	1%	0%	1%	0%	C	0.099	F	0.537	770	F	2008
600	Gibeon Rd	0.70	460	R								NA		NA		03/18/2008	
600	Gibeon Rd	0.20	250	R								NA		NA		03/18/2008	
601	Bunker Hill Rd	1.40	20	R								NA		NA		03/20/2008	
601	Gilliams Rd	0.70	9	R								NA		NA		03/20/2008	
601	Dodlyt Rd & Bush Mill R	4.70	310	R								NA		NA		03/20/2008	
601	Rowes Landing Rd	1.10	80	R								NA		NA		03/24/2008	
602	Eagle Point Rd	1.00	150	R								NA		NA		05/02/2005	
Lancaster County																	
603		0.04	190	R								NA		NA		04/03/2005	
Northumberland County																	
603	Georgetown Rd	3.10	100	R								NA		NA		03/24/2008	
603	Mallard Bay Dr	0.82	150	R								NA		NA		03/24/2008	

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(604) Dodlyt Rd	2.60	320	R								NA		NA			03/31/2005
(604) Hazard Rd	1.80	150	R								NA		NA			03/31/2005
(604) Indian Valley Rd	2.78	390	F	97%	0%	2%	0%	1%	0%	C	0.107	F	0.556	410	F	2008
(604) Sydnors Millpond Rd	4.00	410	R								NA		NA			04/18/2005
(604) Mob Neck Rd	2.55	420	R								NA		NA			04/13/2005
(604) Mob Neck Rd	0.94	190	R								NA		NA			04/13/2005
(604) Mob Neck Rd	0.11	50	R								NA		NA			04/13/2005
(604) Mob Neck Rd	0.06	20	R								NA		NA			04/13/2005
(605) Mt Olive Rd	1.60	360	F	93%	1%	1%	5%	1%	0%	C	0.110	F	0.622	380	F	2008
(605) Mt Olive Rd	1.25	170	R								NA		NA			04/09/2008
(605) Mt Olive Rd	5.08	150	R								NA		NA			04/09/2008
(606) Shiloh School Rd	0.60	340	R								NA		NA			05/19/2008
(606) Shiloh School Rd	1.50	260	R								NA		NA			05/19/2008
(606) Cloverdale Rd	0.65	30	R								NA		NA			04/09/2008
Lancaster County																
(607) Ditchley Rd	0.04	850	F	99%	0%	1%	0%	0%	0%	F	0.093	F	0.561	910	F	2008
Northumberland County																
(607) Ditchley Rd	1.16	540	F	99%	0%	1%	0%	0%	0%	C	0.1	F	0.517	580	F	2008
(607) Ditchley Rd	1.10	260	R								NA		NA			04/09/2008
(608) Bluff Point Rd	2.19	1900	F	96%	0%	1%	3%	0%	0%	C	0.092	F	0.611	2000	F	2008
(608) Jarvis Point Rd	1.50	60	R								NA		NA			03/07/2005
(609) Browns Store Rd	2.48	1200	F	97%	0%	1%	1%	1%	0%	C	0.094	F	0.509	1300	F	2008
(609) Remo Rd	1.45	2000	F	98%	0%	1%	1%	1%	0%	C	0.082	F	0.636	2100	F	2008

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(609) Remo Rd	0.82	640	F	98%	0%	1%	1%	1%	0%	F	0.090	F	0.512	680	F	2008
						From: 66-665 W, Mila Rd										
(609) Remo Rd	1.55	590	R								NA		NA			05/19/2008
						From: 66-665 E, Millpoint Dr										
(609) Harveys Neck Rd	0.50	150	R								NA		NA			05/19/2008
						From: 66-1010 Skipjack Dr										
						To: 66-1031 Ingram Bay Dr										
(610) Light St	1.30	1000	F	98%	0%	1%	1%	1%	0%	C	0.09	F	0.635	1100	F	2008
						From: Lancaster County Line; 51-615										
(610) Sampsons Wharf Rd	1.10	400	R								NA		NA			03/24/2008
						From: 66-642 Knights Run Rd										
(610) Sampsons Wharf Rd	0.50	180	R								NA		NA			03/24/2008
						From: 66-748 Locust Grove Lane										
(610) Sampsons Wharf Rd	0.70	48	R								NA		NA			03/24/2008
						From: 66-602 Eagle Point Rd										
						To: Dead End										
(611) Lara Ridge Rd	1.20	120	R								NA		NA			03/20/2008
						From: 79-600 Ridge Rd										
(611) Gilliams Rd	1.80	20	R								NA		NA			03/20/2008
						From: 66-601 W; Dodlyt Rd & Bush Mill Rd; Gilliams Rd										
						To: 66-601 E; Gilliams Rd; Bunker Hill Rd										
						To: SR 201 Courthouse Rd										
(612) Coan Stage Rd	3.10	490	R								NA		NA			03/18/2008
						From: 66-600 Richmond County Line										
(612) Forrest Landing Rd	0.16	170	R								NA		NA			03/27/2008
						From: US 360 Northumberland Hwy										
(612) Forrest Landing Rd	0.31	150	R								NA		NA			03/27/2008
						From: Future 66- 824										
(612) Forrest Landing Rd	0.60	60	R								NA		NA			03/27/2008
						From: 66-613 Mill Wood Lane										
(612) Forrest Landing Rd	0.20	20	R								NA		NA			03/27/2008
						From: 0.60 ME 66-613 Mill Wood Lane										
						To: Dead End										
(613) Mill Wood Lane	0.60	30	R								NA		NA			03/27/2008
						From: 66-612 Forrest Landing Rd										
						To: Dead End										
(614) Walmsley Rd	2.99	590	F	98%	0%	0%	1%	0%	0%	C	0.118	F	0.593	630	F	2008
						From: 66-600 Ridge Rd										
						To: US 360 S, Northumberland Hwy										
(614) Lake Rd	1.30	1400	F	97%	1%	1%	1%	1%	0%	C	0.086	F	0.576	1500	F	2008
						From: US 360 N, Northumberland Hwy										
(614) Lake Rd	1.01	770	F	97%	1%	1%	1%	1%	0%	F	0.110	F	0.623	820	F	2008
						From: 66-629 N, Bundick Rd										
(614) Lake Rd	0.20	330	R								NA		NA			03/27/2008
						From: 66-627 S, Lake Landing Rd										
(614) Lake Rd	0.80	250	R								NA		NA			03/27/2008
						From: 66-627 N, Honest Point Rd										
						To: Dead End										
(616) Luttrellville Rd	0.39	670	R								NA		NA			03/20/2008
						From: 66-600 Richmond County Line										
						To: US 360 Richmond Rd										
(617) Lively Hope Rd	1.70	780	F	97%	0%	1%	1%	1%	0%	C	0.104	F	0.563	830	F	2008
						From: 66-600 Gibeon Rd										
						To: 66-619 S, Deer Run Rd										

Virginia Department of Transportation
 Traffic Engineering Division
 2008
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Northumberland County																	
(617) Lively Hope Rd	1.30	910	F	97%	0%	1%	1%	1%	0%	F	0.105	F	0.51	970	F	2008	
						From: 66-619 S, Deer Run Rd											
						To: SR-202 S, Hampton Hall Rd											
(617) Henderson Dr	0.20	40	R								NA			NA		03/18/2008	
						From: SR 202 MID											
(617) Gardys Mill Rd	1.10	370	R								NA			NA		03/18/2008	
						From: SR 202 N, Hampton Hall Rd											
						To: Westmoreland County Line											
(618) Fallintown Rd	0.50	270	R								NA			NA		03/18/2008	
						From: Richmond County Line											
						To: 66-600 S, Gibeon Rd											
(618) Fruit Plain Rd	2.50	220	R								NA			NA		03/18/2008	
						From: 66-600 N, Gibeon Rd											
						To: 66-617 Lively Hope Rd											
(619) Valley Dr	1.20	220	R								NA			NA		03/18/2008	
						From: 66-618 Fruit Plain Rd											
						To: 66-617 N, Lively Hope Rd											
(619) Deer Run Rd	0.90	270	R								NA			NA		03/18/2008	
						From: 66-617 S, Lively Hope Rd											
						To: SR 202 Hampton Hall Rd											
(620) Kissinger Spring Rd	1.50	210	R								NA			NA		04/02/2008	
						From: 66-622 Harry Hogan Rd											
						To: 66-621 S, Mundy Point Rd											
(620) Hatches Ave	0.95	180	R								NA			NA		04/02/2008	
						From: 66-621 N, Mundy Point Rd											
						To: 66-724 Wilkins Creek Lane											
(620) Hatches Ave	0.05	30	R								NA			NA		04/02/2008	
						From: Dead End											
(621) Mundy Point Rd	3.07	440	F	97%	0%	1%	0%	2%	0%	C	0.099	F	0.522	470	F	2008	
						From: SR 202 Hampton Hall Rd											
						To: Dead End											
(622) Harry Hogan Rd	0.85	440	F	100%	0%	0%	0%	0%	0%	C	0.102	F	0.604	470	F	2008	
						From: 66-712 Lodge Rd; Harry Hogan Rd											
						To: 66-620 Kissinger Springs Rd											
(622) Harry Hogan Rd	1.80	270	F	100%	0%	0%	0%	0%	0%	F	0.123	F	0.707	280	F	2008	
						From: Dead End											
						To: Dead End											
(623) Melrose Rd	1.50	290	R								NA			NA		04/02/2008	
						From: 66-624 Lewisetta Rd											
						To: Dead End											
(624) Lewisetta Rd	1.30	1700	F	97%	1%	1%	1%	1%	0%	C	0.077	F	0.565	1800	F	2008	
						From: US 360 Northumberland Hwy											
						To: 66-623 Melrose Rd											
(624) Lewisetta Rd	2.70	1100	F	97%	1%	1%	1%	1%	0%	F	0.087	F	0.595	1200	F	2008	
						From: 66-623 Melrose Rd											
						To: 66-625 Cowart Rd											
(624) Lewisetta Rd	1.98	350	F	97%	1%	1%	1%	1%	0%	F	0.105	F	0.612	380	F	2008	
						From: 66-625 Cowart Rd											
						To: Begin Loop											
(624) River Rd	0.90	80	F	97%	1%	1%	1%	1%	0%	F	0.191	F	0.528	90	F	2008	
						From: Begin Loop											
						To: End Loop											
(625) Cowart Rd	0.65	340	R								NA			NA		04/02/2008	
						From: 66-624 Lewisetta Rd											
						To: 66-742 Highland Point Rd											
(625) Cowart Rd	1.05	140	R								NA			NA		04/02/2008	
						From: 66-742 Highland Point Rd											
						To: Dead End											
(626) Glebe Rd	1.20	200	R								NA			NA		03/27/2008	
						From: US 360 Northumberland Hwy											
						To: Dead End											

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(627) Honest Point Rd	0.46	70	R											NA	NA	03/27/2008
						From: Dead End										
(627) Honest Point Rd	0.80	100	R											NA	NA	03/27/2008
						From: 66-728 Killneck Lane										
(627) Lake Landing Rd	0.90	380	R											NA	NA	03/27/2008
						From: 66-614 N, Lake Rd										
						To: 66-614 S, Lake Rd										
(627) Lake Landing Rd	0.10	200	R											NA	NA	03/27/2008
						From: 66-685 Oyster Rd										
						To: Dead End										
(628) Coan Haven Rd	0.96	100	R											NA	NA	03/27/2008
						From: 66-629 Bundick Rd										
						To: Dead End										
(629) Coan Harbour Rd	0.15	40	R											NA	NA	03/27/2008
						From: Dead End										
(629) Coan Harbour Rd	1.14	290	R											NA	NA	03/27/2008
						From: 66-840 Sunrise Court										
						To: 66-614 W, Lake Rd										
(629) Bundick Rd	0.43	270	R											NA	NA	03/27/2008
						From: 66-614 E, Lake Rd										
						To: 66-628 Coan Haven Rd										
(629) Bundick Rd	0.40	130	R											NA	NA	03/27/2008
						From: Bundick Ferry										
(629) Coan Wharf Rd	1.70	120	R											NA	NA	04/30/2008
						From: 66-634 Mantua Rd; Spring Rd										
(629) Coan Wharf Rd	0.90	230	R											NA	NA	04/30/2008
						From: 66-630 S, Walnut Point Rd										
						To: 66-630 N, Walnut Point Rd										
(629) Font Hill Rd	2.30	230	R											NA	NA	05/05/2008
						From: 66-636 N, Newmans Neck Rd										
						To: 66-636 S, Newmans Neck Rd										
(629) Hull Harbor Rd	0.80	270	R											NA	NA	05/05/2008
						From: 66-713 Stoney Rd										
(629) Hull Harbor Rd	0.10	150	R											NA	NA	05/05/2008
						From: Dead End										
(630) Walnut Point Rd	2.00	730	F	97%	0%	1%	1%	1%	0%	C	0.092	F	0.541	780	F	2008
						From: US 360 Northumberland Hwy										
(630) Walnut Point Rd	2.55	170	R											NA	NA	04/30/2008
						From: 66-629 N, Font Hill Rd										
(630) Walnut Point Rd	0.75	30	R											NA	NA	04/30/2008
						From: 66-791 Pine Point Dr										
						To: Dead End										
(631) Clarketown Rd	1.30	140	R											NA	NA	03/24/2005
						From: 66-630 Walnut Point Rd										
(631) Clarketown Rd	0.30	8	R											NA	NA	04/30/2008
						From: 66-691 Clarketown Rd										
						To: Dead End										
(632) Kingston Rd	1.00	310	R											NA	NA	03/24/2008
						From: US 360 Northumberland Hwy										
						To: Dead End										
(633) Pole Thicket Rd	0.40	45	R											NA	NA	03/18/2008
						From: Dead End										
						To: 66-614 Walmsley Rd										
(634) Spring Rd	1.87	250	F	99%	0%	0%	0%	0%	0%	C	0.115	F	0.656	270	F	2008
						From: US 360 Northumberland Hwy										
						To: 66-629 Coan Wharf Rd										

Virginia Department of Transportation
 Traffic Engineering Division
 2008
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(634) Mantua Rd	0.48	70	R								NA		NA			03/24/2005
(635) Sandy Beach Rd	1.45	200	R								NA		NA			05/05/2008
(636) Avalon Lane	0.20	1700	R								NA		NA			05/05/2008
(636) Newmans Neck Rd	2.40	660	R								NA		NA			05/05/2008
(636) Newmans Neck Rd	0.70	750	R								NA		NA			05/05/2008
(636) Newmans Neck Rd	1.23	140	R								NA		NA			05/05/2008
(637) Betts Bottom	1.10	170	R								NA		NA			05/05/2008
(638) Coan Church Rd	2.40	20	R								NA		NA			03/20/2008
(639) Cedar Point Rd	0.46	30	R								NA		NA			03/24/2008
(639) Cedar Point Rd	1.04	270	R								NA		NA			03/24/2008
(640) Pumpkin Hill Rd	1.40	160	R								NA		NA			03/24/2008
(640) Hull Neck Rd	1.50	990	R								NA		NA			05/13/2008
(640) Hull Neck Rd	2.55	300	R								NA		NA			05/13/2008
(640) Hull Neck Rd	1.35	120	R								NA		NA			05/13/2008
(640) Marshalls Beach Rd	0.73	40	R								NA		NA			05/13/2008
(641) Lampkintown Rd	0.70	350	R								NA		NA			05/02/2005
(642) Knights Run Rd	1.20	780	F	95%	1%	3%	1%	1%	0%	F	0.094	F	0.563	830	F	2008
(642) Knights Run Rd	1.59	840	F	95%	1%	3%	1%	1%	0%	C	0.096	F	0.628	900	F	2008
(643) Vir-Mar Beach Rd	0.70	80	R								NA		NA			04/13/2005
(644) Main St	0.43	840	F	97%	0%	2%	0%	1%	0%	C	0.111	F	0.538	900	F	2008
(644) Reed Ave	0.50	130	F	99%	0%	1%	0%	0%	0%	F	0.126	F	0.895	140	F	2008

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(644) Blackberry Rd	1.80	230	F	99%	0%	1%	0%	0%	0%	F	0.117	F	0.655	240	F	2008
(644) Sunny Bank Rd	0.60	720	F	99%	0%	1%	0%	0%	0%	C	0.097	F	0.546	770	F	2008
(644) Sunny Bank Rd	0.94	450	F	99%	0%	1%	0%	0%	0%	F	0.111	F	0.582	480	F	2008
(644) Ferry Rd	1.57	270	F	99%	0%	1%	0%	0%	0%	F	0.119	F	0.542	290	F	2008
(644) Ferry Rd	0.30	720	F	99%	0%	1%	0%	0%	0%	F	0.104	F	0.529	770	F	2008
(644) Ferry Rd	1.39	910	F	99%	0%	1%	0%	0%	0%	F	0.097	F	0.510	970	F	2008
(644) Hacks Neck Rd	3.62	1300	F	99%	0%	1%	0%	0%	0%	F	0.092	F	0.508	1300	F	2008
(645) Gonyon Rd	1.05	80	R								NA			NA		05/21/2008
(646) Folly Rd	1.40	200	R								NA			NA		05/15/2008
(646) Folly Rd	1.88	280	R								NA			NA		05/15/2008
(646) Waverly Rd	1.00	240	F	93%	0%	1%	1%	4%	0%	F	0.159	F	0.506	260	F	2008
(646) Waverly Rd	2.00	60	F	93%	0%	1%	1%	4%	0%	F	0.132	F	0.727	70	F	2008
(646) Fairport Rd	0.10	900	F	93%	0%	1%	1%	4%	0%	F	0.104	F	0.548	970	F	2008
(646) Fairport Rd	2.00	900	F	93%	0%	1%	1%	4%	0%	C	0.095	F	0.563	960	F	2008
(646) Fairport Rd	0.70	230	F	93%	0%	1%	1%	4%	0%	F	0.111	F	0.542	250	F	2008
(646) Fairport Rd	0.30	110	R								NA			NA		06/02/2008
(647) Greenfield Rd	1.05	570	R								NA			NA		05/21/2008
(647) Greenfield Rd	0.95	420	R								NA			NA		05/21/2008
(648) Wicomico Point Rd	0.80	200	R								NA			NA		04/13/2005
(649) Flood Point Rd	1.10	170	R								NA			NA		05/21/2008
(649) Lighthouse View Dr	2.40	310	R								NA			NA		05/21/2008
(650) Sweethall Dr	0.27	120	R								NA			NA		05/29/2008

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(650) Sweethall Dr	0.50	260	R								NA			NA		05/29/2008
						From: 66-774 Solitude Dr										
(650) Campground Rd	0.47	110	R								NA			NA		05/29/2008
						To: 66-644 Sunny Bank Rd										
						To: Dead End										
(651) Smith Point Rd	1.00	370	R								NA			NA		05/29/2008
						From: 66-644 Sunny Bank Rd										
						To: Dead End										
(652) Sunny Bank Rd	0.22	1100	F	97%	1%	2%	0%	1%	0%	C	0.091	F	0.570	1100	F	2008
						From: US 360 Northumberland Hwy										
(652) Sunny Bank Rd	1.00	1000	F	97%	1%	2%	0%	1%	0%	F	0.094	F	0.579	1100	F	2008
						To: 66-703 Old Bethany Dr										
						To: 66-644 W, Sunny Bank Rd; Blackberry Rd										
(652) Gaskins Beach Rd	0.50	190	R								NA			NA		04/21/2005
						From: 66-644 E, Blackberry Rd										
						To: 66-802 Tranquility Rd										
(653) Whays Creek Rd	1.85	390	R								NA			NA		06/02/2008
						From: Dead End										
(653) Whays Creek Rd	0.40	320	R								NA			NA		05/29/2008
						From: 66-646 Waverly Rd										
						To: US 360 Northumberland Hwy										
(654) Fox Point Rd	1.33	110	R								NA			NA		04/25/2005
						From: Dead End										
						To: 66-646 Fairport Rd										
(655) Roseland Rd	0.40	120	R								NA			NA		06/02/2008
						From: Dead End										
						To: 66-726 Liberty Rd										
(656) Buzzards Point Rd	1.40	190	R								NA			NA		06/02/2008
						From: 66-646 Fairport Rd										
						To: Dead End										
(657) Fleeton Wharf Rd	0.20	20	R								NA			NA		06/02/2008
						From: Dead End										
(657) Sunny Bank Rd	1.27	490	F	94%	1%	1%	1%	3%	0%	F	0.107	F	0.504	520	F	2008
						To: 66-677 Fleeton Point Circle										
(657) Fleeton Rd	1.57	1800	F	94%	1%	1%	1%	3%	0%	C	0.083	F	0.526	1900	F	2008
						From: 66-659 Menhaden Rd										
(657) Fleeton Rd	0.10	2300	F	94%	1%	1%	1%	3%	0%	F	0.093	F	0.502	2500	F	2008
						To: 66-644 Blackberry Rd; Reed Ave										
						To: US 360 Main Street; Northumberland Hwy										
(658) Chesapeake Beach Rd	0.60	210	R								NA			NA		04/25/2005
						From: Dead End										
(658) Seaboard Rd	0.80	300	R								NA			NA		04/21/2005
						From: 66-657 S, Fleeton Rd										
						To: 66-657 N, Fleeton Rd										
(659) Menhaden Rd	0.64	820	R								NA			NA		06/02/2008
						From: Dead End										
						To: 66-657 Fleeton Rd										
(660) McNeal Rd	0.30	60	R								NA			NA		04/25/2005
						From: 66-646 Fairport Rd										
						To: Dead End										
(661) Polly Cove Rd	0.18	170	R								NA			NA		04/25/2005
						From: 66-646 Fairport Rd										
						To: Dead End										

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Northumberland County																	
(662) Timbs Rd	0.50	30	F	90%	0%	3%	0%	7%	0%	C	0.262	F	0.546	30	F	2008	
						From: 66-646 Fairport Rd											
						To: Dead End											
(663) Blackwell Wharf Rd	0.55	150	R								NA			NA		06/04/2008	
						From: Dead End											
(663) Blackwell Wharf Rd	0.65	340	R								NA			NA		06/04/2008	
						From: 66-810 Horn Harbor Rd											
						To: 66-699 Old Glebe Point Rd											
(664) Wicomico View Lane	0.30	140	R								NA			NA		05/04/2005	
						From: 66-665 Mila Rd											
(664) Wicomico View Lane	0.15	40	R								NA			NA		05/04/2005	
						From: 0.30 ME 66-665 Mila Rd											
						To: Dead End											
(665) Millpoint Dr	0.86	200	R								NA			NA		06/04/2008	
						From: Dead End											
						To: 66-609 E, Remo Rd											
(665) Mila Rd	1.90	470	F	97%	1%	1%	0%	1%	0%	C	0.108	F	0.518	510	F	2008	
						From: 66-609 N, Remo Rd											
						To: 66-664 Wicomico View Lane											
(665) Millpoint Dr	0.60	90	R								NA			NA		05/19/2008	
						From: 66-665 Mila Rd											
						To: Dead End											
(666) Sandy Point Rd	1.61	320	R								NA			NA		06/04/2008	
						From: 66-731 Cranes Landing Rd											
(666) Sandy Point Rd	0.45	130	R								NA			NA		06/04/2008	
						From: Dead End											
						To: 66-609 Remo Rd											
(667) Bogey Neck Rd	1.21	400	R								NA			NA		05/09/2005	
						From: 66-798 Pine Crest Dr											
(667) Bogey Neck Rd	0.65	120	R								NA			NA		05/09/2005	
						From: Dead End											
						To: Dead End											
(668) Harding Rd	1.64	120	R								NA			NA		05/04/2005	
						From: 66-609 Remo Rd											
						To: Dead End											
(669) Bluff Point Rd	0.51	120	R								NA			NA		04/07/2008	
						From: 66-676 Logan Lodge Rd											
(669) Bluff Point Rd	0.65	190	R								NA			NA		04/07/2008	
						From: 66-672 Painter Point Rd											
(669) Bluff Point Rd	0.25	480	F	95%	0%	1%	3%	0%	0%	F	0.112	F	0.548	510	F	2008	
						From: 66-1115 Pocohontas Rd											
(669) Bluff Point Rd	0.81	1400	F	95%	0%	1%	3%	0%	0%	C	0.106	F	0.607	1500	F	2008	
						From: 66-608 S, Jarvis Point Rd; Bluff Point Rd											
						To: 66-608 N, Bluff Point Rd											
(669) Kent Point Rd	0.40	440	R								NA			NA		04/09/2008	
						From: 66-671 Kent Point Rd											
(669) Prentice Creek Rd	0.70	280	R								NA			NA		04/09/2008	
						From: 66-607 EAST; 66-725											
						To: 66-607 W, Ditchley Rd											
(669) Apple Grove Rd	2.50	170	R								NA			NA		04/09/2008	
						From: 66-606 E, Shiloh School Rd											
						To: 66-606 W, Shiloh School Rd											
(669) Waddys Rd	1.30	100	R								NA			NA		05/19/2008	
						From: 66-605 Mt Olive Rd											
						To: 66-605 Mt Olive Rd											

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(670) Hardings Wharf Dr	0.20	40	R									NA		NA		04/09/2008
(670) Hardings Wharf Dr	0.60	130	R									NA		NA		04/09/2008
(671) Kent Point Rd	0.65	260	R									NA		NA		04/09/2008
(671) Kent Point Rd	0.35	220	R									NA		NA		04/09/2008
(672) Painter Point Rd	0.80	190	R									NA		NA		04/07/2008
(673) Taylors Beach Rd	0.87	160	R									NA		NA		04/21/2005
(674) Crabbetown Rd	1.00	80	R									NA		NA		03/31/2005
(675) Locust Lane	0.20	230	R									NA		NA		04/02/2008
(676) Logan Lodge Rd	0.10	20	R									NA		NA		03/07/2005
(676) Logan Lodge Rd	0.40	80	R									NA		NA		03/07/2005
(677) Fleeton Point Circle	0.50	60	R									NA		NA		04/25/2005
(677) Fleeton Point Circle	0.10	240	R									NA		NA		04/25/2005
(678) Old Tipers Rd	1.97	360	R									NA		NA		05/15/2008
(679) Crosshills Rd	1.15	90	R									NA		NA		05/19/2008
(679) Crosshills Rd	1.60	46	R									NA		NA		05/19/2008
(679) Crosshills Rd	1.45	200	R									NA		NA		05/19/2008
(680) Cherry Point Rd	1.00	30	R									NA		NA		03/29/2005
(681) Burnette Lane	0.75	30	R									NA		NA		03/31/2005
(682) Owl Point Rd	0.80	7	R									NA		NA		03/31/2005
(683) Old Fairport Rd	0.90	60	R									NA		NA		06/02/2008

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(684) Deep Water Lane	0.52	90	R								NA		NA			04/21/2005
(685) Oyster Rd	0.40	70	R								NA		NA			03/27/2008
(686) Pebble Rd	0.47	80	R								NA		NA			05/04/2005
(687) Devils Wood Yard Rd	0.35	30	R								NA		NA			04/13/2005
(688) Waddeytown Rd	0.60	10	R								NA		NA			05/19/2008
(689) Salem Rd	0.43	40	R								NA		NA			03/18/2008
(690) Cobbs Hall Lane	0.60	120	R								NA		NA			03/21/2005
(691) Clarketown Rd	0.40	110	R								NA		NA			03/24/2005
(692) Shell Landing Rd	0.22	90	R								NA		NA			06/02/2008
(692) Shell Landing Rd	0.08	110	R								NA		NA			06/02/2008
(693) Guarding Point Lane	0.30	30	R								NA		NA			04/09/2008
(693) Guarding Point Lane	0.40	20	R								NA		NA			04/09/2008
(694) Avalon Lane	0.20	660	R								NA		NA			04/18/2005
(695) Blundons Rd	0.50	880	R								NA		NA			04/18/2005
(696) Gascony Lane	0.35	20	R								NA		NA			04/09/2008
(697) Aaron Dr	0.25	80	R								NA		NA			03/29/2005
(698) Academic Lane	0.75	1100	R								NA		NA			04/02/2008
(699) Old Glebe Point Rd	0.28	100	R								NA		NA			05/15/2008
(699) Old Glebe Point Rd	0.74	210	R								NA		NA			05/15/2008

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(700) Sutton Ave	0.06	20	R								NA			NA		06/02/2008
			From: Dead End													
(700) Sutton Ave	0.13	130	R								NA			NA		06/02/2008
			To: 66-760 Pine Dr													
(700) Sutton Ave	0.29	130	R								NA			NA		06/02/2008
			From: 66-714 Morrison St													
			To: 66-657 Fleeton Rd													
(701) Azalea Lane	0.20	48	R								NA			NA		03/31/2005
			From: Dead End													
			To: 66-711 Owl Town Rd													
(702) Lilian Lane	0.10	350	F	93%	0%					C	0.123	F	0.533	370	F	2008
			From: 66-646 Fairport Rd													
			To: US 360 Northumberland Hwy													
(703) Old Bethany Dr	0.42	280	F	97%	1%	2%	0%	0%	0%	C	0.106	F	0.625	300	F	2008
			From: US 360 Northumberland Hwy													
			To: 66-652 Sunny Bank Rd													
(704) Fleets Cove Lane	0.35	5	R								NA			NA		05/05/2008
			From: 66-636 Newmans Neck Rd													
			To: Dead End													
(705) Point Pleasant Rd	0.41	40	R								NA			NA		03/21/2005
			From: 66-671 Kent Point Rd													
			To: Dead End													
(706) Candy Point Rd	0.80	50	R								NA			NA		05/13/2008
			From: 66-640 Hull Neck Rd													
(706) Candy Point Rd	0.10	7	R								NA			NA		05/13/2008
			From: 0.80 MN 66-640 Hull Neck Rd													
			To: Dead End													
(707) Coopers Landing Rd	1.50	140	R								NA			NA		03/24/2008
			From: Dead End													
			To: US 360; 66-752													
(708) Brooks Lane	0.65	290	R								NA			NA		03/18/2008
			From: 66-617 Lively Hope Rd													
			To: Dead End													
(709) Chambers Lane	0.91	150	R								NA			NA		04/02/2008
			From: 66-624 Lewisetta Rd													
			To: Dead End													
(710) Madge Marsh	0.30	20	R								NA			NA		06/04/2008
			From: Dead End													
			To: 66-665 Mila Rd													
(711) Owl Town Rd	2.49	140	R								NA			NA		03/20/2008
			From: US 360 S, Richmond Rd													
			To: US 360 N, Richmond Rd													
(712) Harry Hogan Rd	0.76	1400	F	96%	0%	1%	1%	1%	0%	C	0.099	F	0.542	1500	F	2008
			From: SR 202; US 360													
			To: 66-622 Harry Hogan Rd													
(712) Lodge Rd	1.50	340	R								NA			NA		04/02/2008
			From: 66-629 Hull Harbor Rd													
			To: Dead End													
(713) Stoney Rd	0.40	60	R								NA			NA		04/18/2005
			From: 66-629 Hull Harbor Rd													
			To: Dead End													
(714) Morrison St	0.08	160	R								NA			NA		06/02/2008
			From: 66-644 Reed Ave													
			To: 66-700 Sutton Ave													
(715) Brickyard Rd	0.80	190	R								NA			NA		05/09/2005
			From: Dead End													
			To: 66-646 Waverly Rd; Brickyard Rd													

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(716) Kent Cove Rd	0.55	120	R								NA			NA		03/21/2005
(717) Cordreys Beach Rd	0.26	70	R								NA			NA		05/13/2008
(717) Cordreys Beach Rd	0.34	40	R								NA			NA		05/13/2008
(718) Train Lane	0.58	30	R								NA			NA		06/04/2008
(719) Oyster Shell Lane	0.30	40	R								NA			NA		04/02/2008
(720) Kelley Lane	0.65	30	R								NA			NA		04/30/2008
(721) Lewis Lane	0.75	290	R								NA			NA		03/24/2008
(722) Morris Ave	0.35	220	R								NA			NA		06/02/2008
(723)	0.06	150	R								NA			NA		1986
(724) Wilkins Creek Lane	0.49	90	R								NA			NA		04/02/2008
(725) Lawrence Cove Lane	0.30	70	R								NA			NA		04/09/2008
(726) Liberty Rd	0.53	120	R								NA			NA		06/02/2008
(727) Tocky Lane	0.04	70	R								NA			NA		05/19/2008
(728) Killneck Lane	0.09	20	R								NA			NA		03/27/2008
(729) Cedar Lane	0.23	220	R								NA			NA		04/27/2005
(730) Cloverleaf Rd	0.30	80	R								NA			NA		03/21/2005
(731) Cranes Landing Rd	0.13	20	R								NA			NA		06/04/2008
(732) Bells Cove Rd	0.65	40	R								NA			NA		03/29/2005
(733)	0.07	20	R								NA			NA		1999

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(734) Rock Town Rd	0.55	170	R				66-647 Greenfield Rd				NA			NA		05/02/2005
							Dead End									
(735) Whittaker Lane	0.20	10	R				66-670 Hardings Wharf Dr				NA			NA		03/21/2005
							Dead End									
(736) Pine Tree Point Rd	0.50	110	R				Dead End				NA			NA		04/13/2005
							66-644 Hacks Neck Rd									
(737) Fairport Rd	0.30	50	R				Dead End				NA			NA		04/25/2005
							66-646 Fairport Rd									
(738) Dungan Rd	0.45	7	R				Dead End				NA			NA		03/29/2005
							66-612 Coan Stage Rd									
(739) Driftwood Trail	0.38	20	R				66-649 Lighthouse View Dr				NA			NA		05/21/2008
							Dead End									
(740) Greenwood Beach Rd	1.00	120	R				66-604 Mob Neck Rd				NA			NA		04/13/2005
							Dead End									
(741) Hope-Union Rd	0.40	30	R				Dead End				NA			NA		06/04/2008
							66-646 Waverly Rd									
(742) Highland Point Rd	0.19	70	R				Dead End				NA			NA		04/02/2008
							66-625 Cowart Rd									
(743) John Deere Rd	0.21	40	R				66-600 Gibeon Rd				NA			NA		03/29/2005
							Dead End									
(744) Damerontown Rd	0.90	160	R				Dead End				NA			NA		03/18/2008
							66-614 Walmsley Rd									
(744) Ivy Lane	0.38	100	R				Dead End				NA			NA		03/18/2008
							Dead End									
(745) Doctors Point Rd	1.00	100	R				Dead End				NA			NA		03/29/2005
							66-624 Lewisetta Rd									
(746) Colieville Lane	0.25	120	R				Dead End				NA			NA		04/21/2005
							66-657 Fleeton Rd									
(747) Rogue Point Lane	0.25	20	R				66-665 Millpoint Dr				NA			NA		05/19/2008
							Dead End									
(748) Locust Grove Lane	0.90	60	R				66-610 Sampsons Wharf Rd				NA			NA		05/02/2005
							Dead End									
(749) Gardys Lane	0.50	110	R				66-618 Fruit Plain Rd				NA			NA		03/18/2008
							0.50 MN 66-618 Fruit Plain Rd									
(749) Gardys Lane	0.30	40	R				Dead End				NA			NA		03/18/2008
							Dead End									
(750) Supply Lane	0.08	130	R				US 360 Northumberland Hwy				NA			NA		04/27/2005
							Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(751) Cod Creek Dr	0.85	430	R				From: 66-629 Font Hill Rd				NA			NA		04/30/2008
(751) Cod Creek Dr	1.26	170	R				From: 66-1403 Presley Creek Dr				NA			NA		04/30/2008
(751) Cod Creek Dr	0.09	100	R				From: 66-1411 S. Muriel Dr				NA			NA		04/30/2008
(751) Cod Creek Dr	0.07	100	R				From: 66-1411 N. Muriel Dr				NA			NA		04/30/2008
(751) Cod Creek Dr	0.06	80	R				From: 66-1402 S. Circle Dr				NA			NA		04/30/2008
(751) Cod Creek Dr	0.21	70	R				From: 66-1402 N. Circle Dr				NA			NA		04/30/2008
(752) Horsehead Lane	0.40	30	R				From: 66-1401 Bay Quarter Dr				NA			NA		04/30/2008
(752) Horsehead Lane	0.40	30	R				From: US 360; 66-707				NA			NA		04/18/2005
(753) Firehouse Rd	0.30	190	R				From: US 360 Northumberland Hwy				NA			NA		05/02/2005
(754) Maple Ave	0.10	30	R				From: Dead End				NA			NA		04/25/2005
(755) Judith Sound Rd	0.52	60	R				From: 66-722 Morris Ave				NA			NA		04/25/2005
(756) Rogers Creek Rd	0.40	10	R				From: 66-724 Lewisetta Rd				NA			NA		03/29/2005
(757) Quinton Oaks Lane	0.30	180	R				From: Dead End				NA			NA		05/13/2008
(758) Move Hall Lane	0.05	360	R				From: 66-717 Cordeys Beach Rd				NA			NA		03/31/2005
(758) Move Hall Lane	0.15	160	R				From: 66-600 Richmond County Line				NA			NA		03/20/2008
(759) Lake Francis Lane	0.40	30	R				From: Dead End				NA			NA		03/20/2008
(760) Pine Dr	0.10	70	R				From: 66-793 Commerce Rd				NA			NA		03/29/2005
(761) Lee Dale Dr	0.61	80	R				From: Dead End				NA			NA		04/25/2005
(761) Lee Dale Dr	0.15	110	R				From: 0.61 ME Dead End				NA			NA		05/04/2005
(762) Dudley Lane	0.12	20	R				From: 66-665 Millpoint Dr				NA			NA		05/04/2005
(763) Sculling Oar Lane	0.48	30	R				From: Dead End				NA			NA		03/29/2005
(763) Sculling Oar Lane	0.48	30	R				From: 66-621 Mundy Point Rd				NA			NA		03/29/2005
(763) Sculling Oar Lane	0.48	30	R				From: 66-669 Apple Grove Rd				NA			NA		04/09/2008
(763) Sculling Oar Lane	0.48	30	R				From: Dead End				NA			NA		04/09/2008

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(764) Potomac Overlook Lane	0.27	50	R			From: 66-685 Oyster Rd					NA			NA		03/29/2005
						To: Dead End										
(765) Butlers Lane	0.16	20	R			From: 66-622 Harry Hogan Rd					NA			NA		03/29/2005
						To: Dead End										
(766) Dividing Creek Lane	0.50	50	R			From: 66-669 Apple Grove Rd					NA			NA		04/09/2008
						To: Dead End										
(767) Dennis Lane	0.15	7	R			From: Dead End					NA			NA		04/09/2008
						To: 66-696 Gascony Lane										
(767) Dennis Lane	0.10	8	R			From: 66-696 Gascony Lane					NA			NA		04/09/2008
						To: 66-773 Clay Point Dr										
(767) Dennis Lane	0.10	4	R			From: 66-773 Clay Point Dr					NA			NA		04/09/2008
						To: Dead End										
(768)	0.10	4	R			From: 66-711 Owl Town Rd					NA			NA		03/20/2008
						To: Dead End										
(769) Greenfield Point Dr	0.62	190	R			From: 66-647 Greenfield Rd					NA			NA		05/02/2005
						To: Dead End										
(770) Boatyard Rd	0.18	220	R			From: 66-646 Fairport Rd					NA			NA		04/25/2005
						To: Dead End										
(771) Ball Lane	0.75	10	R			From: Dead End					NA			NA		04/09/2008
						To: 66-605 Mt Olive Rd										
(772) Devils Wood Yard Rd	0.50	20	R			From: 66-687 Devils Wood Yard Rd					NA			NA		04/13/2005
						To: Dead End										
(773) Clay Point Dr	0.20	4	R			From: 66-767 Dennis Lane					NA			NA		04/09/2008
						To: Dead End										
(774) Solitude Dr	0.28	120	R			From: 66-650 Sweethall Dr					NA			NA		04/21/2005
						To: Dead End										
(775) Factory Lane	0.08	150	R			From: US 360 Northumberland Hwy					NA			NA		04/27/2005
						To: Dead End										
(776) Gill Lane	0.25	20	R			From: 66-636 Newmans Neck Rd					NA			NA		05/05/2008
						To: Dead End										
(777) Magnolia Lane	0.16	40	R			From: Dead End					NA			NA		04/18/2005
						To: 66-640 Marshalls Beach Rd; Hull Neck Rd										
(779) Kirkland Grove Lane	0.25	20	R			From: 66-601 Dodlyt Rd & Bush Mill Rd					NA			NA		03/31/2005
						To: Dead End										
(780) Conaway Lane	0.14	30	R			From: Dead End					NA			NA		03/21/2005
						To: 66-679 Crosshills Rd										
(781) Bon Harbor Rd	0.82	20	R			From: 66-624 Lewisetta Rd					NA			NA		03/29/2005
						To: Cul-de-Sac										

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(782)	0.20	120	R				From: SR 202 Hampton Hall Rd				NA			NA		1986
							To: Dead End									
(783)	Fords Pond Rd	0.10	20	R			From: Dead End				NA			NA		04/25/2005
							To: 66-646 Fairport Rd									
(784)	Glebe View Lane	0.36	200	R			From: 66-614 Lake Rd				NA			NA		03/29/2005
							To: Dead End									
(785)	Northumberland Dr	1.16	70	R			From: 66-624 Lewisetta Rd				NA			NA		03/29/2005
							To: 66-786 Northumberland Dr									
(786)	Northumberland Dr	0.39	60	R			From: 66-785 Northumberland Dr				NA			NA		03/29/2005
							To: 66-787 Shore Lane									
(787)	Shore Lane	0.06	5	R			From: 66-786 Northumberland Dr				NA			NA		03/29/2005
							To: Dead End									
(788)	Tucker Point Lane	0.30	46	R			From: 66-712 Lodge Rd				NA			NA		03/29/2005
							To: Dead End									
(789)		0.15	20	R			From: 66-634 Mantua Rd				NA			NA		04/30/2008
							To: Dead End									
(790)	Lone Walnut Rd	0.30	200	R			From: Westmoreland County Line				NA			NA		03/18/2008
							To: 66-600 Gibeon Rd									
(791)	Pine Point Dr	0.50	80	R			From: 66-630 Walnut Point Rd				NA			NA		03/31/2005
							To: Dead End									
(792)	Mill Creek Lane	0.17	70	R			From: 66-605 Mt Olive Rd				NA			NA		03/21/2005
							To: Dead End									
(793)	Commerce Rd	0.18	370	R			From: 66-712 Harry Hogan Rd				NA			NA		04/27/2005
							To: 66-758 Move Hall Lane									
(794)	Fountain Gate Rd	0.72	200	R			From: 66-635 Sandy Beach Rd				NA			NA		04/18/2005
							To: Dead End									
(795)		0.43	80	R			From: 79-600 Richmond County Line				NA			NA		1986
							To: Dead End									
(796)	Bailey Prong Rd	0.13	20	R			From: 66-609 Remo Rd				NA			NA		05/04/2005
							To: Dead End									
(797)	Crabhouse Dr	0.22	20	R			From: 66-644 Sunny Bank Rd				NA			NA		04/21/2005
							To: Dead End									
(798)	Pine Crest Dr	0.85	80	R			From: 66-667 Bogey Neck Rd				NA			NA		05/09/2005
							To: Dead End									
(799)	Crowder Lane	0.12	230	R			From: 66-801 Crowder Point Dr				NA			NA		06/02/2008
							To: 66-722 Morris Ave									
(799)	Crowder Lane	0.07	260	R			From: 66-722 Morris Ave				NA			NA		06/02/2008
							To: US 360 Main St									

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(800) Brammer Dr	0.89	90	R				From: 66-644 Ferry Rd					NA		NA		04/13/2005
(800) Brammer Dr	0.25	20	R				To: 66-806 Riley Lane					NA		NA		04/13/2005
							To: Cul-de-Sac									
(801) Crowder Point Dr	0.29	160	R				From: Dead End					NA		NA		04/25/2005
							To: 66-799 Crowder Lane									
(802) Tranquility Rd	1.72	90	R				From: 66-652 Gaskins Beach Rd					NA		NA		04/21/2005
							To: 66-803 Smith Point View									
(803) Smith Point View	0.11	30	R				From: Dead End					NA		NA		04/21/2005
							To: 0.06 ME 66-802									
(804) Roland Rd	0.07	8	R				From: Dead End					NA		NA		03/07/2005
							To: 66-669 Bluff Point Rd									
(805) Harbor Dr	0.62	70	R				From: 66-652 Sunny Bank Rd					NA		NA		04/21/2005
							To: Cul-de-Sac									
(806) Riley Lane	0.21	30	R				From: Cul-de-Sac					NA		NA		05/21/2008
							To: 66-800 Brammer Dr									
(807) Stillwater Rd	0.45	50	R				From: 66-666 Sandy Point Rd					NA		NA		06/04/2008
							To: 66-666 Sandy Point Rd									
(808) Crane Court	0.08	20	R				From: Cul-de-Sac					NA		NA		06/04/2008
							To: 66-807 Stillwater Rd									
(809) Oyster Point Dr	0.74	70	R				From: 66-652 Sunny Bank Rd					NA		NA		04/21/2005
							To: Dead End									
(810) Horn Harbor Rd	0.70	190	R				From: Dead End					NA		NA		06/04/2008
							To: 66-663 Blackwell Wharf Rd									
(811) Overlook Lane	0.11	50	R				From: 66-810 Horn Harbor Rd					NA		NA		06/04/2008
							To: Cul-de-Sac									
(812) Steamboat Lane	1.38	160	R				From: 66-604 Indian Valley Rd					NA		NA		03/20/2008
							To: Dead End									
(815) School St	0.06	150	R				From: US 360 Main St					NA		NA		06/02/2008
							To: 66-644 Reed Ave									
(818) Warrens Lane	0.32	60	R				From: 66-618 Fruit Plain Rd					NA		NA		03/18/2008
							To: Dead End									
(820) Palmer Dr	1.34	120	R				From: Dead End					NA		NA		04/02/2008
							To: 66-624 Lewisetta Rd									
(823) Plantation Rd	0.22	40	R				From: Dead End					NA		NA		06/09/2008
							To: 66-712 Lodge Rd									
(824)	0.05	10	R				From: US 360					NA		NA		03/27/2008
							To: 66-612									

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(830) Harmony Hills Circle	0.41	120	R								NA		NA			05/19/2008
(835) Twin Cove Lane	0.60	130	R								NA		NA			05/21/2008
(836) Potomac Dr	0.55	60	R								NA		NA			05/05/2008
(837) Presley Dr	0.12	10	R								NA		NA			04/18/2005
(840) Sunrise Court	0.25	150	R								NA		NA			03/27/2008
(841) Holly Court	0.14	70	R								NA		NA			03/27/2008
(842) Kingscote Dr	0.66	70	R								NA		NA			05/20/2005
(845) Messick Lane	0.24	70	R								NA		NA			03/27/2008
(1001) Back St	0.02	530	R								NA		NA			04/27/2005
(1001) Back St	0.12	90	R								NA		NA			04/27/2005
(1002) Monument Place	0.04	740	R								NA		NA			04/27/2005
(1002) Monument Place	0.03	220	R								NA		NA			04/27/2005
(1002) Monument Place	0.03	660	R								NA		NA			04/27/2005
(1002) Monument Place	0.02	910	R								NA		NA			04/27/2005
(1003)	0.03	110	R								NA		NA			04/27/2005
(1004) Judicial Place	0.06	370	R								NA		NA			04/27/2005
Town of Kilmarnock																
(1005) Clifton Ave	0.05	380	R								NA		NA			03/07/2005
(1005) Clifton Ave	0.14	40	R								NA		NA			03/07/2005
Northumberland County																
(1006) Wicomico Dr	0.15	30	R								NA		NA			05/15/2008
(1006) Wicomico Dr	0.32	140	R								NA		NA			05/15/2008

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
1006 Wicomico Dr	0.26	40	R			From: 66-1007 Tippers Circle					NA			NA		05/15/2008
						To: Cul-de-Sac										
1007 Tippers Circle	0.22	40	R			From: Cul-de-Sac					NA			NA		05/02/2005
						To: 66-1006 Wicomico Dr										
1008 Laurel Ridge Rd	0.34	60	R			From: SR 200 Jesse DuPont Mem Hwy					NA			NA		05/02/2005
						To: Cul-de-Sac										
1009 Glebe Point Lane	0.07	20	R			From: Dead End					NA			NA		05/15/2008
						To: SR 200 Jesse DuPont Memorial Hwy										
1010 Skipjack Dr	0.31	160	R			From: 66-609 Harveys Neck Rd; Remo Rd					NA			NA		06/10/2008
						To: 66-1011 Keel Court										
1010 Skipjack Dr	0.15	70	R			From: 66-1011 Keel Court					NA			NA		06/10/2008
						To: 66-1012 Mainsail Court										
1010 Skipjack Dr	0.28	40	R			From: 66-1012 Mainsail Court					NA			NA		06/10/2008
						To: Cul-de-Sac										
1011 Keel Court	0.08	30	R			From: Cul-de-Sac					NA			NA		06/10/2008
						To: 66-1010 Skipjack Dr										
1012 Mainsail Court	0.08	20	R			From: 66-1010 Skipjack Dr					NA			NA		06/10/2008
						To: Cul-de-Sac										
1013 Marlin Place	0.19	20	R			From: 66-666 Sandy Point Rd					NA			NA		06/04/2008
						To: Dead End										
Town of Kilmarnock																
1014 Dixie Ave	0.06	60	R			From: SR 200 Lancaster County					NA			NA		03/07/2005
						To: 66-1015 Avonne St										
1015 Avonne St	0.07	30	R			From: 66-1017 Bay Ridge Ave					NA			NA		03/07/2005
						To: 66-1014 Dixie Ave										
1016 Bellevue Rd	0.14	410	R			From: Lancaster County Line					NA			NA		03/07/2005
						To: 66-1005 Clifton Ave										
1017 Bay Ridge Ave	0.06	50	R			From: SR 200 Lancaster County					NA			NA		04/07/2008
						To: 66-1015 Avonne St										
Northumberland County																
1018	0.36	NA				From: SR 200 Jesse DuPont Memorial Hwy					NA			NA		
						To: Dead End										
1019	0.18	NA				From: 66-1018					NA			NA		
						To: Dead End										
1020 Snowden Park Dr	0.17	120	R			From: SR 200 Jesse DuPont Mem Hwy					NA			NA		05/15/2008
						To: Dead End										
1023 Lagrange Dr	0.20	60	R			From: 66-1024 Lagrange Ave					NA			NA		03/21/2005
						To: 66-605 Mt Olive Rd										
1024 Lagrange Ave	0.34	40	R			From: Cul-de-Sac					NA			NA		03/21/2005
						To: Cul-de-Sac										

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(1025) Clifton Landing Lane	1.67	140	R			From: 66-608 Bluff Point Rd					NA			NA		03/07/2005
						To: Dead End										
(1026) Mariners Watch Lane	0.17	40	R			From: 66-1025; 66-1027					NA			NA		04/07/2008
						To: Cul-de-Sac										
(1027) Mariners Watch Lane	0.32	70	R			From: Dead End					NA			NA		04/07/2008
						To: 66-1025; 66-1026										
(1028) Tide Point Lane	0.10	30	R			From: 66-1025 Clifton Landing Lane					NA			NA		04/07/2008
						To: Dead End										
(1029) Way Point Lane	0.14	40	R			From: 66-1025 Clifton Landing Lane					NA			NA		04/07/2008
						To: Cul-de-Sac										
(1030) Compass Dr	0.03	20	R			From: Cul-de-Sac					NA			NA		06/10/2008
						To: 66-1032 Harvey Lane										
(1030) Compass Dr	0.09	60	R			From: 66-1032 Harvey Lane					NA			NA		06/10/2008
						To: 66-609 Harveys Neck Rd										
(1031) Ingram Bay Dr	0.07	20	R			From: Cul-de-Sac					NA			NA		06/10/2008
						To: 66-1032 Harvey Lane										
(1031) Ingram Bay Dr	0.08	60	R			From: 66-1032 Harvey Lane					NA			NA		06/10/2008
						To: 66-609 Harveys Neck Rd										
(1031) Ingram Bay Dr	0.07	30	R			From: 66-609 Harveys Neck Rd					NA			NA		06/10/2008
						To: Cul-de-Sac										
(1032) Harvey Lane	0.20	40	R			From: 66-1030 Compass Dr					NA			NA		06/10/2008
						To: 66-1031 Ingram Bay Dr										
(1035) Natty Point Lane	0.40	100	R			From: 66-669 Apple Grove Rd					NA			NA		05/19/2008
						To: Cul-de-Sac										
(1038) Waring Lane	0.16	60	R			From: Dead End					NA			NA		05/19/2008
						To: 66-668 Harding Rd										
(1039) East Harmony Circle	0.13	20	R			From: Cul-de-Sac					NA			NA		05/19/2008
						To: 66-1038 Waring Lane										
(1040) Bowsprit Lane	0.04	20	R			From: Cul-de-Sac					NA			NA		06/10/2008
						To: 66-1010 Skipjack Dr										
(1041) Rudder Place	0.03	9	R			From: Cul-de-Sac					NA			NA		06/10/2008
						To: 66-1010 Skipjack Dr										
(1042) Crowsnest Court	0.10	20	R			From: Cul-de-Sac					NA			NA		06/10/2008
						To: 66-1010 Skipjack Dr										
(1043) Bowsprit Lane	0.09	20	R			From: Dead End					NA			NA		05/04/2005
						To: 66-1010; 66-1040										
(1044) Spinnaker Ct	0.05	4	R			From: 66-1010 Skipjack Dr					NA			NA		06/10/2008
						To: Dead End										

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(1048) Wrights Cove Dr	0.67	40	R				From: 66-624 Lewisetta Rd				NA			NA		06/10/2008
							To: Dead End									
(1049) Claughton Wright Lane	0.14	10	R				From: 66-1048 Wrights Cove Dr				NA			NA		06/10/2008
							To: Dead End									
(1050) Richard Rd	0.27	80	R				From: 66-1051 Surry St				NA			NA		05/21/2008
							To: 66-644 Ferry Rd									
(1051) Surry St	0.29	60	R				From: Cul-de-Sac				NA			NA		05/21/2008
							To: Cul-de-Sac									
(1052) Wicomico Way Dr	0.16	40	R				From: 66-644 Ferry Rd				NA			NA		04/13/2005
							To: 66-1053 Wicomico View Dr									
(1053) Wicomico View Dr	0.21	20	R				From: Cul-de-Sac				NA			NA		04/13/2005
							To: Cul-de-Sac									
(1060) Oyster Way	0.80	140	R				From: 66-604 Sydners Millpond Rd				NA			NA		04/18/2005
							To: Cul-de-Sac									
(1061) Greenway Place	0.30	30	R				From: 66-1060 Oyster Way				NA			NA		04/18/2005
							To: Cul-de-Sac									
(1062) Bayward Dr	0.44	30	R				From: 66-1060 Oyster Way				NA			NA		04/18/2005
							To: Cul-de-Sac									
(1063) Shellfish Dr	0.15	20	R				From: Dead End				NA			NA		05/05/2008
							To: 66-1060 Oyster Way									
(1064) Wood Duck Circle	0.05	20	R				From: 66-1060 Oyster Way				NA			NA		05/05/2008
							To: Dead End									
(1070) Swann Way	0.09	80	R				From: 66-604 Indian Valley Rd				NA			NA		03/31/2005
							To: 66-1071 Lake View Dr									
(1071) Lake View Dr	0.72	50	R				From: Cul-de-Sac				NA			NA		03/31/2005
							To: 66-1070 Swann Way									
(1071) Lake View Dr	0.30	10	R				From: Cul-de-Sac				NA			NA		03/31/2005
							To: Cul-de-Sac									
(1080) Southgate Dr	0.70	130	R				From: 66-665 Mila Rd				NA			NA		05/04/2005
							To: 66-1081 Gougher Point Rd									
(1081) Gougher Point Rd	0.17	40	R				From: 66-1080 Southgate Dr				NA			NA		05/04/2005
							To: Cul-de-Sac									
(1084) Chesapeake Dr	0.98	70	R				From: 66-640 Hull Neck Rd				NA			NA		05/13/2008
							To: Broad View Lane									
(1085) Potomac Way	0.17	30	R				From: 66-1084 Chesapeake Dr				NA			NA		05/13/2008
							To: Dead End									
(1086) Eagles Nest Lane	0.32	40	R				From: Dead End				NA			NA		05/13/2008
							To: Dead End									

Virginia Department of Transportation
 Traffic Engineering Division
 2008
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(1092) Starboard Ct	0.10	10	R								NA			NA		05/05/2008
(1093) Windjammer Ct	0.07	4	R								NA			NA		05/05/2008
(1094) Spinnaker Lane	0.32	50	R								NA			NA		05/05/2008
(1095) Gull Lane	0.20	30	R								NA			NA		04/18/2005
(1096) Osprey Dr	0.18	10	R								NA			NA		04/18/2005
(1101) Cheyenne Pass	0.06	40	R								NA			NA		04/07/2008
(1101) Cheyenne Pass	0.05	30	R								NA			NA		04/07/2008
(1102) Cherokee Trail	0.08	30	R								NA			NA		04/07/2008
(1102) Cherokee Trail	0.11	4	R								NA			NA		04/07/2008
(1103) Powhatan	0.13	30	R								NA			NA		04/07/2008
(1103) Powhatan	0.06	30	R								NA			NA		04/07/2008
(1105) Navajo Rd	0.10	30	R								NA			NA		03/07/2005
(1105) Navajo Rd	0.17	110	R								NA			NA		03/07/2005
(1106) Shawnee	0.24	30	R								NA			NA		03/07/2005
(1106) Shawnee	0.06	90	R								NA			NA		03/07/2005
(1107) North Sioux	0.27	30	R								NA			NA		03/07/2005
(1107) North Sioux	0.03	20	R								NA			NA		03/07/2005
(1107) North Sioux	0.19	40	R								NA			NA		03/07/2005
(1107) North Sioux	0.05	80	R								NA			NA		03/07/2005
(1108)	0.02	10	R								NA			NA		03/07/2005
(1109) South Sioux Rd	0.02	20	R								NA			NA		03/07/2005

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(1110) Pawnee Pass	0.06	30	R				From: 66-1112 Comanche Lane				NA		NA		03/07/2005	
(1110) Pawnee Pass	0.09	40	R				From: 66-1111 Apache Trail				NA		NA		03/07/2005	
							To: 66-1115 Pocohontas Rd									
(1111) Apache Trail	0.20	4	R				From: 66-1116 Tuckahoe Dr				NA		NA		03/07/2005	
							To: 66-1110 Pawnee Pass									
(1112) Comanche Lane	0.21	20	R				From: 66-1116 Tuckahoe Dr				NA		NA		03/07/2005	
							To: 66-1110 Pawnee Pass									
(1113) Bells Creek Lane	0.36	40	R				From: Dead End				NA		NA		04/07/2008	
							To: 66-672 Painter Point Rd									
(1114) Club Dr	0.36	560	R				From: 66-1118 East Dr				NA		NA		03/07/2005	
							To: 66-1115 Pocohontas Rd									
(1115) Pocohontas Rd	0.07	30	R				From: Dead End				NA		NA		04/07/2008	
							To: 66-1117 Orapax Rd									
(1115) Pocohontas Rd	0.12	60	R				From: 66-1116 Tuckahoe Dr				NA		NA		04/07/2008	
							To: 66-1116 Tuckahoe Dr									
(1115) Pocohontas Rd	0.04	130	R				From: 66-1101 Cheyenne Pass				NA		NA		04/07/2008	
							To: 66-1101 Cheyenne Pass									
(1115) Pocohontas Rd	0.14	150	R				From: 66-1110 Pawnee Pass				NA		NA		04/07/2008	
							To: 66-1110 Pawnee Pass									
(1115) Pocohontas Rd	0.09	220	R				From: 66-1114 Club Dr				NA		NA		04/07/2008	
							To: 66-1114 Club Dr									
(1115) Pocohontas Rd	0.07	600	R				From: 66-669 Bluff Point Rd				NA		NA		04/07/2008	
							To: 66-669 Bluff Point Rd									
(1116) Tuckahoe Dr	0.29	60	R				From: Dead End				NA		NA		03/07/2005	
							To: 66-1112 Comanche Lane									
(1116) Tuckahoe Dr	0.06	70	R				From: 66-1111 Apache Trail				NA		NA		03/07/2005	
							To: 66-1111 Apache Trail									
(1116) Tuckahoe Dr	0.06	90	R				From: 66-1115 Pocohontas Rd				NA		NA		03/07/2005	
							To: 66-1115 Pocohontas Rd									
(1117) Orapax Rd	0.03	40	R				From: 66-1115 Pocohontas Rd				NA		NA		03/07/2005	
							To: 0.03 MN 66-1115									
(1117) Orapax Rd	0.09	30	R				From: Dead End				NA		NA		03/07/2005	
							To: Dead End									
(1118) East Dr	0.15	30	R				From: Begin Loop				NA		NA		03/07/2005	
							To: End Loop									
(1118) East Dr	0.15	40	R				From: End Loop				NA		NA		03/07/2005	
							To: 0.15 MN End Loop									
(1118) East Dr	0.35	90	R				From: 0.15 MN End Loop				NA		NA		03/07/2005	
							To: 66-1114 Club Dr									
(1118) East Dr	0.08	330	R				From: 66-1114 Club Dr				NA		NA		03/07/2005	
							To: 66-1119 N, South Dr									
(1118) East Dr	0.29	120	R				From: 66-1119 N, South Dr				NA		NA		03/07/2005	
							To: 66-1119 S, South Dr									

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(1119) South Dr	0.09	60	R								NA			NA		03/07/2005
(1119) South Dr	0.08	40	R								NA			NA		03/07/2005
(1119) South Dr	0.20	80	R								NA			NA		03/07/2005
(1120) West Dr	0.14	50	R								NA			NA		03/07/2005
(1121) Henrys View Lane	0.05	40	R								NA			NA		03/07/2005
(1122) Oystershell Rd	0.16	170	R								NA			NA		05/04/2005
(1128) Prentice Circle	0.10	30	R								NA			NA		04/09/2008
(1129) Hunton Dr	0.29	30	R								NA			NA		03/21/2005
(1130) Shore Dr	0.35	60	R								NA			NA		03/21/2005
(1148) Herdn Ct	0.07	40	R								NA			NA		03/20/2008
(1149) Rockfish Rd	0.17	30	R								NA			NA		03/20/2008
(1150) Captains Way	0.05	60	R								NA			NA		05/09/2005
(1150) Captains Way	0.45	130	R								NA			NA		05/09/2005
(1151) Thompson Court	0.10	30	R								NA			NA		05/09/2005
(1170) Osprey Way	0.10	40	R								NA			NA		05/21/2008
(1171) Cove Place	0.05	8	R								NA			NA		05/21/2008
(1172) Canvasback Dr	0.37	60	R								NA			NA		05/21/2008
(1173) Pintail Place	0.08	30	R								NA			NA		05/21/2008
(1173) Pintail Place	0.05	6	R								NA			NA		05/21/2008
(1174) Redhead Lane	0.18	10	R								NA			NA		05/21/2008

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(1201) Maple Lane	0.28	40	R								NA			NA		05/21/2008
(1201) Maple Lane	0.07	130	R								NA			NA		05/21/2008
(1202) Dogwood Dr	0.19	40	R								NA			NA		04/13/2005
(1202) Dogwood Dr	0.06	49	R								NA			NA		04/13/2005
(1202) Dogwood Dr	0.04	60	R								NA			NA		04/13/2005
(1203) Chestnut Court	0.04	5	R								NA			NA		04/13/2005
(1204) Oak Court	0.03	10	R								NA			NA		04/13/2005
(1209) Sawmill Cove Dr	0.46	30	R								NA			NA		04/13/2005
(1210) Riverview Lane	0.04	150	R								NA			NA		03/24/2008
(1210) Riverview Lane	0.40	110	R								NA			NA		03/24/2008
(1210) Riverview Lane	0.54	40	R								NA			NA		03/24/2008
(1211) Wicomico Way	0.08	60	R								NA			NA		04/18/2005
(1212) Trolling Court	0.05	10	R								NA			NA		04/18/2005
(1213) Tidewater Court	0.08	30	R								NA			NA		03/24/2008
(1214) Driftwood Court	0.08	20	R								NA			NA		04/18/2005
(1215) Peninsula Dr	0.40	40	R								NA			NA		05/13/2008
(1216) Mallard Dr	0.47	48	R								NA			NA		04/18/2005
(1217) Bluebill Circle	0.06	8	R								NA			NA		04/18/2005
(1218) Penn Court	0.12	20	R								NA			NA		05/13/2008
(1219) Holly Dr	0.15	10	R								NA			NA		05/13/2008

Virginia Department of Transportation
 Traffic Engineering Division
 2008
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(1220) Cubitt Creek Rd	0.64	70	R								NA			NA		05/13/2008
(1220) Cubitt Creek Rd	0.07	90	R								NA			NA		05/13/2008
(1220) Cubitt Creek Rd	0.10	100	R								NA			NA		05/13/2008
(1221) Riverview Rd	0.23	30	R								NA			NA		04/13/2005
(1221) Riverview Rd	0.21	30	R								NA			NA		04/13/2005
(1222) Fleet Rd	0.15	40	R								NA			NA		04/13/2005
(1222) Fleet Rd	0.28	40	R								NA			NA		04/13/2005
(1223) Cedar Court	0.06	8	R								NA			NA		04/13/2005
(1224) White Sand Dr	0.09	48	R								NA			NA		05/13/2008
(1224) White Sand Dr	0.01	30	R								NA			NA		05/13/2008
(1224) White Sand Dr	0.41	10	R								NA			NA		05/13/2008
(1225) Lomar Lane	0.26	30	R								NA			NA		05/13/2008
(1226) Riverside Court	0.08	20	R								NA			NA		04/13/2005
(1226) Riverside Court	0.14	40	R								NA			NA		04/13/2005
(1227) Dixie Court	0.11	30	R								NA			NA		05/13/2008
(1228) Witch Duck Lane	0.02	120	R								NA			NA		04/13/2005
(1229) Witch Duck Lane	0.42	60	R								NA			NA		04/13/2005
(1229) Witch Duck Lane	0.15	50	R								NA			NA		04/13/2005
(1230) Canvasback Lane	0.48	170	R								NA			NA		04/27/2005
(1230) Canvasback Lane	0.32	70	R								NA			NA		04/27/2005
(1230) Canvasback Lane	0.18	30	R								NA			NA		04/27/2005

Virginia Department of Transportation
 Traffic Engineering Division
 2008
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(1231) Pintail Lane	0.12	50	R			From: 66-1230 Canvasback Lane					NA			NA		03/24/2008
(1231) Pintail Lane	0.21	30	R			From: 66-1240 Pintail Ct					NA			NA		03/24/2008
						To: Dead End										
(1232) Golden Eye Way	0.08	20	R			From: 66-1230 Canvasback Lane					NA			NA		04/27/2005
						To: Cul-de-Sac										
(1233) Blue Heron Dr	0.10	30	R			From: Dead End					NA			NA		05/15/2008
						To: 66-1229 Witch Duck Lane										
(1234) Blue Heron Court	0.09	20	R			From: 66-1233 Blue Heron Dr					NA			NA		05/15/2008
						To: Cul-de-Sac										
(1235) Beach Point Rd	0.17	30	R			From: 66-740 Greenwood Beach Rd					NA			NA		05/15/2008
						To: Cul-de-Sac										
(1236) Bufflehead Court	0.05	10	R			From: 66-1230 Canvasback Lane					NA			NA		04/27/2005
						To: Cul-de-Sac										
(1237) Pintail Lane	0.10	30	R			From: Dead End					NA			NA		04/27/2005
						To: 66-1230; 66-1231										
(1238) Teal Way	0.12	30	R			From: 66-603 Mallard Bay Dr					NA			NA		04/27/2005
						To: Cul-de-Sac										
(1239) Ruddy Duck Rd	0.22	20	R			From: 66-603 Mallard Bay Dr					NA			NA		03/24/2008
						To: Dead End										
(1240) Pintail Court	0.08	20	R			From: 66-1231 Pintail Lane					NA			NA		03/24/2008
						To: Dead End										
(1244) Lighthouse Lane	0.36	30	R			From: Dead End					NA			NA		05/15/2008
						To: 66-740 Greenwood Beach Rd										
(1245) Bay View Lane	0.27	48	R			From: 66-604 Mob Neck Rd					NA			NA		04/13/2005
						To: Cul-de-Sac										
(1246) Shade Tree Lane	0.41	10	R			From: Cul-de-Sac					NA			NA		05/13/2008
						To: 66-1220 Cubitt Creek Rd										
(1301) Locksley Hall Rd	0.68	830	R			From: US 360 Northumberland Hwy					NA			NA		05/29/2008
(1301) Locksley Hall Rd	1.03	310	R			To: 66-1305 Nottingham Dr					NA			NA		05/29/2008
						To: 66-1302; 66-1303										
(1302) Bridge Creek Circle	0.79	80	R			From: 66-1301; 66-1303					NA			NA		04/04/2005
						To: Dead End										
(1303) Locksley Lane	0.28	60	R			From: Dead End					NA			NA		05/29/2008
(1303) Locksley Lane	0.06	60	R			To: 66-1304 Locksley Court					NA			NA		04/04/2005
						To: 66-1301; 66-1302										

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(1304) Locksley Court	0.05	20	R								NA			NA		04/04/2005
						From: 66-1303 Locksley Lane										
						To: Cul-de-Sac										
(1305) Nottingham Dr	0.28	560	R								NA			NA		05/29/2008
						From: 66-1301 Locksley Hall Rd										
(1305) Nottingham Dr	0.22	30	R								NA			NA		05/29/2008
						From: 66-1306 Sherwood Dr										
						To: Cul-de-Sac										
(1306) Sherwood Dr	0.15	490	R								NA			NA		04/04/2005
						From: 66-1305 Nottingham Dr										
(1306) Sherwood Dr	0.03	470	R								NA			NA		04/04/2005
						From: 66-1307 Arthur Court										
(1306) Sherwood Dr	0.14	440	R								NA			NA		04/04/2005
						From: 66-1310 McCormick										
(1306) Sherwood Dr	0.05	390	R								NA			NA		04/04/2005
						From: 66-1311 Swann Court										
(1306) Sherwood Dr	0.11	200	R								NA			NA		04/04/2005
						From: 66-1315 Friar St										
(1306) Sherwood Dr	0.12	150	R								NA			NA		04/04/2005
						From: 66-1317 Berkshire Dr										
(1306) Sherwood Dr	0.10	130	R								NA			NA		04/04/2005
						From: 66-1316 Galahad Court										
(1306) Sherwood Dr	0.26	90	R								NA			NA		04/04/2005
						From: 66-1308 Arrow Ave										
(1306) Sherwood Dr	0.08	70	R								NA			NA		04/04/2005
						From: 66-1312 Merlin Court										
(1306) Sherwood Dr	0.16	70	R								NA			NA		04/04/2005
						From: 66-1318 Cross Bow St										
						To: Cul-de-Sac										
(1307) Arthur Court	0.15	40	R								NA			NA		04/04/2005
						From: 66-1306 Sherwood Dr										
						To: Cul-de-Sac										
(1308) Arrow Ave	0.07	20	R								NA			NA		04/04/2005
						From: 66-1309 Lancelot Dr										
(1308) Arrow Ave	0.10	20	R								NA			NA		04/04/2005
						From: 66-1317 Berkshire Dr										
						To: 66-1306 Sherwood Dr										
(1309) Lancelot Dr	0.06	80	R								NA			NA		04/04/2005
						From: 66-1315 Friar St										
(1309) Lancelot Dr	0.33	60	R								NA			NA		04/04/2005
						From: W Little John St										
(1309) Lancelot Dr	0.06	20	R								NA			NA		04/04/2005
						From: E Little John St										
(1309) Lancelot Dr	0.16	120	R								NA			NA		04/04/2005
						From: 66-1315 Friar St										
(1309) Lancelot Dr	0.22	90	R								NA			NA		04/04/2005
						From: 66-1308 Arrow Ave										
(1309) Lancelot Dr	0.21	60	R								NA			NA		04/04/2005
						From: 66-1318 Cross Bow St										
						To: Cul-de-Sac										
(1310) McCormick	0.19	49	R								NA			NA		04/04/2005
						From: Cul-de-Sac										
						To: 66-1306 Sherwood Dr										

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(1311) Swann Court	0.12	46	R				From: 66-1306 Sherwood Dr				NA			NA		04/04/2005
							To: Cul-de-Sac									
(1312) Merlin Court	0.04	20	R				From: 66-1306 Sherwood Dr				NA			NA		04/04/2005
							To: Cul-de-Sac									
(1313) Spear Place	0.03	20	R				From: Cul-de-Sac				NA			NA		05/29/2008
							To: 66-1306 Sherwood Dr									
(1314) Little John St	0.17	30	R				From: 66-1309 W, Lancelot Dr				NA			NA		04/04/2005
							To: 66-1309 E, Lancelot Dr									
(1315) Friar St	0.20	130	R				From: 66-1306 Sherwood Dr				NA			NA		04/04/2005
							To: 66-1309 Lancelot Dr									
(1316) Galahad Court	0.10	20	R				From: 66-1306 Sherwood Dr				NA			NA		04/04/2005
							To: Cul-de-Sac									
(1317) Berkshire Dr	0.20	40	R				From: 66-1306 Sherwood Dr				NA			NA		04/04/2005
							To: 66-1308 Arrow Ave									
(1317) Berkshire Dr	0.23	50	R				From: 66-1318 Cross Bow St				NA			NA		04/04/2005
							To: 66-1306 Sherwood Dr									
(1318) Cross Bow St	0.04	40	R				From: 66-1317 Berkshire Dr				NA			NA		04/04/2005
							To: 66-1309 Lancelot Dr									
(1318) Cross Bow St	0.07	40	R				From: 66-1309 Lancelot Dr				NA			NA		04/04/2005
							To: 66-1321 Waterview Lane									
(1320) Bridge Creek Dr	0.12	60	R				From: 66-650 Sweethall Dr				NA			NA		05/29/2008
							To: Dead End									
(1321) Waterview Lane	0.01	20	R				From: 66-1320 Bridge Creek Dr				NA			NA		05/29/2008
							To: Dead End									
(1321) Waterview Lane	0.01	30	R				From: Dead End				NA			NA		05/29/2008
							To: 66-769 Greenfield Point Dr									
(1322) Trumps Ct	0.30	70	R				From: 66-769 Greenfield Point Dr				NA			NA		05/29/2008
							To: 66-1324 Skys Limit Ct; Sky Limit Court									
(1323) Little River Dr	0.18	40	R				From: Dead End				NA			NA		05/29/2008
							To: 66-1323 Little River Dr									
(1324) Sky Limit Court	0.11	20	R				From: 66-1323 Little River Dr				NA			NA		05/29/2008
							To: Dead End									
(1324) Skys Limit Ct	0.05	10	R				From: Cul-de-Sac				NA			NA		05/29/2008
							To: 66-651 Smith Point Rd									
(1329) Spriggs Lane	0.17	40	R				From: 66-805 Harbor Dr				NA			NA		04/21/2005
							To: 66-805 Harbor Dr									
(1330) East Harbor Dr	0.50	70	R				From: 66-644 Blackberry Rd				NA			NA		05/29/2008
							To: Dead End									
(1335) Twin Harbor Rd	0.76	140	R				From: Dead End				NA			NA		04/21/2005
							To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(1336) Emerald Cove Rd	0.23	48	R			From: 66-1335 Twin Harbor Rd					NA			NA		04/21/2005
						To: Dead End										
(1337) Watermans Way	0.20	50	R			From: 66-1335 Twin Harbor Rd					NA			NA		04/21/2005
						To: Cul-de-Sac										
(1338) Oyster Bay Rd	0.19	49	R			From: 66-1335 Twin Harbor Rd					NA			NA		04/21/2005
						To: Dead End										
(1400) Alabama Dr	0.16	20	R			From: 66-1403 Presley Creek Dr					NA			NA		04/30/2008
						To: Cul-de-Sac										
(1401) Bay Quarter Dr	0.14	20	R			From: Cul-de-Sac					NA			NA		03/24/2005
						To: 66-1403 Presley Creek Dr										
(1401) Bay Quarter Dr	0.59	90	R			From: 66-1403 Presley Creek Dr					NA			NA		03/24/2005
						To: 66-751 Cod Creek Dr										
(1401) Bay Quarter Dr	0.30	50	R			From: 66-751 Cod Creek Dr					NA			NA		03/24/2005
						To: Dead End										
(1402) Circle Dr	0.29	10	R			From: 66-751 Cod Creek Dr					NA			NA		03/24/2005
						To: 66-751 Cod Creek Dr										
(1403) Presley Creek Dr	0.29	240	R			From: 66-751 Cod Creek Dr					NA			NA		03/24/2005
						To: 66-1409 Elmington Place										
(1403) Presley Creek Dr	0.20	180	R			From: 66-1409 Elmington Place					NA			NA		03/24/2005
						To: 66-1408 Hampton Place										
(1403) Presley Creek Dr	0.19	160	R			From: 66-1408 Hampton Place					NA			NA		03/24/2005
						To: 66-1407 Tampa Place										
(1403) Presley Creek Dr	0.07	150	R			From: 66-1407 Tampa Place					NA			NA		03/24/2005
						To: 66-1406 Florida Dr										
(1403) Presley Creek Dr	0.09	120	R			From: 66-1406 Florida Dr					NA			NA		03/24/2005
						To: 66-1405 Denver Rd										
(1403) Presley Creek Dr	0.10	110	R			From: 66-1405 Denver Rd					NA			NA		03/24/2005
						To: 66-1404 Colorado Dr										
(1403) Presley Creek Dr	0.35	50	R			From: 66-1404 Colorado Dr					NA			NA		03/24/2005
						To: 66-1401 Bay Quarter Dr										
(1404) Colorado Dr	0.27	40	R			From: 66-1401 Bay Quarter Dr					NA			NA		03/24/2005
						To: Cul-de-Sac										
(1405) Denver Rd	0.20	20	R			From: 66-1403 Presley Creek Dr					NA			NA		03/24/2005
						To: 66-1404 Colorado Dr										
(1406) Florida Dr	0.25	30	R			From: 66-1403 Presley Creek Dr					NA			NA		03/24/2005
						To: 66-1407 Tampa Place										
(1407) Tampa Place	0.18	20	R			From: 66-1407 Tampa Place					NA			NA		03/24/2005
						To: 66-1406 Florida Dr										
(1407) Tampa Place	0.03	40	R			From: 66-1406 Florida Dr					NA			NA		04/30/2008
						To: Dead End										
(1408) Hampton Place	0.06	30	R			From: 66-1403 Presley Creek Dr					NA			NA		03/24/2005
						To: 66-1410 Coral Dr										

Virginia Department of Transportation
 Traffic Engineering Division
 2008
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(1408) Hampton Place	0.20	10	R				From: 66-1410 Coral Dr					NA		NA		03/24/2005
							To: Cul-de-Sac									
(1409) Elmington Place	0.09	60	R				From: 66-1403 Presley Creek Dr					NA		NA		03/24/2005
							To: 66-1410 Coral Dr									
(1409) Elmington Place	0.20	30	R				From: 66-1410 Coral Dr					NA		NA		03/24/2005
							To: Cul-de-Sac									
(1410) Coral Dr	0.25	30	R				From: 66-1409 Elmington Place					NA		NA		03/24/2005
							To: 66-1408 Hampton Place									
(1411) Muriel Dr	0.32	30	R				From: 66-751 Cod Creek Dr					NA		NA		03/24/2005
							To: 66-751 Cod Creek Dr									
(1412) Augusta St	0.11	20	R				From: 66-751 Cod Creek Dr					NA		NA		04/30/2008
							To: 66-1413 Carolina Dr									
(1413) Carolina Dr	0.24	30	R				From: 66-751 Cod Creek Dr					NA		NA		04/30/2008
							To: Cul-de-Sac									
(1414) Howard Court	0.10	10	R				From: Cul-de-Sac					NA		NA		03/24/2005
							To: 66-751 Cod Creek Dr									
(1415) Holiday Dr	0.18	20	R				From: Dead End					NA		NA		04/30/2008
							To: 66-1401 Bay Quarter Dr									
(9294) Northumberland Middle	0.18	110	R				From: 66-698 Academic Lane					NA		NA		03/20/2008
							To: End of Loop									
(9296) Northumberland Elem S	0.15	70	R				From: 66-698 S, Academic Lane					NA		NA		03/20/2008
							To: 66-698 N, Academic Lane									
(9297) Northumberland High S	0.16	130	R				From: 66-601 Dodlyt Rd & Bush Mill Rd					NA		NA		04/02/2008
							To: Northumberland HS									