

**2012**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**41**

Halifax County  
Town of South Boston  
Town of Halifax  
Town of Scottsburg  
Town of Virgilina

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## **Publication Notes**

### **Parallel Roads**

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA: Quality of AADT:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC: Quality of Classification Data:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

## Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
34 Hodges St	From: North Main St	Town of South Boston	0.54	2000	G							NA		2200	G		
	To: US 360 John Randolph Blvd																
40 Stage Coach Rd	From: Pittsylvania County Line	Halifax County	4.16	720	G	86%	2%	2%	1%	9%	0%	F	NA		770	G	
	To: 41-638 Bull Creek Rd																
40 Stage Coach Rd	From: 41-638 Bull Creek Rd	Halifax County	5.96	800	G	91%	1%	1%	1%	6%	0%	C	0.083	F	0.546	820	G
	To: US 501 North of Halifax																
40 501 L P Bailey Memorial Hwy	From: US 501 Halifax	Halifax County	0.97	4700	G	90%	1%	1%	1%	8%	0%	C	0.081	F	0.553	4800	G
	To: Campbell County Line																
49 96 Florence Ave	From: North Carolina State Line	Town of Virgilina (Maint: 41)	0.13	1600	G	91%	1%	1%	1%	6%	0%	F	0.095	F	0.519	1600	G
	To: SR 96 Seventh St																
49 Seventh St	From: SR 96 Florence Ave	Town of Virgilina (Maint: 41)	0.47	680	G	91%	1%	1%	1%	6%	0%	C	0.094	F	0.563	700	G
	To: ECL Virgilina																
49	From: Mecklenburg County Line	Halifax County	2.05	680	N	91%	1%	1%	1%	6%	0%	N	0.094	N	0.563	700	N
	To: Pittsylvania County Line																
57 Chatham Rd	From: Pittsylvania County Line	Halifax County	3.53	660	G	89%	1%	1%	1%	8%	0%	F	0.087	F	0.526	670	G
	To: 41-844 Tune Trail																
57 Chatham Rd	From: 41-844 Tune Trail	Halifax County	1.64	940	G	89%	1%	1%	1%	8%	0%	C	0.085	F	0.611	960	G
	To: 41-845 Ed Mason Lane																
57 Chatham Rd	From: 41-845 Ed Mason Lane	Halifax County	3.62	1200	G	89%	1%	1%	1%	8%	0%	F	0.086	F	0.528	1300	G
	To: 41-676 Asbury Church Rd																
57 Chatham Rd	From: 41-676 Asbury Church Rd	Halifax County	4.06	1700	G	89%	1%	1%	1%	8%	0%	F	0.08	F	0.624	1700	G
	To: SR 360 Mountain Rd																
58 360 Philpott Rd	From: Pittsylvania County Line	Halifax County	3.48	8600	G	85%	1%	1%	1%	12%	0%	F	0.071	F	0.514	8500	G
	To: SR 119 Delila																
58 360 Philpott Rd	From: SR 119 Calvary Rd	Halifax County	6.58	9000	G	85%	1%	1%	1%	12%	0%	F	0.069	F	0.605	8900	G
	To: 41-658 Turbeville Rd																
58 360 Philpott Rd	From: 41-658 Turbeville Rd; Melon Rd	Halifax County	9.25	8300	A	85%	1%	1%	1%	12%	0%	C	0.099	A	0.566	8400	A
	To: US 501 Huell Matthews Hwy																
58 360 Bill Tuck Hwy	From: US 501 Huell Matthews Hwy	Town of South Boston	0.18	13000	G	85%	1%	1%	1%	12%	0%	F	0.082	F	0.55	13000	G
	To: ECL South Boston																
58 360 Bill Tuck Hwy	From: ECL South Boston	Halifax County	0.52	13000	N	85%	1%	1%	1%	12%	0%	N	0.082	N	0.55	13000	N
	To: US 360 John Randolph Blvd																

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
58 Bill Tuck Hwy	From: US 360 John Randolph Blvd Halifax County	5.00	7100	G	85%	1%	1%	1%	12%	0%	F	0.073	F	0.562	7200	G
58 Bill Tuck Hwy	To: 41-601 Rockchoal Rd From: 41-601 Buckshoal Rd Halifax County	5.57	5400	G	85%	1%	1%	1%	12%	0%	F	0.071	F	0.525	5500	G
92 Clover Rd	To: Mecklenburg County Line From: Charlotte County Line Halifax County	4.19	450	G	95%	0%	1%	1%	3%	0%	F	NA		460	G	
92 Clover Rd	To: NCL Clover From: Clover (Maint: 41)	0.47	450	N	95%	0%	1%	1%	3%	0%	N	NA		460	N	
92 Clover Rd	To: 41-746; 41-1001 From: Clover (Maint: 41)	0.33	450	N	95%	0%	1%	1%	3%	0%	N	NA		460	N	
92 Clover Rd	To: SCL Clover From: Halifax County	0.80	450	N	95%	0%	1%	1%	3%	0%	N	NA		460	N	
96 Virgilina Rd	To: US 360 South of Clover From: US 501 S of Cluster Springs Halifax County	7.11	1300	G	84%	1%	1%	1%	13%	0%	C	0.092	F	0.544	1400	G
96	To: WCL Virgilina From: Town of Virgilina (Maint: 41)	0.59	1300	N	84%	1%	1%	1%	13%	0%	N	0.092	N	0.544	1400	N
96 49 Florence Ave	To: N SR 49 From: Town of Virgilina (Maint: 41)	0.13	1600	G	91%	1%	1%	1%	6%	0%	F	0.095	F	0.519	1600	G
119 Calvary Rd	To: North Carolina State Line From: North Carolina State Line Halifax County	3.08	670	G	88%	0%	1%	1%	11%	0%	C	0.125	F	0.571	690	G
129 North Main St	To: US 58 Philpott Rd From: US 501 P; Wilborn Ave; Main St Town of South Boston	0.09	2900	G	97%	1%	1%	1%	1%	0%	F	0.096	F	0.809	3100	G
129 North Main St	To: US 501 Broad St From: Town of South Boston	0.38	4500	G	97%	1%	1%	1%	1%	0%	C	0.092	F	0.5	4700	G
129 North Main St	To: SR 34 Hodges St From: Town of South Boston	0.16	5400	G	97%	1%	1%	1%	1%	0%	F	0.099	F	0.508	5800	G
129 North Main St	To: Edmunds St From: Town of South Boston	0.19	6100	G	99%	1%	0%	0%	0%	0%	F	0.093	F	0.549	6500	G
129 North Main St	To: College St From: Town of South Boston	0.63	5800	G	99%	1%	0%	0%	0%	0%	F	0.096	F	0.59	6200	G
129 North Main St	To: Hamilton Blvd From: Town of South Boston	0.88	9900	G	99%	1%	0%	0%	0%	0%	C	0.096	F	0.508	11000	G
129 Old Halifax Rd	To: NCL South Boston From: Halifax County	0.85	14000	G	99%	0%	0%	0%	0%	0%	C	0.086	F	0.507	14000	G
	To: US 501 Centerville															



Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
304 Seymour Dr	Town of South Boston	0.08	2500	G	97%	1%	1%	1%	1%	0%	F	NA		2700	G	
304 Seymour Dr	Town of South Boston	0.38	3000	G	97%	1%	1%	1%	1%	0%	C	0.091	F	0.585	3200	G
304 Seymour Dr	Town of South Boston	0.25	2600	G	97%	1%	1%	1%	1%	0%	F	NA		2800	G	
344 Scottsburg Rd	Halifax County	1.58	1100	G	91%	0%	1%	2%	6%	0%	F	0.084	F	0.576	1100	G
344	Town of Scottsburg (Maint: 41)	0.75	1100	N	91%	0%	1%	2%	6%	0%	N	0.084	N	0.576	1100	N
344 McDonald Rd	Town of Scottsburg (Maint: 41)	0.42	700	G	91%	0%	1%	2%	6%	0%	C	0.090	F	0.625	720	G
344	Halifax County	7.35	700	N	91%	0%	1%	2%	6%	0%	N	0.090	N	0.625	720	N
344 McDonald Rd	Halifax County	2.18	200	G	91%	0%	1%	2%	6%	0%	F	0.125	F	0.698	210	G
349 Edmunds Blvd	Town of Halifax (Maint: 41)	0.12	690	G	96%	2%	1%	0%	0%	0%	C	0.135	F	0.631	700	G
360 58 Philpott Rd	Halifax County	3.48	8600	G	85%	1%	1%	1%	12%	0%	F	0.071	F	0.514	8500	G
360 58 Philpott Rd	Halifax County	6.58	9000	G	85%	1%	1%	1%	12%	0%	F	0.069	F	0.605	8900	G
360 58 Philpott Rd	Halifax County	9.25	8300	A	85%	1%	1%	1%	12%	0%	C	0.099	A	0.566	8400	A
360 58 Bill Tuck Hwy	Town of South Boston	0.18	13000	G	85%	1%	1%	1%	12%	0%	F	0.082	F	0.55	13000	G
360 58 Bill Tuck Hwy	Halifax County	0.52	13000	N	85%	1%	1%	1%	12%	0%	N	0.082	N	0.55	13000	N
360 John Randolph Blvd	Halifax County	0.45	10000	G	86%	1%	1%	1%	11%	0%	F	0.082	F	0.516	10000	G
360 John Randolph Blvd	Town of South Boston (Maint: 41)	0.16	10000	G	86%	1%	1%	1%	11%	0%	F	0.082	F	0.516	10000	G
360 John Randolph Blvd	Town of South Boston	0.52	11000	G	86%	1%	1%	1%	11%	0%	F	0.081	F	0.539	10000	G

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
360 John Randolph Blvd	Town of South Boston	0.44	12000	G	86%	1%	1%	1%	11%	0%	F	0.08	F	0.585	12000	G
360 John Randolph Blvd	Town of South Boston (Maint: 41)	0.09	8300	G	86%	1%	1%	1%	11%	0%	F	0.082	F	0.560	8100	G
360 James D Hagood Hwy	Halifax County	1.43	7500	G	86%	1%	1%	1%	11%	0%	F	0.079	F	0.595	7300	G
360 James D Hagood Hwy	Halifax County	5.28	5900	G	86%	1%	1%	1%	11%	0%	F	NA		5800	G	
360 James D Hagood Hwy	Halifax County	2.40	7800	G	86%	1%	1%	1%	11%	0%	F	0.078	F	0.586	7600	G
360 James D Hagood Hwy	Halifax County	2.79	6100	G	86%	1%	1%	1%	11%	0%	F	0.08	F	0.560	5900	G
360 James D Hagood Hwy	Halifax County	2.73	5400	G	86%	1%	1%	1%	11%	0%	F	0.078	F	0.522	5300	G
360 Mountain Rd	Halifax County	5.11	1000	G	95%	1%	1%	1%	3%	0%	C	0.096	F	0.505	1000	G
360 Mountain Rd	Halifax County	5.65	2000	G	95%	1%	1%	1%	3%	0%	F	0.088	F	0.582	2000	G
360 Mountain Rd	Halifax County	2.57	5000	G	95%	1%	1%	1%	3%	0%	F	0.084	F	0.626	5100	G
360 Mountain Rd	Halifax County	0.30	2000	N	94%	0%	1%	1%	4%	0%	N	0.087	N	0.640	2000	N
360 Mountain Rd	Town of Halifax (Maint: 41)	1.72	2000	G	94%	0%	1%	1%	4%	0%	C	0.087	F	0.640	2000	G
360 501 Main St	Town of Halifax (Maint: 41)	0.78	8500	G	97%	0%	0%	0%	2%	0%	F	0.082	F	0.625	8700	G
360 Bethel Rd	Town of Halifax (Maint: 41)	0.26	4100	G	95%	1%	1%	1%	3%	0%	F	NA		4400	G	
360 Bethel Rd	Halifax County	6.19	2600	G	89%	0%	1%	2%	7%	0%	C	0.083	F	0.63	2600	G
501 Huell Matthews Hwy	Halifax County	2.46	3000	G	89%	0%	1%	1%	10%	0%	F	0.083	F	0.576	3000	G
501 Huell Matthews Hwy	Halifax County	3.84	4000	G	89%	0%	1%	1%	10%	0%	C	0.089	F	0.527	4100	G

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
501	From: 41-658 Cluster Springs Rd Halifax County	4.64	5400	G	89%	0%	1%	1%	10%	0%	F	0.082	F	0.54	5500	G
501	To: US 58, US 360; SCL South Boston Town of South Boston	0.53	18000	G	97%	0%	0%	0%	2%	0%	C	0.088	F	0.54	18000	G
501	From: US 501 P; Broad St Town of South Boston	0.09	8300	G	97%	0%	0%	0%	2%	0%	F	0.095	F		8800	G
	From: US 501 P Main St Combined Traffic Estimates for 2 Parallel Roadways on this Route:		15000	G	97%	0%	0%	0%	2%	0%	F	0.089	F	0.572	16000	G
501	To: SR 304 Seymour Dr Town of South Boston	0.22	8000	G	97%	0%	0%	0%	2%	0%	C	0.096	F		8500	G
	From: SR 304 Seymour Dr Combined Traffic Estimates for 2 Parallel Roadways on this Route:		16000	G	97%	0%	0%	0%	2%	0%	C	NA			16000	G
501	To: SR 129 North Main St Town of South Boston	0.26	6100	G	97%	0%	0%	0%	2%	0%	F	0.089	F		6500	G
	From: SR 129 North Main St Combined Traffic Estimates for 2 Parallel Roadways on this Route:		13000	G	97%	0%	0%	0%	2%	0%	F	NA			14000	G
501	To: Third St Town of South Boston	0.18	5900	G	97%	0%	0%	0%	2%	0%	C	0.09	F		6300	G
	From: Third St Combined Traffic Estimates for 2 Parallel Roadways on this Route:		14000	G	97%	0%	1%	0%	2%	0%	F	0.085	F	0.54	15000	G
501	To: Edmunds St Town of South Boston	0.41	6000	G	97%	0%	0%	0%	2%	0%	F	0.089	F		6400	G
	From: Edmunds St Combined Traffic Estimates for 2 Parallel Roadways on this Route:		15000	G	97%	0%	1%	0%	2%	0%	F	0.086	F	0.543	15000	G
501	From: US 501 P Wilborn Ave Town of South Boston	0.51	14000	G	97%	0%	0%	0%	2%	0%	F	NA			16000	G
501	To: US 501 P; Broad St Town of South Boston	0.51	14000	G	97%	0%	0%	0%	2%	0%	F	NA			16000	G
501	To: Hamilton Blvd Town of South Boston	0.69	16000	G	97%	0%	0%	0%	2%	0%	F	0.085	F	0.718	17000	G
501	To: Old NCL South Boston Town of South Boston	0.79	17000	G	97%	0%	0%	0%	2%	0%	F	0.091	F	0.567	18000	G
501	To: SR 129 N, Old Halifax Rd Town of South Boston	0.38	22000	G	97%	0%	0%	0%	2%	0%	F	0.094	F	0.575	22000	G
501	To: NCL South Boston Halifax County	0.36	12000	G	96%	0%	1%	1%	2%	0%	C	0.080	F	0.527	12000	G
501	To: SCL Halifax Town of Halifax (Maint: 41)	1.56	11000	G	96%	0%	1%	1%	3%	0%	C	0.081	F	0.571	11000	G
501	To: SR 360 S, Mountain Rd Town of Halifax (Maint: 41)	0.78	8500	G	97%	0%	0%	0%	2%	0%	F	0.082	F	0.625	8700	G
501	To: SR 360 N, Bethel Rd Town of Halifax (Maint: 41)	0.67	5000	G	87%	1%	2%	1%	9%	0%	F	0.086	F	0.622	5100	G
501	To: ECL Halifax Halifax County	6.56	4400	G	87%	1%	2%	1%	9%	0%	F	0.075	F	0.633	4500	G
	From: 41-642 Meadville Rd, Liberty Rd															

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
501 L P Bailey Memorial Hwy	From:	41-642 Meadville Rd, Liberty Rd															
	Halifax County	5.85	3400	G	87%	1%	2%	1%	9%	0%	C	0.078	F	0.57	3500	G	
501 L P Bailey Memorial Hwy	To:	41-603 Cody Rd															
	Halifax County	2.57	2800	G	87%	1%	2%	1%	9%	0%	F	0.081	F	0.521	2900	G	
501 L P Bailey Memorial Hwy	From:	41-645 State Shed Rd															
	Halifax County	4.90	3100	G	87%	1%	2%	1%	9%	0%	F	0.075	F	0.551	3100	G	
501 40 L P Bailey Memorial Hwy	From:	SR 40 Stage Coach Rd															
	Halifax County	0.97	4700	G	90%	1%	1%	1%	8%	0%	C	0.081	F	0.553	4800	G	
501 Main St	To:	Campbell County Line															
	Town of South Boston	0.07	7100	G	97%	0%	1%	0%	2%	0%	F	0.089	F		7500	G	
501 Main St	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		15000	G	97%	0%	0%	0%	2%	0%	F	0.089	F	0.572	16000	G	
	From:	SR 304 Seymour Dr															
501 Main St	Town of South Boston	0.18	7500	G	97%	0%	1%	0%	2%	0%	C	0.088	F		8000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		16000	G	97%	0%	0%	0%	2%	0%	C	NA			16000	G	
501 Wilborne Ave	From:	SR 129 North Main St															
	Town of South Boston	0.26	7300	G	97%	0%	1%	0%	2%	0%	F	0.088	F	0.909	7800	G	
501 Wilborne Ave	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		13000	G	97%	0%	0%	0%	2%	0%	F	NA			14000	G	
	From:	Third St															
501 Wilborne Ave	Town of South Boston	0.57	8500	G	97%	0%	1%	0%	2%	0%	F	0.083	F	0.801	9000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		14000	G	97%	0%	1%	0%	2%	0%	F	0.085	F	0.54	15000	G	
	To:	US 501 Broad Street															

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(F831) Keystone Mill Rd	0.06	120	R								NA		NA			09/08/2008
(F1064)	0.19	60	R								NA		NA			08/13/2008
(600) Black Walnut Rd	4.55	300	R								NA		NA			08/04/2011
(600) Black Walnut Rd	1.39	260	R								NA		NA			08/04/2011
(601) Stevens Rd	0.31	90	R								NA		NA			07/14/2011
(601) Bucksheal Rd	0.40	600	R								NA		NA			08/11/2008
(601) Bucksheal Rd	1.60	610	R								NA		NA			08/11/2008
(601) Bucksheal Rd	1.20	380	R								NA		NA			08/11/2008
(601) Bucksheal Rd	1.00	160	R								NA		NA			08/11/2008
(601) Bucksheal Rd	1.00	140	R								NA		NA			08/11/2008
(601) Virgie Cole Rd	1.51	100	R								NA		NA			08/11/2008
(602) N Fork Church Rd	2.10	110	G	92%	3%	1%	3%	1%	0%	F	0.119	F	0.667	110	G	2012
(602) North Fork Church Rd	3.80	300	G	92%	3%	1%	3%	1%	0%	F	0.144	F	0.543	300	G	2012
(602) Hitesburg Church Rd	2.80	320	G	92%	3%	1%	3%	1%	0%	C	0.111	F	0.564	330	G	2012
(603) Cody Rd	3.73	1000	G	91%	1%	1%	1%	6%	0%	F	0.09	F	0.509	1000	G	2012
(603) Cody Rd	2.35	1600	G	91%	1%	1%	1%	6%	0%	C	0.083	F	0.547	1600	G	2012
(603) Volens Rd	3.50	460	G	93%	0%	1%	0%	6%	0%	F	0.084	F	0.609	470	G	2012
(603) Volens Rd	1.41	750	G	93%	0%	1%	0%	6%	0%	F	0.091	F	0.519	760	G	2012
(603) Lenning Rd	3.65	720	G	93%	0%	1%	0%	6%	0%	C	0.088	F	0.529	730	G	2012
(603) Hunting Creek Rd	5.20	490	G	93%	0%	1%	0%	6%	0%	F	0.105	F	0.53	500	G	2012
(603) Hunting Creek Rd	2.64	540	G	93%	0%	1%	0%	6%	0%	F	0.095	F	0.570	560	G	2012
(604) Rip Rap Rd	1.50	120	R								NA		NA			08/13/2008
(604) Rip Rap Rd	0.75	60	R								NA		NA			08/13/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(604) Rip Rap Rd	0.55	60	R									NA		NA		08/13/2008
(604) Rip Rap Rd	0.20	0	R									NA		NA		07/12/2011
(605) Mill Rd	2.38	130	R									NA		NA		08/04/2008
(606) Rice School Rd	0.50	10	R									NA		NA		08/13/2008
(606) Rice School Rd	0.60	70	R									NA		NA		08/13/2008
(606) Rice School Rd	0.55	140	R									NA		NA		08/13/2008
(606) Rice School Rd	0.65	170	R									NA		NA		08/13/2008
(607) Rodgers Chapel Rd	4.96	1300	G	97%	0%	1%	0%	2%	0%	C	0.092	F	0.717	1300	G	2012
(608) Cole Lane	1.70	230	R									NA		NA		08/11/2011
(608) Rev Coleman Rd	1.70	290	R									NA		NA		08/04/2008
(609) Abbott Hill Rd	2.10	240	R									NA		NA		08/04/2008
(609) Abbott Hill Rd	1.30	430	R									NA		NA		08/04/2008
(609) West Store Rd	2.30	220	R									NA		NA		07/30/2008
(610) Murphy Grove Rd	1.67	190	R									NA		NA		08/06/2008
(610) Crystal Hill Rd	4.60	390	G	98%	0%	2%	0%	1%	0%	F	0.098	F	0.704	400	G	2012
(610) Clays Mill Rd	2.00	220	G	98%	0%	2%	0%	1%	0%	F	0.127	F	0.569	220	G	2012
(610) Clays Mill Rd	2.35	320	G	98%	0%	2%	0%	1%	0%	F	0.098	F	0.597	330	G	2012
(610) Clays Mill Rd	2.39	770	G	98%	0%	2%	0%	1%	0%	C	0.098	F	0.658	780	G	2012
(611) Hundley Rd	2.43	280	R									NA		NA		08/04/2008
(611) Hundley Rd	0.60	240	R									NA		NA		08/04/2008
(612) Clays Mill School Rd	1.30	410	R									NA		NA		08/23/2011
(612) Clays Mill School Rd	0.60	60	R									NA		NA		08/23/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(613) Marions Trail	0.70	230	R								NA		NA			08/11/2011
			From: 41-626 Howard P Johnson Hwy													
(613) Marions Trail	0.28	110	R								NA		NA			08/11/2011
			To: 41-893 James Trail													
(613) Wagstaff Lane	0.45	870	R								NA		NA			08/04/2008
			From: Dead End; Gap													
(613) Wagstaff Lane	0.36	940	R								NA		NA			08/11/2011
			From: 41-614 W, Burton Rd													
(613) Wagstaff Lane	0.30	190	R								NA		NA			08/04/2008
			From: 41-614 E, Burton Rd													
(613) Terrys Bridge Rd	3.30	330	G	98%	0%	1%	0%	0%	0%	C	0.095	F	0.529	340	G	2012
			From: SR 360 W, Bethel Rd													
(613) Terrys Bridge Rd	2.74	650	G	93%	0%	0%	1%	5%	0%	F	0.12	F	0.598	670	G	2012
			From: SR 360 E, Bethel Rd													
			To: US 360 James D Hagwood Hwy													
			To: WCL Scottsburg													
<b>Town of Scottsburg</b>																
(613) Terrys Bridge Rd	0.28	760	G	93%	0%	0%	1%	5%	0%	C	0.107	F	0.652	780	G	2012
			From: WCL Scottsburg													
			To: SR 344 Scottsburg Rd													
<b>Halifax County</b>																
(614) Love Shop Rd	2.07	2500	G								0.090	F	0.591	2500	G	2012
			From: 41-716 Rodgers Chapel Rd													
(614) Love Shop Rd	1.90	1900	G								0.099	F	0.662	2000	G	2012
			From: 41-651 Cowford Rd													
(614)	0.31	750	R								NA		NA			08/04/2008
			From: SR 360 Bethel Rd													
(614) Burton Rd	2.25	590	R								NA		NA			08/11/2011
			From: 41-613 E, Wagstaff Lane													
			To: 41-613 W, Wagstaff Lane													
			To: 41-610 Clays Mill Rd													
(615) Tucker Rd	2.30	210	R								NA		NA			08/11/2011
			From: US 501, L P Bailey Mem Hwy													
(615) Winns Creek Rd	2.30	410	R								NA		NA			08/11/2011
			From: 41-626 S, Howard P Johnson Hwy													
			To: 41-626 N, Howard P Johnson Hwy; Howard P Anderson													
			To: 41-610 Clays Mill Rd													
(616) Neals Corner Rd	2.50	150	R								NA		NA			07/30/2008
			From: 41-603 Hunting Creek Rd													
(616) Neals Corner Rd	0.50	120	R								NA		NA			07/30/2008
			From: 41-780 Lloyds Mill Rd													
(616) Neals Corner Rd	1.10	80	R								NA		NA			07/30/2008
			From: 41-617 Cove Rd													
			To: 41-746 Mt Laurel Rd													
(617) Cove Rd	0.90	110	R								NA		NA			07/28/2008
			From: 41-616 Neals Corner Rd													
(617) Cove Rd	2.00	40	R								NA		NA			07/28/2008
			From: 41-618 Chester Rd													
(617) Cove Rd	1.45	70	R								NA		NA			08/04/2011
			From: 41-623 Mortons Ferry Rd													
(617) Cove Rd	0.01	60	R								NA		NA			08/04/2011
			From: 1.45 MN 41-623													
			To: Dead End													
(618) Chester Rd	1.60	100	R								NA		NA			08/04/2011
			From: 41-617 Cove Rd													
			To: 41-623 Mortons Ferry Rd													

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(619) Hardings Mill Rd	2.90	110	R									NA		NA		08/04/2011
(620) Narrow Bridge Rd	0.20	50	R									NA		NA		08/04/2011
(621) Bradley Creek Rd	3.30	120	R									NA		NA		07/30/2008
(621) Beaver Pond Rd	1.10	110	R									NA		NA		07/30/2008
(621) Beaver Pond Rd	2.00	110	R									NA		NA		07/30/2008
(621) Chilsolm Trail	0.80	100	R									NA		NA		07/30/2008
(621) Chilsolm Trail	0.90	80	R									NA		NA		07/30/2008
(621) Hodges St	1.40	80	R									NA		NA		07/30/2008
(621) Newbill School Rd	3.40	150	G	99%	0%	0%	0%	1%	0%	C	0.124	F	0.55	150	G	2012
(621) Newbill School Rd	0.83	190	G	99%	0%	0%	0%	1%	0%	F	0.112	F	0.575	190	G	2012
(621) Newbill School Rd	3.30	220	G	99%	0%	0%	0%	1%	0%	F	0.105	F	0.593	230	G	2012
(622) Waltman Trail	1.00	80	R									NA		NA		08/04/2008
(623) Mortons Ferry Rd	2.72	180	R									NA		NA		07/28/2008
(623) Mortons Ferry Rd	0.24	200	R									NA		NA		07/28/2008
(623) Mortons Ferry Rd	1.01	200	R									NA		NA		08/04/2011
(623) Mortons Ferry Rd	2.47	150	R									NA		NA		08/04/2011
(623) Mortons Ferry Rd	1.09	90	R									NA		NA		08/04/2011
(623) Mortons Ferry Rd	0.65	10	R									NA		NA		07/28/2008
(624) Coles Ferry Rd	2.40	190	R									NA		NA		08/04/2011
(624) Coles Ferry Rd	5.48	160	R									NA		NA		08/04/2011
(624) Lake Conner Rd	1.50	80	R									NA		NA		08/04/2011
(625) Ellis Creek Rd	1.60	60	R									NA		NA		07/28/2008



Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(626) Shiloh Church Rd	3.11	220	G	97%	1%	1%	0%	1%	0%	C	0.111	F	0.552	230	G	2012
						From: US 501, L P Bailey Mem Hwy										
						To: 41-632 Hog Wallow Rd										
(626) Clarkton Rd	4.10	220	G	97%	1%	1%	0%	1%	0%	F	0.111	F	0.6	230	G	2012
						From: 41-625 Ellis Creek Rd										
(626) Clarkton Rd	4.70	210	G	97%	1%	1%	0%	1%	0%	C	0.109	F	0.542	210	G	2012
						From: 41-603 E, Hunting Creek Rd										
						To: 41-603 W, Hunting Creek Rd										
(626) Howard P Anderson Rd	3.30	830	G	94%	0%	0%	1%	4%	0%	F	0.089	F	0.586	850	G	2012
						From: 41-610 S, Clays Mill Rd										
(626) Howard P Anderson Rd	2.96	1000	G	94%	0%	0%	1%	4%	0%	F	0.083	F	0.591	1000	G	2012
						From: 41-615 N, Winns Creek Rd										
(626) Howard P Johnson Hwy	2.45	1700	G	94%	0%	0%	1%	4%	0%	C	0.082	F	0.594	1800	G	2012
						From: SR 360 Bethel Rd										
(627) Armistead Rd	2.40	60	R									NA		NA		07/28/2008
						From: 41-603 Lenning Rd										
						To: 41-644 Stoney Ridge Rd										
(628) Chestnut Rd	4.90	320	R									NA		NA		08/02/2011
						From: 41-647 Leda Grove Rd										
						To: US 501, L P Bailey Mem Hwy										
(629) Henrys Trail	0.70	150	R									NA		NA		07/28/2008
						From: Dead End										
						To: 41-603 Lenning Rd										
(630) Doctor Merritt Rd	0.60	120	R									NA		NA		08/04/2011
						From: 41-603 Lenning Rd										
						To: 41-631 Railroad Dr										
(630) Doctor Merritt Rd	0.80	60	R									NA		NA		08/04/2011
						From: Dead End										
						To: 41-644 Nathalie Rd										
(631) Railroad Dr	0.60	70	R									NA		NA		07/28/2008
						From: 41-630 Doctor Merritt Rd										
						To: 41-626 Clarkton Rd										
(632) Hog Wallow Rd	4.61	570	G	96%	0%	1%	0%	2%	0%	C	0.098	F	0.594	580	G	2012
						From: US 501; SR 40 LP Bailey Hwy										
(633) Turkey Track Lane	1.50	110	R									NA		NA		08/04/2011
						From: 41-634 Elder Rd										
						To: Dead End										
(634) Elder Rd	1.30	20	R									NA		NA		07/28/2008
						From: 41-632 Hog Wallow Rd										
						To: 41-633 Turkey Track Lane										
(634) Elder Rd	0.40	110	R									NA		NA		07/28/2008
						From: 41-636 Childrey Church Rd										
(635) Loop Rd	2.50	80	R									NA		NA		08/02/2011
						From: SR 360 Mtn Rd										
						To: 41-665 Nunnleys Bridge Rd										
(636) Thorntons Rd	1.50	250	R									NA		NA		07/28/2008
						From: SR 40 Stage Coach Rd										
(636) Thorntons Rd	1.62	80	R									NA		NA		07/28/2008
						From: 41-645 State Shed Rd										
(636) Thorntons Rd	0.07	90	R									NA		NA		07/28/2008
						From: 1.62 ME 41-645										
						To: US 501 N, L P Bailey Mem Hwy										
(636) Childrey Church Rd	1.26	270	R									NA		NA		07/28/2008
						From: US 501 S, L P Bailey Mem Hwy										
						To: 41-634 Elder Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(636) Childrey Rd	0.80	210	R											NA	NA	07/28/2008
(637) Cherry Creek Rd	1.80	80	R											NA	NA	07/28/2008
(638) Bull Creek Rd	0.80	170	R											NA	NA	07/28/2008
(638) Bull Creek Rd	0.90	110	R											NA	NA	07/28/2008
(638) Bull Creek Rd	3.79	230	R											NA	NA	07/28/2008
(638) Perth Rd	1.50	180	R											NA	NA	07/28/2008
(639) Rock Barn Rd	1.20	250	R											NA	NA	07/28/2008
(639) Rock Barn Rd	0.40	180	R											NA	NA	07/28/2008
(639) Rock Barn Rd	2.50	170	R											NA	NA	07/28/2008
(640) Buffalo Rd	1.00	290	R											NA	NA	07/28/2008
(640) Buffalo Rd	2.10	250	G	95%	1%	2%	0%	2%	0%	C	0.099	F	0.567	250	G	2012
(640) Buffalo Rd	3.20	180	R											NA	NA	07/28/2008
(641) Lower Liberty Rd	3.30	180	R											NA	NA	07/30/2008
(642) Meadville Rd	3.02	690	G	94%	0%	1%	1%	3%	0%	C	0.099	F	0.52	710	G	2012
(642) Liberty Rd	4.69	720	G	95%	1%	1%	1%	2%	0%	C	0.084	F	0.537	730	G	2012
(643) McKendree Church Rd	0.10	20	R											NA	NA	08/06/2008
(643) MeKendree Church Rd	0.40	70	R											NA	NA	08/06/2008
(643) Cedar Fork Rd	0.50	130	R											NA	NA	08/04/2008
(644) Nathalie Rd	1.20	760	G	93%	1%	1%	1%	4%	0%	C	0.093	F	0.539	770	G	2012
(644) Stoney Ridge Rd	2.75	110	R											NA	NA	07/28/2008
(644) Stoney Ridge Rd	0.60	100	R											NA	NA	07/28/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(645) Acorn Rd	3.01	620	G	90%	0%	2%	2%	6%	0%	C	0.090	F	0.574	630	G	2012
(645) State Shed Rd	2.42	250	R									NA		NA		07/28/2008
(646) Rabat Rd	2.08	220	R									NA		NA		07/28/2008
(646) Rabat Rd	0.34	290	R									NA		NA		07/28/2008
(647) Leda Grove Rd	4.01	210	G	97%	3%	0%	0%	0%	0%	F	0.107	F	0.558	220	G	2012
(647) Tobacco Rd	2.18	230	G	97%	3%	0%	0%	0%	0%	F	0.142	F	0.571	230	G	2012
(647) Tobacco Rd	1.70	250	G	97%	3%	0%	0%	0%	0%	C	0.108	F	0.581	250	G	2012
(648) Mason Chapel Rd	3.70	80	R									NA		NA		08/13/2008
(649) Old Concord Rd	1.20	150	R									NA		NA		07/30/2008
(649) Old Concord Rd	1.50	140	R									NA		NA		07/30/2008
(649)	2.90	210	R									NA		NA		07/28/2008
(650) Mulberry Rd	0.09	150	N									NA		NA		07/30/2008
(650) Mulberry Rd	1.21	150	R									NA		NA		07/30/2008
(650) Mulberry Rd	1.00	250	R									NA		NA		07/30/2008
(650) Mulberry Rd	0.60	130	R									NA		NA		07/28/2008
<b>Town of Halifax</b>																
(651) Cowford Rd	0.11	950	G	94%	0%	1%	4%	1%	0%	F	0.096	F	0.507	970	G	2012
<b>Halifax County</b>																
(651) Cowford Rd	2.21	1000	G	94%	0%	1%	4%	1%	0%	C	0.114	F	0.648	1000	G	2012
<b>Town of Halifax</b>																
(652) Academy St	0.44	80	R									NA		NA		09/08/2008
<b>Halifax County</b>																
(652)	1.52	170	R									NA		NA		08/19/2002

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(653) Ball Park Loop	1.60	110	R			From: SR 360 EAST; 41-903					NA			NA		09/08/2008
(653) Ball Park Loop	1.90	190	R			To: 41-880 Burns Trail					NA			NA		09/08/2008
(654) Singi Rd	2.73	6300	G	99%	0%	From: SR-360 W, Mountain Rd										
						To: SR 360 Mountain Rd										
						To: US 501 Halifax Rd										
(655) Blane Rd	1.20	540	G	97%	1%	0%	0%	1%	0%	C	0.090	F	0.576	6400	G	2012
						From: 41-711 Harmony Rd										
						To: 41-658 Turbeville Rd										
(656) Hackberry Rd	3.05	460	G	97%	0%	1%	0%	2%	0%	C	0.099	F	0.692	470	G	2012
						From: US 58 Philpott Rd										
						To: Pittsylvania County Line										
(657) Felix Rd	1.80	80	R			From: 41-667 Leda Rd					NA			NA		07/30/2008
						To: 41-650 Mulberry Rd										
(658) Melon Rd	1.80	240	R			From: Pittsylvania County Line					NA			NA		08/13/2008
(658)	3.76	410	N	96%	0%	0%	1%	2%	0%	N	0.098	N	0.596	420	N	2012
						From: 41-688 Kerns Mill Rd										
						To: 41-662 Ashton Hall Rd										
(658) Melon Rd	0.42	410	G	96%	0%	0%	1%	2%	0%	F	0.098	F	0.596	420	G	2012
						From: 41-662 Goodes Rd										
						To: 41-691 Stebbins Rd										
(658) Melon Rd	3.84	690	G	96%	0%	0%	1%	2%	0%	C	0.117	F	0.568	700	G	2012
						From: US-58 W, Philpott Rd										
(658) Turbeville Rd	2.80	380	G	98%	0%	1%	1%	1%	0%	F	0.113	F	0.611	390	G	2012
						From: 41-773 Jeffress Trail										
(658) Turbeville Rd	1.96	400	G	98%	0%	1%	1%	1%	0%	F	0.096	F	0.651	410	G	2012
						From: 41-797 Traynham Grove Rd										
(658) Cluster Springs Rd	0.63	1100	G	98%	0%	1%	1%	1%	0%	F	0.104	F	0.558	1100	G	2012
						From: 41-708 Cedar Grove Rd										
(658) Cluster Springs Rd	3.56	1200	G	98%	0%	1%	1%	1%	0%	F	0.096	F	0.594	1200	G	2012
						From: 41-704 S, Black Walnut Church Rd										
(658) Cluster Springs Rd	0.80	1700	G	98%	0%	1%	1%	1%	0%	C	0.09	F	0.577	1800	G	2012
						From: US 501 Huell Matthews Hwy										
(658) Cherry Hill Church Rd	3.52	510	G								0.126	F	0.568	520	G	2012
						To: 41-744 S, East Hyco Rd										
						From: 41-744 N, East Hyco Rd										
(658) Grady T Cole Mem Lane	0.12	180	G								NA			200	G	2012
						From: 41-741 W, Wallace Cole Rd										
						To: 41-741 E, Wallace Cole Rd										
(658) Virgie Cole Rd	3.80	300	G								NA			320	G	2012
						From: US 58 E; 41-601										
(659) Brooklyn Rd	1.58	280	G	98%	0%	0%	1%	1%	0%	F	0.110	F	0.578	290	G	2012
						From: Pittsylvania County Line										
(659) River Rd	3.72	310	G	98%	0%	0%	1%	1%	0%	F	0.103	F	0.535	320	G	2012
						From: 41-688 Goodes Rd										
(659) River Rd	3.89	320	G	98%	0%	0%	1%	1%	0%	F	0.110	F	0.561	330	G	2012
						From: 41-691 Stebbins Rd										
(659) River Rd	1.74	560	G	98%	0%	0%	1%	1%	0%	C	0.097	F	0.603	570	G	2012
						From: 41-683 Oak Level Rd										
						To: 41-681 Union Church Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(659) River Rd	5.48	820	G	99%	0%	From: 41-681 Union Church Rd To: 41-682 S. Berry Hill Rd				F	0.09	F	0.611	840	G	2012
(659) River Rd	0.09	2400	G	99%	0%	From: 41-682 S. Berry Hill Rd To: 41-682 N. Old Grubby Rd				F	0.093	F	0.563	2500	G	2012
(659) River Rd	1.27	2800	G	99%	0%	From: 41-682 N. Old Grubby Rd To: 41-654 Sinai Rd				C	0.092	F	0.529	2800	G	2012
(660) Glass Mill Rd	0.45	60	R			From: Pittsylvania County Line To: 41-661 High Point Rd					NA			NA		08/04/2008
(660) Glass Mill Rd	0.40	90	R			From: 41-661 High Point Rd To: 41-662 Birch Elmo Rd					NA			NA		08/04/2008
(661) High Point Rd	0.50	80	R			From: Pittsylvania County Line To: 41-660 Glass Mill Rd					NA			NA		08/04/2008
(662) Birch Elmo Rd	0.80	170	R			From: SR 360 Mtn Rd To: 41-684 Hummingbird Lane					NA			NA		08/04/2008
(662) Birch Elmo Rd	1.00	100	R			From: 41-684 Hummingbird Lane To: 41-660 Glass Mill Rd					NA			NA		08/04/2008
(662) Birch Elmo Rd	3.80	110	R			From: 41-660 Glass Mill Rd To: 41-685 Lewis Ferrell Rd					NA			NA		08/11/2008
(662) Birch Elmo Rd	0.40	220	R			From: 41-685 Lewis Ferrell Rd To: 41-659 E. River Rd 41-659 W. River Rd					NA			NA		08/11/2008
(662) Ashton Hall Rd	2.40	80	G	98%	0%	1%	0%	2%	0%	C	0.179	F	0.588	80	G	2012
(663) Carlbrook Rd	2.10	60	R			From: SR 360 Mtn Rd To: 41-684 Hummingbird Lane					NA			NA		08/04/2008
(664) Johns Run Rd	2.00	30	R			From: Pittsylvania County Line To: 41-675; 41-807					NA			NA		08/04/2008
(665) Nunnleys Bridge Rd	0.70	220	R			From: 41-676 Thompson Store Rd To: 41-635 Loop Rd					NA			NA		08/02/2011
(665) Nunnleys Bridge Rd	1.90	170	R			From: 41-635 Loop Rd To: 41-675 Ridgeway Rd					NA			NA		08/02/2011
(666) East Elkhorn Rd	0.50	250	R			From: 41-667 Leda Rd To: 41-702 Logan Rd					NA			NA		08/02/2011
(666) East Elkhorn Rd	2.00	240	R			From: 41-702 Logan Rd To: Pittsylvania County Line					NA			NA		08/02/2011
(667) Leda Rd	2.65	270	G	92%	2%	2%	0%	4%	0%	F	0.094	F	0.509	280	G	2012
(667) Leda Rd	3.71	190	G	92%	2%	2%	0%	4%	0%	C	0.109	F	0.583	190	G	2012
(667) Pumping Hill Rd	3.48	210	G	92%	2%	2%	0%	4%	0%	F	0.13	F	0.63	210	G	2012
(668) Tower Lane	0.51	80	R			From: 41-603 Cody Rd To: SR 40; 41-640					NA			NA		07/28/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(668) Straightstone Rd	0.69	730	G	85%	0%	2%	0%	13%	0%	C	0.098	F	0.554	750	G	2012
(669) Evergreen Rd	0.60	70	R								NA		NA			07/28/2008
(670) Sandy Ridge Rd	1.00	130	R								NA		NA			07/28/2008
(670) Sandy Ridge Rd	3.90	70	R								NA		NA			07/28/2008
(671) News Ferry Trail	0.90	70	R								NA		NA			08/06/2008
(671) Jones Ferry Rd	3.50	120	R								NA		NA			08/06/2008
(671) High View Rd	2.00	250	R								NA		NA			08/06/2008
(671) Swain Rd	2.90	140	R								NA		NA			08/06/2008
(672) Jones Trail	2.00	180	R								NA		NA			07/30/2008
(672) Plato Rd	1.10	100	R								NA		NA			07/30/2008
(672) Jones Trail	1.00	120	R								NA		NA			07/30/2008
(673) Farmer Trail	0.85	50	R								NA		NA			08/04/2008
(673) Farmer Trail	0.05	20	R								NA		NA			08/04/2008
(674) Blue Rock Rd	1.70	140	R								NA		NA			07/28/2011
(674) Blue Rock Trial	0.90	50	R								NA		NA			07/28/2011
(675) Ridgeway Rd	0.60	110	R								NA		NA			08/02/2011
(675) Ridgeway Rd	1.80	100	R								NA		NA			08/02/2011
(675) Ridgeway Rd	2.05	150	R								NA		NA			08/02/2011
(675) Ridgeway Rd	0.95	200	R								NA		NA			08/02/2011
(675) Ridgeway Rd	1.20	30	R								NA		NA			08/04/2008
(676) Thompson Store Rd	2.70	550	R								NA		NA			08/02/2011
(676) Thompson Store Rd	0.80	310	R								NA		NA			07/28/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(676) Ashbury Church Rd	2.60	310	R									NA		NA		07/28/2011
			From: 41-674 Blue Rock Rd													
			To: 41-672 E, Jones Trail													
(676) Ashbury Church Rd	1.14	500	R									NA		NA		07/28/2011
			From: SR 57 Chatham Rd													
			To: Dead End													
(677) Wilson Mem Trail	1.00	140	R									NA		NA		08/04/2008
			From: 1.00 MN Dead End													
(677) Wilson Mem Trail	1.40	320	R									NA		NA		08/04/2008
			From: SR 360 W, Mountain Rd													
			To: SR 360 E, Mountain Rd													
(677) Ridge Rd	1.60	360	R									NA		NA		07/28/2011
			From: 41-763 Pine Ridge Trail													
(677) Ridge Rd	1.60	140	R									NA		NA		07/28/2011
			From: 41-676 Thompson Store Rd													
(678) Grubby Rd	0.80	710	G	99%	0%	1%	0%	0%	0%	C	0.101	F	0.667	730	G	2012
			From: 41-681 Union Church Rd													
(678) Grubby Rd	3.50	220	R									NA		NA		09/08/2008
			From: 41-682 Old Grubby Rd													
			To: 41-654 Singi Rd													
(679) Deer Run Rd	1.60	180	R									NA		NA		08/06/2008
			From: 41-680 Pleasant Grove Rd													
(679) Union Grove Rd	1.70	330	R									NA		NA		08/06/2008
			From: 41-671 High View Rd; Jones Ferry Rd													
			To: 41-681 Union Church Rd													
(680) Pleasant Grove Rd	3.00	90	R									NA		NA		08/06/2008
			From: 41-683 Oak Level Rd													
(680) Pleasant Grove Rd	1.40	240	R									NA		NA		08/06/2008
			From: 41-679 Deer Run Rd													
			To: SR 360 Mountain Rd													
(681) Union Church Rd	2.90	110	R									NA		NA		08/06/2008
			From: 41-659 River Rd													
(681) Union Church Rd	0.45	530	R									NA		NA		08/06/2008
			From: 41-679 Union Grove Rd													
(681) Union Church Rd	2.15	400	G	99%	0%	0%	0%	0%	0%	C	0.099	F	0.544	400	G	2012
			From: 41-678 Grubby Rd													
			To: SR 360 Mountain Rd													
(682) Old Grubby Rd	3.17	770	G	99%	0%	0%	0%	0%	0%	F	0.110	F	0.683	790	G	2012
			From: 41-678 Grubby Rd													
			To: 41-659 N, River Rd													
(682) Berry Hill Rd	1.06	2200	G	99%	0%	0%	0%	0%	0%	C	0.088	F	0.524	2200	G	2012
			From: 41-659 S, River Rd													
			To: WCL South Boston													
(683) Oak Level Rd	1.00	260	R									NA		NA		08/11/2008
			From: 41-659 River Rd													
(683) Oak Level Rd	3.80	160	R									NA		NA		08/11/2008
			From: 41-680 Pleasant Grove Rd													
(683) Oak Level Rd	0.80	440	R									NA		NA		08/06/2008
			From: 41-685; 41-771													
(683) Oak Level Rd	1.50	670	R									NA		NA		08/06/2008
			From: 41-684 Hummingbird Lane													
			To: SR 360 Mountain Rd													
(684) Hummingbird Lane	1.80	130	R									NA		NA		08/04/2008
			From: 41-662 Birch Elmo Rd													
			To: 41-663 Carlbrook Rd													

Virginia Department of Transportation  
 Traffic Engineering Division  
 2012  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(684) Hummingbird Lane	1.80	240	R			From: 41-663 Carlbrook Rd					NA			NA		08/04/2008
						To: 41-683 Oak Level Rd										
(685) Lewis Ferrell Rd	4.70	170	R			From: 41-662 Birch Elmo Rd					NA			NA		08/06/2008
						To: 41-683; 41-771										
(686) Mercy Seat Rd	1.30	90	R			From: 41-689 Wooding Rd					NA			NA		07/26/2011
						To: 41-658										
(686) Mercy Seat Rd	0.60	80	R			From: Dead End					NA			NA		07/26/2011
						To: Dead End										
(687) Fire Tower Trail	0.16	140	R			From: 41-708 Cedar Grove Rd					NA			NA		07/19/2011
						To: Dead End										
(688) Kerns Mill Rd	3.08	320	R			From: Pittsylvania County Line					NA			NA		08/11/2008
						To: 41-658 Melon Rd										
(688) Kerns Mill Rd	1.90	100	R			From: 41-659 River Rd; Brooklyn Rd					NA			NA		08/11/2008
						To: Dead End										
(689) Wooding Rd	0.62	30	R			From: Dead End					NA			NA		08/11/2008
						To: 0.62 ME Dead End										
(689) Wooding Rd	0.30	30	R			From: 41-686 Mercy Seat Rd					NA			NA		08/11/2008
						To: 41-658										
(689) Wooding Rd	2.00	70	R			From: 41-603 Cody Rd					NA			NA		08/02/2011
						To: Dead End										
(691) Stebbins Rd	2.00	220	R			From: 41-658 Melon Rd					NA			NA		07/26/2011
						To: 41-659 River Rd										
(692) Richardson Lane	0.45	70	R			From: Dead End					NA			NA		08/11/2008
						To: 41-751 Storys Creek Rd										
(693) Pointer Rd	0.64	580	R			From: North Carolina State Line WEST					NA			NA		07/19/2011
						To: 41-764 New Haven Rd										
(693) Pointer Rd	3.09	220	R			From: 41-829 Foster Rd; Samuel Rd					NA			NA		07/19/2011
						To: North Carolina State Line EAST										
(694) Medley Rd	1.00	100	R			From: US 58; SR 119					NA			NA		07/19/2011
						To: 1.00 ME US 58										
(694) Medley Rd	0.55	60	R			From: Dead End					NA			NA		07/19/2011
						To: Dead End										
(695) Buckskin Trail	0.30	80	R			From: Dead End					NA			NA		07/28/2008
						To: 41-624 Coles Ferry Rd										
(696) Henderson Rd	0.20	50	R			From: North Carolina State Line					NA			NA		07/19/2011
						To: 41-712 Williamson Rd										
(696) Henderson Rd	1.90	120	R			From: 41-648 Mason Chapel Rd					NA			NA		07/19/2011
						To: 41-648 Mason Chapel Rd										



Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(696) Henderson Rd	0.50	160	R								NA			NA		07/19/2011
			From: 41-648 Mason Chapel Rd													
			To: 41-697 Coleman Dr													
(696) Henderson Rd	0.61	210	R								NA			NA		07/19/2011
			From: US 58 Philpott Rd													
			To: Dead End													
(697) Coleman Dr	0.60	20	R								NA			NA		08/13/2008
			From: 41-696 Henderson Rd													
(697) Coleman Dr	1.40	60	R								NA			NA		07/19/2011
			From: 41-779 Hudson Dr													
(697) Coleman Dr	1.80	210	R								NA			NA		07/19/2011
			From: 41-699 Mt Caramel Rd													
			To: Pittsylvania County Line													
(698) Henrys Mill Rd	1.90	130	R								NA			NA		08/04/2008
			From: SR 360 Mountain Rd													
			To: North Carolina State Line													
(699)	0.40	560	R								NA			NA		08/13/2008
			From: 41-700 McGees Mill Rd													
(699) Mt Caramel Rd	2.90	440	G	98%	0%	0%	0%	1%	0%	F	0.114	F	0.626	450	G	2012
			From: 41-751 Piney Grove Rd													
(699) Wilkins Rd	3.00	380	G	98%	0%	0%	0%	1%	0%	C	0.108	F	0.512	390	G	2012
			From: US 58 Philpott Rd													
			To: North Carolina State Line													
(700) McGees Mill Rd	0.30	590	G	95%	1%	1%	0%	3%	0%	C	0.099	F	0.636	610	G	2012
			From: 41-699 Mt Caramel Rd													
			To: 41-711 Alton Post Office Rd													
(701) Mill Pond Rd	1.90	120	R								NA			NA		08/13/2008
			From: 41-699 Wilkins Rd													
			To: Pittsylvania County Line													
(702) Logan Rd	3.70	100	R								NA			NA		08/02/2011
			From: 41-666 East Elkhorn Rd													
			To: US 58 Philpott Rd													
(703) Sandy Beach Rd	0.83	220	R								NA			NA		08/11/2008
			From: 41-881 Country Store Rd													
(703) Sandy Beach Rd	1.39	170	R								NA			NA		08/11/2008
			From: 41-951													
			To: US 501 Huell Matthews Hwy													
(704) Black Walnut Church Rd	0.43	570	R								NA			NA		08/20/2008
			From: 41-658 S, Cluster Springs Rd													
			To: 41-658 North, Cluster Springs Rd													
(704) Old Cluster Springs Rd	3.23	500	G								NA			530	G	2012
			From: 41-706 Bold Springs Rd													
(704) Old Cluster Springs Rd	1.90	1300	G								NA			1400	G	2012
			From: US 58 Philpott Rd													
			To: 41-706 Bold Springs Rd													
(705) Link Puryear Rd	2.40	220	R								NA			NA		08/20/2008
			From: 41-704 Old Cluster Springs Rd													
			To: 41-658 Cluster Springs Rd													
(706) Bold Springs Rd	0.50	360	R								NA			NA		08/20/2008
			From: 41-705 Link Puryear Rd													
(706) Bold Springs Rd	0.90	320	R								NA			NA		08/20/2008
			From: 41-809 German Creek Rd													
(706) Bold Springs Rd	3.70	430	R								NA			NA		08/20/2008
			From: 41-704 Old Cluster Springs Rd													

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(707) Paradise Rd	0.60	250	R									NA		NA		08/13/2008
(707) Paradise Rd	2.07	340	R									NA		NA		08/13/2008
(708) Cedar Grove Rd	0.08	340	R									NA		NA		08/20/2008
(708) Cedar Grove Rd	2.80	270	R									NA		NA		08/20/2008
(708) Cedar Grove Rd	1.00	490	R									NA		NA		08/20/2008
(709) Blanes Mill Lane	0.80	30	R									NA		NA		07/30/2008
(710) Bethel Hill Rd	2.10	70	R									NA		NA		08/20/2008
(711) Alton Post Office Rd	3.83	420	G	97%	1%	0%	0%	1%	0%	F	0.123	F	0.598	430	G	2012
(711) Harmony Rd	4.10	260	G	97%	1%	0%	0%	1%	0%	C	0.127	F	0.771	260	G	2012
(711) Harmony Rd	0.20	270	G	97%	1%	0%	0%	1%	0%	F	0.117	F	0.6	280	G	2012
(711) Denniston Rd	2.79	210	G	97%	1%	0%	0%	1%	0%	F	0.117	F	0.556	210	G	2012
(712) Williamson Rd	2.32	70	R									NA		NA		08/13/2008
(713) Turner Trail	0.70	50	R									NA		NA		08/13/2008
(714) Woodsdale Rd	1.30	370	R									NA		NA		08/13/2008
(715) Red Level Church Rd	1.15	90	R									NA		NA		08/11/2011
(715) Williams Rd	0.50	100	R									NA		NA		08/11/2011
(716) Rodgers Chapel Rd	3.03	1400	G	89%	0%	1%	8%	2%	0%	C	0.096	F	0.628	1400	G	2012
(716) Wolf Trap Rd	2.50	510	G	99%	0%	0%	0%	0%	0%	C	0.104	F	0.590	530	G	2012
(716)	2.20	290	R									NA		NA		08/06/2008
(716) Mosely Ferry Trail	5.10	30	R									NA		NA		08/06/2008
(716) Dryburg Rd	4.15	200	G	94%	0%	0%	4%	2%	0%	F	0.127	F	0.661	200	G	2012

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(716) Dryburg Rd	1.45	340	G	94%	0%	0%	4%	2%	0%	F	0.103	F	0.615	350	G	2012
						From: 41-803 Allen Trail										
						To: 41-721 Ashcake Creek Rd										
(716) Dryburg Rd	1.78	500	G	94%	0%	0%	4%	2%	0%	C	0.104	F	0.546	510	G	2012
						From: US 360 James D Hagood Hwy										
						To: SCL Clover										
(716) Mosely Ferry Rd	0.95	830	G	94%	0%	1%	1%	3%	0%	C	0.096	F	0.506	850	G	2012
<b>Clover</b>																
(716) Mosely Ferry Rd	0.17	850	G	94%	0%	1%	1%	3%	0%	F	0.091	F	0.508	870	G	2012
						From: SCL Clover										
						To: SR 92; 41-1004, S Main St										
<b>Halifax County</b>																
(717) Hazelwood Mill Trail	0.25	60	R								NA			NA		08/04/2008
						From: 41-716 Dryburg Rd										
						To: Dead End										
(718) Snow Hill Rd	2.50	80	R								NA			NA		08/13/2008
						From: 41-707 Paradise Rd										
						To: 41-658 Cluster Springs Rd										
(719) Allens Mill Rd	3.70	30	R								NA			NA		08/06/2008
						From: SR 344										
						To: 41-716 Dryburg Rd										
<b>Town of Scottsburg</b>																
(720) Green Level Rd	0.46	390	R								NA			NA		08/06/2008
						From: SR 344; 41-724										
						To: ECL Scottsburg										
<b>Halifax County</b>																
(720) Green Level Rd	0.70	350	R								NA			NA		07/29/2002
						From: ECL Scottsburg										
						To: 41-827 Lee Syd Moore Rd										
(720) Green Level Rd	4.60	130	R								NA			NA		08/06/2008
						From: 41-721 Ashe Cake Creek Rd; Piney Creek Rd										
(720) Guill Town Rd	0.70	120	R								NA			NA		08/04/2008
						From: 41-722 Heath Rd										
(720) Guill Town Rd	1.10	140	R								NA			NA		08/04/2008
						From: US 360; SR 92										
						To: US 360 James D Hagood Hwy										
(721) Piney Creek Rd	0.25	160	R								NA			NA		08/06/2008
						From: 0.25 MW US 360										
(721) Piney Creek Rd	1.42	100	R								NA			NA		08/04/2008
						From: 41-722 Heath Rd										
(721) Piney Creek Rd	0.79	100	R								NA			NA		08/04/2008
						From: 41-720 Guill Town Rd; Green Level Rd										
(721) Ashe Cake Creek Rd	1.10	70	R								NA			NA		08/04/2008
						From: 1.10 MW 41-720										
(721) Ashe Cake Creek Rd	0.60	70	R								NA			NA		08/04/2008
						From: 41-716 Dryburg Rd										
(722) Heath Rd	1.10	50	R								NA			NA		08/11/2011
						From: 41-721 Piney Creek Rd										
						To: 41-720 Guill Town Rd										
(723) Brad Smith Trail	1.50	90	R								NA			NA		08/04/2011
						From: Dead End										
						To: 41-603 Hunting Creek Rd										
(724) Drybridge Rd	0.15	190	R								NA			NA		08/06/2008
						From: SR 344 N, Scottsburg Rd										
						To: 41-878 John B Scott Trail										

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(724) Drybridge Rd	1.54	50	R			From: 41-878 John B Scott Trail					NA			NA		08/06/2008
						To: NCL Scottsburg										
<b>Town of Scottsburg</b>																
(724) Drybridge Rd	0.36	50	R			From: NCL Scottsburg					NA			NA		08/06/2008
						To: 0.36 MS of NCL										
(724) Drybridge Rd	0.17	70	R			From: 0.36 MS of NCL					NA			NA		08/06/2008
						To: SR 344 S; 41-720										
<b>Halifax County</b>																
(725) Charlie Lawson Rd	0.29	90	R			From: North Carolina State Line					NA			NA		08/25/2008
						To: SR 96 Virgilina Rd										
(726) Coleman Rd	2.30	250	R			From: 41-716 Mosely Ferry Trail					NA			NA		08/06/2008
						To: SR 344										
(727) North Nichols Ferry Trail	1.00	70	R			From: Dead End					NA			NA		08/06/2008
						To: 41-716 Wolf Trap Rd										
(728) Sams Trail	0.45	80	R			From: Dead End					NA			NA		07/30/2008
						To: 41-642 Liberty Rd										
(729) Bellevue Rd	2.72	1500	G	99%	0%	From: 41-716; 41-1323 Dan River Church Rd				C	0.092	F	0.663	1500	G	2012
						To: US 360 James D Hagood Hwy										
(729) Daniels Trail	0.77	300	R			From: US 360 James D Hagood Hwy					NA			NA		08/23/2011
						To: Dead End										
(730) Ramble Rd	4.48	300	R			From: US 58 E, Bill Tuck Hwy					NA			NA		07/14/2011
						To: US 58 W, Bill Tuck Hwy										
(730) Ramble Rd	0.16	80	R			From: US 58 W, Bill Tuck Hwy					NA			NA		07/14/2011
						To: 41-601 Bucksheal Rd										
(731) Pools Mill Trail	0.30	40	R			From: US 58 Bill Tuck Hwy					NA			NA		08/13/2008
						To: Dead End										
(732) Aarons Creek Rd	3.60	420	G	93%	2%	From: 41-602 Hitesburg Church Rd				C	0.117	F	0.593	430	G	2012
						To: US 58 Bill Tuck Hwy										
(733) East Hitesburg Rd	1.80	60	R			From: 41-604 Rip Rap Rd					NA			NA		08/13/2008
						To: 41-602 Hitesburg Church Rd										
(733) East Hitesburg Rd	2.10	160	R			From: 41-602 Hitesburg Church Rd					NA			NA		08/11/2008
						To: 41-734 S, Red Bank Rd										
(733) West Hitesburg Rd	0.80	60	R			From: 41-734 N, Red Bank Rd					NA			NA		08/25/2008
						To: 41-737 Hudson Rd										
<b>Town of Virgilina</b>																
(734) Florence Ave	0.56	780	G	94%	1%	From: SR 49; SR 96 Seventh St				C	0.099	F	0.678	800	G	2012
						To: NCL Virgilina										
<b>Halifax County</b>																
(734) Red Bank Rd	3.27	470	G	94%	1%	From: NCL Virgilina				F	0.112	F	0.571	480	G	2012
						To: 41-602 Hitesburg Church Rd										
(734) Red Bank Rd	0.17	230	R			From: 41-602 Hitesburg Church Rd					NA			NA		08/11/2008
						To: 41-736 Bowen Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(734) Red Bank Rd	2.22	170	R								NA			NA		08/11/2008
(734) Red Bank Rd	1.11	80	R								NA			NA		08/11/2008
(734) Hogan Rd	0.70	100	R								NA			NA		08/11/2008
(735) Gills Mountain Rd	2.20	90	R								NA			NA		08/13/2008
(736) Bowen Rd	2.20	70	R								NA			NA		08/13/2008
(737) Hudson Rd	0.30	110	R								NA			NA		08/13/2008
(737) Hudson Rd	2.10	90	R								NA			NA		08/25/2008
(737) Hudson Rd	2.10	190	R								NA			NA		08/25/2008
(738) Cemetery Rd	0.80	60	R								NA			NA		08/25/2008
(738) Cemetery Rd	3.70	140	R								NA			NA		08/25/2008
(738) Kingswood Rd	0.79	140	R								NA			NA		08/25/2008
(738) Kingswood Rd	3.82	110	R								NA			NA		08/25/2008
(739) T N Snow Rd	2.81	140	R								NA			NA		07/30/2008
(740) Christie Rd	0.56	170	R								NA			NA		07/14/2011
(740) Chistie Rd	0.26	270	R								NA			NA		07/14/2011
(740) Wilson Rd	1.55	210	R								NA			NA		07/14/2011
(740) Wilson Rd	2.75	140	R								NA			NA		07/14/2011
(741) Lowery Rd	4.22	180	R								NA			NA		08/25/2008
(741) Wallace Cole Rd	0.20	640	G								NA			690	G	2012
(741)	0.22	530	R								NA			NA		08/19/2008
(742) Alphonse Dairy Rd	1.29	670	R								NA			NA		08/11/2008
(742) Alphonse Dairy Rd	0.90	150	R								NA			NA		08/11/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(743) Ponderosa Rd	2.20	400	R									NA		NA		07/14/2011
(744) Stewart Trail	0.86	60	R									NA		NA		07/14/2011
(744) Stewart Trail	0.04	90	R									NA		NA		07/14/2011
(744) Shady Grove Church Rd	2.71	200	R									NA		NA		07/14/2011
(744) East Hyco Rd	3.71	550	G	99%	0%	0%	0%	0%	0%	F	NA		590	G		2012
(744) East Hyco Rd	3.34	1700	G	99%	0%	0%	0%	0%	0%	C	0.097	F	0.620	1700	G	2012
(744) Riverdale Dr	0.13	270	R									NA		NA		09/08/2008
(744) Riverdale Dr	0.41	320	R									NA		NA		09/08/2008
(745) Loftis Rd	1.20	390	R									NA		NA		08/19/2008
<b>Clover</b>																
(746) Mt Laurel Rd	0.48	960	G	96%	1%	1%	1%	2%	0%	C	0.087	F	0.527	980	G	2012
<b>Halifax County</b>																
(746) Mt Laurel Rd	4.15	600	G	96%	1%	1%	1%	2%	0%	F	0.09	F	0.525	620	G	2012
(746) Mt Laurel Rd	3.92	560	G	93%	0%	1%	1%	6%	0%	C	0.097	F	0.695	570	G	2012
(746) Mt Laurel Rd	0.38	620	G	96%	1%	1%	1%	2%	0%	F	0.101	F	0.643	630	G	2012
(747) Flints Rock Rd	1.06	210	R									NA		NA		07/14/2011
(747) Solomon Rd	2.10	190	R									NA		NA		07/14/2011
(748) Slick Rock Rd	2.50	100	R									NA		NA		07/28/2008
(749) Woods Creek Lane	1.20	190	R									NA		NA		08/11/2011
(750) Long Branch Lane	0.90	120	R									NA		NA		08/11/2011
(751) Piney Grove Rd	1.80	220	R									NA		NA		07/19/2011
(751) Piney Grove Rd	0.45	180	R									NA		NA		08/11/2008
(751) Storys Creek Rd	2.95	120	R									NA		NA		08/11/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(751) Storys Creek Rd	0.80	260	R			From: 41-692 Richardson Lane					NA		NA			08/11/2008
						To: 41-658 Melon Rd										
(752) Ham Tuck Trail	1.10	30	R			From: Dead End					NA		NA			08/11/2008
						To: 41-751 Storys Creek Rd										
(753) Beulah Rd	2.60	120	R			From: 41-667 Leda Rd					NA		NA			07/30/2008
						To: 41-899 Coleman Trail										
(753) Beulah Rd	2.00	180	R			From: SR 57 Chatham Rd					NA		NA			07/30/2008
						To: 41-644 Stoney Ridge Rd										
(754) Cora Watts Trail	0.65	30	R			From: Dead End					NA		NA			07/28/2008
						To: 41-643 McKendree Church Rd										
(755) Bradley Rd	0.20	120	R			From: US 501, L P Bailey Mem Hwy					NA		NA			08/02/2011
						To: SR 57 Chatham Rd										
(756) Cheerful Lane	0.55	130	R			From: 41-882 Dixon Trail					NA		NA			08/02/2011
						To: 41-675 Ridgeway Rd										
(756) Cheerful Lane	0.25	40	R			From: Dead End					NA		NA			07/28/2008
						To: 41-786 Runaway Rd										
(757) Beales Lane	1.70	60	R			From: 41-603 Cody Rd					NA		NA			07/30/2008
						To: Dead End										
(757) Beales Lane	0.30	130	R			From: 41-623 Mortons Ferry Rd					NA		NA			07/30/2008
						To: US 501 Huell Matthews Hwy										
(758) Crossroads Trail	0.50	80	R			From: Dead End					NA		NA			07/28/2008
						To: 41-623 Mortons Ferry Rd										
(759) Horseshoe Trail	1.68	170	R			From: SR 360 Bethel Rd					NA		NA			07/14/2011
						To: Dead End										
(760) Ferry Trail	0.50	60	R			From: 41-621 Beaver Pond Rd					NA		NA			08/11/2011
						To: Dead End										
(761) Boxwood Rd	1.40	50	R			From: 41-851 Old Rd					NA		NA			07/30/2008
						To: US 501, L P Bailey Mem Hwy										
(761) Boxwood Rd	0.60	120	R			From: SR 96 W, Virgilina Rd					NA		NA			08/02/2011
						To: 41-886 Watts Trail										
(762) Zion Hill Church Loop	0.30	90	R			From: SR 96 E, Virgilina Rd					NA		NA			07/14/2011
						To: 41-677 Ridge Rd										
(762) Zion Hill Church Loop	0.30	60	R			From: North Carolina State Line					NA		NA			07/14/2011
						To: 41-693 Pointer Rd										
(763) Pine Ridge Trail	0.70	170	R			From: Dead End					NA		NA			07/28/2011
						To: 41-693 Pointer Rd										
(764) Vir Drive	0.64	230	R			From: Dead End					NA		NA			07/19/2011
						To: 41-693 Pointer Rd										
(764) Pine Tree Rd	0.25	590	R			From: Dead End					NA		NA			07/19/2011
						To: Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(765) Clinton Rd	1.19	20	R									NA		NA		07/30/2008
(765) Clinton Rd	1.00	60	R									NA		NA		07/30/2008
(766) Waltman Rd	1.10	80	R									NA		NA		07/30/2008
(767) Brandon Chapel Rd	0.55	170	R									NA		NA		07/19/2011
(768) Hendricks Rd	0.75	80	R									NA		NA		07/19/2011
(769) New Bethel Rd	1.10	100	R									NA		NA		07/19/2011
(770) High Rock Trail	1.20	80	R									NA		NA		08/04/2008
(771) Deer Ridge Trail	0.80	80	R									NA		NA		08/06/2008
(772) Pierces Trail	1.15	60	R									NA		NA		07/30/2008
(773) Jeffress Trail	1.17	150	R									NA		NA		07/19/2011
(774) Peaks Trail	0.80	60	R									NA		NA		07/30/2008
(775) Newton Farm Rd	1.39	300	R									NA		NA		08/19/2008
(776) Wilborn Rd	2.65	40	R									NA		NA		08/13/2008
(777) Jennings Lane	1.30	140	R									NA		NA		07/28/2008
(778) Green Valley Rd	4.80	180	R									NA		NA		08/04/2011
(779) Hudson Dr	0.80	250	R									NA		NA		07/19/2011
(780) Blounts Crossing Trail	1.00	60	R									NA		NA		08/04/2011
(780) Lloyds Mill Rd	1.40	100	R									NA		NA		08/04/2011
(781) Deer View Trail	1.75	70	R									NA		NA		07/26/2011



Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(782)	2.25	160	R								NA			NA		08/06/2008
From: SR 344 McDonald Rd																
To: Dead End																
(783) Golf Course Rd	1.30	1200	G	99%	0%	1%	0%	0%	0%	C	0.11	F	0.550	1200	G	2012
From: US 501 Main St; Halifax Rd																
To: 41-651 Cowford Rd																
(784) Mason Trail	1.70	50	R								NA			NA		07/28/2008
From: 41-626 Clarkton Rd																
To: Dead End																
(785) Depot Lane	0.32	50	R								NA			NA		08/04/2011
From: 41-626 Clarkton Rd																
To: Dead End																
(786) Runaway Rd	1.20	70	R								NA			NA		07/30/2008
From: 41-649 Old Concord Rd																
To: 41-757 Beales Lane																
(787) Fowler Trail	0.65	80	R								NA			NA		08/11/2008
From: 41-703 Sandy Beach Rd																
To: Dead End																
(788) St Mark Church Rd	0.40	60	R								NA			NA		08/13/2008
From: Dead End																
To: 41-711 Alton Post Office Rd																
(789) Lacks Town Rd	1.00	220	R								NA			NA		08/11/2011
From: 41-746 Mt Laurel Rd																
To: Dead End																
(790) Old Cedar Trail	1.30	30	R								NA			NA		07/30/2008
From: Dead End																
To: 41-609 West Store Rd																
(791) Leighwood Trail	0.39	320	R								NA			NA		07/28/2011
From: SR 57 Chatham Rd																
To: 41-840 Sweeney Trail																
(791) Leighwood Trail	0.60	220	R								NA			NA		07/28/2011
From: 0.60 ME 41-840																
To: Dead End																
(791) Leighwood Trail	0.60	110	R								NA			NA		07/28/2011
From: Dead End																
To: 41-658 Melon Rd																
(792) Wade Pond Rd	1.95	140	R								NA			NA		08/11/2008
From: 41-658 Melon Rd																
To: Dead End																
(793) Duck Trail	0.44	70	R								NA			NA		07/28/2011
From: SR 360 Mountain Rd																
To: 0.44 MS SR 360																
(793) Duck Trail	0.36	50	R								NA			NA		07/28/2011
From: 0.44 MS SR 360																
To: Dead End																
(794) White Oak Forks Rd	0.26	200	R								NA			NA		08/25/2008
From: 41-734 S. Red Bank Rd																
To: 41-733 West Hitesburg Rd																
(794) White Oak Forks Rd	1.00	310	R								NA			NA		08/25/2008
From: 41-733 West Hitesburg Rd																
To: 41-601 Bucksheal Rd																
(795) Alchie Lane	1.40	230	R								NA			NA		07/30/2008
From: Dead End																
To: US 501, L P Bailey Mem Hwy																
(796) Dabney Warren Rd	1.50	60	R								NA			NA		08/13/2008
From: North Carolina State Line																
To: 41-711 Harmony Rd																
(797) Traynham Grove Rd	2.70	290	R								NA			NA		08/13/2008
From: 41-711 Harmony Rd																
To: 41-658 Cluster Springs Rd; Turbeville Rd																

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(798) Three M Lane	0.90	30	R									NA		NA		08/11/2008
(799) Alex Lane	0.40	90	R									NA		NA		07/28/2008
(800) Three Fork Trail	0.50	80	R									NA		NA		07/30/2008
(802) Myers Rd	0.40	150	R									NA		NA		08/11/2008
(802) Myers Rd	0.75	130	R									NA		NA		08/11/2008
(803) Allen Trail	2.30	100	R									NA		NA		08/04/2008
(804) Stovall Trail	0.50	100	R									NA		NA		08/04/2008
(805) Boyds Ferry Trail	0.30	50	R									NA		NA		08/11/2008
(806) Walker Trail	0.31	60	R									NA		NA		08/06/2008
(807) Dunn Trail	0.80	50	R									NA		NA		08/04/2008
(808) McCulloch Lane	0.52	70	R									NA		NA		08/02/2011
(808) McCulloch Lane	0.48	130	R									NA		NA		08/02/2011
(809) German Creek Rd	1.90	220	R									NA		NA		08/20/2008
(810) Davmunds Trail	0.70	240	R									NA		NA		08/11/2008
(811) Matts Trail	0.90	140	R									NA		NA		08/04/2011
(812) Willie Moore Trail	0.20	60	R									NA		NA		07/28/2011
(812) Willie Moore Trail	0.01	50	R									NA		NA		07/28/2011
(813) Library Lane	0.20	30	R									NA		NA		09/08/2008
(814) Younger Rd	0.80	20	R									NA		NA		08/06/2008
(814) Younger Rd	0.50	70	R									NA		NA		08/06/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(815) Tinsley Trail	0.15	10	R			From: 41-640 Buffalo Rd					NA			NA		07/28/2008
						To: Dead End										
(816) Petes Trail	0.80	50	R			From: Dead End					NA			NA		08/11/2011
						To: 41-607 Rodgers Chapel Rd										
(817) Arthur Ware Trail	0.70	170	R			From: Dead End					NA			NA		08/19/2008
						To: 41-658 Cherry Hill Church Rd										
(818) Covington Trail	0.50	20	R			From: 41-746 Mt Laurel Rd					NA			NA		07/30/2008
						To: Dead End										
(819) Jennys Ruff Trail	1.00	60	R			From: SR 40 Stage Coach Rd					NA			NA		07/28/2008
						To: Dead End										
(820) Jeremy Creek Rd	2.60	50	R			From: Pittsylvania County Line					NA			NA		03/22/2010
						To: 41-659 River Rd										
(821) Shady Lane	0.60	130	R			From: Dead End					NA			NA		08/06/2008
						To: US 360; 41-716										
(822) Jesses Lane	0.38	120	R			From: SR 40 Stage Coach Rd					NA			NA		07/28/2008
						To: Dead End										
(824) Wilkerson Rd	0.91	30	R			From: SR 49 WEST					NA			NA		08/13/2008
						To: SR 49 EAST										
(825) Wilkerson Trail	0.70	45	R			From: Dead End					NA			NA		08/20/2008
						To: 41-655 Blane Rd										
(826) Hendricks Rd	0.80	70	R			From: Dead End					NA			NA		08/06/2008
						To: 41-643; 41-814										
(827) Lee Syd Moore Rd	1.50	80	R			From: SR 344					NA			NA		08/06/2008
						To: 41-720 Green Level Rd										
(828) Bethel Trail	0.70	50	R			From: Dead End					NA			NA		08/06/2008
						To: 41-659 River Rd										
(829) Samuel Rd	0.30	20	R			From: Dead End					NA			NA		08/13/2008
						To: 41-693 Pointer Rd										
(829) Foster Rd	0.71	160	R			From: 41-693 Pointer Rd					NA			NA		07/19/2011
						To: SR 119 Calvary Rd										
(830) Clark Jordan Trail	0.40	70	R			From: Dead End					NA			NA		08/20/2008
						To: US 501 Huell Matthews Hwy										
(831) Carr	0.50	110	R			From: 41-615 Tucker Rd					NA			NA		08/04/2008
						To: Dead End										
(833) Meadville Trail	0.38	60	R			From: 41-642 Meadville Rd					NA			NA		08/04/2008
						To: Dead End										
(834) Luethels Lane	0.63	70	R			From: Dead End					NA			NA		07/28/2008
						To: 41-632 Hog Wallow Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(835) Sawmill Trail	1.00	40	R			From: 41-753 Beulah Rd					NA			NA		07/30/2008
						To: Dead End										
(836) Scale Rd	1.00	47	R			From: US 58 Philpott Rd					NA			NA		08/11/2008
						To: Dead End										
(837) Billys Lane	1.00	100	R			From: 41-681 Union Church Rd					NA			NA		08/06/2008
						To: Dead End										
(838) Lilborn Trail	0.75	110	R			From: 41-748 Slick Rock Rd					NA			NA		07/30/2008
						To: Dead End										
(839) Piney Ridge Rd	0.50	150	R			From: 41-645 Acorn Rd					NA			NA		07/28/2008
						To: Dead End										
(840) Sweeney Trail	0.70	100	R			From: Dead End					NA			NA		08/06/2008
						To: 41-791 Leighwood Trail										
(841) Garretts Trail	0.80	20	R			From: 41-746 Mt Laurel Rd					NA			NA		07/30/2008
						To: Dead End										
(842) Bessie Marion Trail	0.25	120	R			From: Dead End					NA			NA		08/06/2008
						To: 41-610 Murphy Grove Rd										
(843) Millstone Church Trail	0.52	70	R			From: US 501, L P Bailey Mem Hwy					NA			NA		08/02/2011
						To: Dead End										
(844) Tune Trail	0.60	30	R			From: SR 57 Chatham Rd					NA			NA		08/04/2008
						To: Dead End										
(845) Ed Mason Lane	0.30	60	R			From: Dead End					NA			NA		07/30/2008
						To: SR 57 Chatham Rd										
(846) Toms Trail	1.00	50	R			From: Dead End					NA			NA		07/30/2008
						To: 41-621 Newbill School Rd										
(847) Cherry St	0.06	510	R			From: US 501 Halifax Rd					NA			NA		08/25/2011
						To: 41-1313 First St										
(848) Fox Trail	0.63	80	R			From: Dead End					NA			NA		09/08/2008
						To: 41-682 Old Grubby Rd										
(849) Coon Trail	0.30	50	R			From: Dead End					NA			NA		08/04/2008
						To: 41-662 Birch Elmo Rd										
(850) Owen Walker Rd	0.62	50	R			From: Dead End					NA			NA		08/13/2008
						To: 41-711 Harmony Rd										
(851) Old Rd	0.22	20	R			From: US 501, L P Bailey Mem Hwy					NA			NA		08/19/2008
						To: 41-761 Boxwood Rd										
(852) Hunters Lane	0.82	100	R			From: 41-744 East Hyc0 Rd					NA			NA		08/19/2008
						To: Dead End										
(853) Covered Bridge Trail	0.50	110	R			From: US 58 Bill Tuck Hwy					NA			NA		07/14/2011
						To: Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(854) Belt Blvd	0.15	100	R									NA		NA		08/30/2011
(854) Belt Blvd	0.09	90	R									NA		NA		08/30/2011
(854) Cage Trail	1.20	570	R									NA		NA		08/06/2008
(855) Fort Hill Trail	0.28	50	R									NA		NA		07/30/2008
(856) Quarles School Trail	0.60	40	R									NA		NA		07/28/2008
(857) Maplewood Dr	0.33	110	R									NA		NA		09/08/2008
(858) Willow Trail	0.45	70	R									NA		NA		08/19/2008
(859) Farm Rd	0.60	290	R									NA		NA		07/26/2011
(860) Cherry Hill Trail	0.50	70	R									NA		NA		08/06/2008
(861) Browns Trail	0.80	40	R									NA		NA		07/30/2008
(862) Christie Circle	0.54	10	R									NA		NA		08/25/2008
(863) Comer Trail	0.48	50	R									NA		NA		08/25/2008
(864) Cousin Lane	1.60	60	R									NA		NA		07/30/2008
(865) Whitt Loop	0.50	70	R									NA		NA		08/19/2008
(866) Woody Loop	0.40	20	R									NA		NA		08/20/2008
(867) Paul James Rd	0.65	120	R									NA		NA		08/11/2011
(868) Crute Lane	0.50	160	R									NA		NA		08/04/2008
(869) Bates Trail	0.15	60	R									NA		NA		07/30/2008
(870) Terry Trail	0.35	70	R									NA		NA		07/30/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(871) Buck Horace Trail	0.80	90	R									NA		NA		08/02/2011
(872) Carter Trail	0.99	50	R									NA		NA		07/26/2011
(873) Conner Evans Trail	0.32	80	R									NA		NA		08/13/2008
(874) Vaughn Lane	0.20	20	R									NA		NA		08/04/2008
(875) Moormans Lane	0.35	10	R									NA		NA		07/30/2008
(876) South Nichols Ferry Trail	0.65	30	R									NA		NA		08/11/2008
(877) Pine Lane	0.14	130	R									NA		NA		08/25/2011
(878) John B Scott Trail	0.65	140	R									NA		NA		08/06/2008
(879) Plywood Trail	0.75	340	R									NA		NA		08/06/2008
(880) Burns Trail	0.15	50	R									NA		NA		07/28/2011
(881) Country Store Rd	0.10	90	R									NA		NA		08/11/2008
(882) Dixon Trail	0.90	6	R									NA		NA		08/04/2008
(883) Meadow Dr	0.12	40	R									NA		NA		08/11/2008
(884) Powell Rd	0.11	220	R									NA		NA		08/25/2011
(884) Powell Rd	0.23	660	R									NA		NA		08/25/2011
(884) Powell Rd	0.17	3000	R									NA		NA		08/25/2011
(885) Florida Trail	0.50	60	R									NA		NA		08/25/2008
(886) Watts Trail	0.25	30	R									NA		NA		08/19/2008
(887) Mayo Loop	0.30	40	R									NA		NA		08/19/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(888) Easley Hill Trail	1.40	130	R				From: 41-642 Meadville Rd				NA			NA		08/04/2008
							To: Dead End									
(889) Griffin Trail	0.80	30	R				From: 41-602 Hitesburg Church Rd				NA			NA		08/13/2008
							To: Dead End									
(890) Phillips Trail	1.25	60	R				From: Dead End				NA			NA		08/11/2008
							To: 41-601 Bucksheal Rd									
(891) Pine Height Trail	0.20	510	R				From: SR 360 Mountain Rd				NA			NA		08/06/2008
							To: 41-1501 Height Trail									
(891) Pine Height Trail	0.25	280	R				From: Dead End				NA			NA		08/06/2008
							To: Dead End									
(892) Chaffin Trail	0.65	60	R				From: Dead End				NA			NA		08/04/2008
							To: 41-626 Howard P Johnson Hwy									
(893) James Trail	0.60	90	R				From: 41-613 Marions Trail				NA			NA		08/11/2011
							To: Dead End									
(894) Whitt Farm Trail	0.40	60	R				From: 41-744 Shady Grove Church Rd				NA			NA		07/14/2011
							To: Dead End									
(895) Old Roxboro Rd	0.93	180	R				From: Dead End				NA			NA		07/14/2011
							To: US 501 Huell Matthews Hwy									
(896) Reaves Loop	0.40	40	R				From: SR 96 W; 41-887				NA			NA		08/19/2008
							To: SR 96 E, Virgilina Rd									
(897) White Lane	0.35	150	R				From: Dead End				NA			NA		08/11/2008
							To: 41-658 Melon Rd									
(898) Paul Pry Trail	0.35	60	R				From: 41-676 Ashbury Church Rd				NA			NA		07/30/2008
							To: Dead End									
(899) Coleman Trail	1.10	50	R				From: 41-753 Beulah Rd				NA			NA		07/30/2008
							To: Dead End									
(901) Wild Turkey Run	0.80	60	R				From: SR 360 Mountain Rd				NA			NA		09/08/2008
							To: Dead End									
(902) Hunters Trail	0.70	50	R				From: Dead End				NA			NA		07/30/2008
							To: 41-739, T N Snow Rd									
(903) Halls Trail	0.70	120	R				From: Dead End				NA			NA		09/08/2008
							To: SR 360; 41-653									
(904) Dogwood Trail	0.30	30	R				From: US 501 Huell Matthews Hwy				NA			NA		08/19/2008
							To: Dead End									
(905) Jimmys Trail	1.15	30	R				From: US 501, L P Bailey Mem Hwy				NA			NA		07/30/2008
							To: Dead End									
(906) Moores Trail	0.30	20	R				From: 41-626 Clarkton Rd				NA			NA		07/28/2008
							To: Dead End									

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(907) Thornton Jim Trail	0.20	60	R								NA		NA			07/30/2008
(908) Gilmore Trail	0.30	5	R								NA		NA			08/13/2008
(909) Boodie Trail	1.42	40	R								NA		NA			08/20/2008
(910) Hatcher Trail	0.45	30	R								NA		NA			08/06/2008
(911) Emergency Rd	0.20	20	R								NA		NA			08/13/2008
(912) Frog Pond Trail	0.60	20	R								NA		NA			07/28/2008
(913) John Puryear Trail	0.50	40	R								NA		NA			08/19/2008
(914) Easley Crossing Trail	1.35	80	R								NA		NA			08/23/2011
(915) White Oak Trail	0.77	60	R								NA		NA			07/30/2008
(916) Pitt Trail	0.48	50	R								NA		NA			08/04/2008
(917) Drive In Rd	0.23	160	R								NA		NA			07/28/2008
(918) Williams Trail	0.75	220	R								NA		NA			08/06/2008
(919) Eastover Dr	0.43	240	R								NA		NA			08/11/2008
(920) Faulkner Loop	0.45	20	R								NA		NA			06/25/2008
(921) Clements Trail	0.30	50	R								NA		NA			07/30/2008
(922) Landfill Lane	0.11	360	R								NA		NA			08/04/2008
(923) Barker Trail	0.75	20	R								NA		NA			08/13/2008
(924) Dr Lacy Trail	0.25	140	R								NA		NA			07/28/2008
(925) Carrington Trail	0.22	60	R								NA		NA			08/19/2008



Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(926) Carl Henderson Trail	0.60	20	R				From: SR 360 Mountain Rd				NA			NA		08/04/2008
							To: Dead End									
(927) Throckmorton Trail	0.80	80	R				From: SR 344				NA			NA		08/06/2008
							To: Dead End									
(928) Shelton Rd	0.40	60	R				From: Dead End				NA			NA		08/25/2008
							To: 41-658 Virgie Cole Rd									
(929) Humps Trail	0.25	60	R				From: Dead End				NA			NA		08/11/2008
							To: US 58 Philpott Rd									
(930) Cassada Lane	0.41	70	R				From: 41-654 W, Singi Rd				NA			NA		09/08/2008
							To: 41-654 E, Singi Rd									
(931) Industrial Park Rd	0.51	1300	R				From: US 58 Philpott Rd				NA			NA		09/08/2008
							To: Dead End									
(931) Industrial Park Rd	0.12	1200	R				From: 41-939 Fulp Industrial Rd				NA			NA		09/08/2008
							To: Dead End									
(932) Laprade Manie Trail	0.55	80	R				From: Dead End				NA			NA		07/28/2008
							To: 41-626 Shiloh Church Rd									
(933) Wise Loftis Rd	1.10	30	R				From: 41-606 Rice School Rd				NA			NA		08/13/2008
							To: 41-604 Rip Rap Rd									
(934) Weatherford Loop Rd	0.17	6	R				From: SR 57 S, Chatham Rd				NA			NA		08/06/2008
							To: SR 57 N, Chatham Rd									
(935) Good Trail	0.30	140	R				From: Dead End				NA			NA		08/06/2008
							To: 41-716 Wolf Trap Rd									
(936) McNear Trail	0.71	40	R				From: Dead End				NA			NA		08/04/2008
							To: 41-673 Farmer Trail									
(937) Cliborne Trail	0.44	70	R				From: Dead End				NA			NA		08/04/2008
							To: 41-626 Howard P Anderson Rd									
(938) Mallard Lane	0.13	240	R				From: 41-654 Singi Rd				NA			NA		09/08/2008
							To: Dead End									
(939) Fulp Industrial Rd	0.93	570	R				From: 41-931 Industrial Park				NA			NA		09/08/2008
							To: US 58 Philpott Rd									
(940) Fan Park Dr	0.25	120	R				From: Dead End				NA			NA		09/09/2008
							To: 41-654 Singi Rd									
(941) Indian Jim Trail	0.35	50	R				From: Dead End				NA			NA		08/02/2011
							To: 41-808 McCulloch Lane									
(942) Tuck Airport Rd	0.64	90	R				From: Dead End				NA			NA		08/06/2008
							To: 41-716 Wolf Trap Rd									
(943) Railroad Trail	0.08	20	R				From: Pittsylvania County Line				NA			NA		08/11/2008
							To: Dead End									

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(944) Fox Den Trail	0.25	80	R			From: Cul-de-Sac					NA		NA			08/23/2011
						To: 41-716 Wolf Trap Rd										
(945) Hankins Loop Rd	0.32	20	R			From: 41-659 River Rd					NA		NA			08/06/2008
						To: 41-659 River Rd										
(946) Dawson Trail	0.55	150	R			From: Dead End					NA		NA			07/19/2011
						To: 41-711 Alton Post Office Rd										
(948) Talley Loop	0.29	70	R			From: 41-611 S, Hundley Rd					NA		NA			08/04/2008
						To: 41-611 N, Hundley Rd										
(949) Propst Trail	0.20	40	R			From: Dead End					NA		NA			08/19/2008
						To: 41-744 East Hyco Rd										
(950) Herbert Allen Trail	0.25	40	R			From: US 58 Bill Tuck Hwy					NA		NA			08/11/2008
						To: Dead End										
(951) Confroy Dr	0.13	600	R			From: US 58 E, Philpott Rd					NA		NA			07/14/2011
						To: 41-952										
(952) Confroy Dr	0.80	380	R			From: 41-951 Confroy Dr					NA		NA			07/14/2011
						To: End Loop										
(953) Robert Wilkins Trail	0.50	30	R			From: 41-738 Kingswood Rd					NA		NA			08/25/2008
						To: Dead End										
(954) Milner Lane	0.71	60	R			From: Dead End					NA		NA			08/02/2011
						To: 41-647 Leda Grove Rd										
(955) Hite Lane	0.21	50	R			From: Dead End					NA		NA			08/11/2008
						To: US 58 Bill Tuck Hwy										
(957) Ace Dr	0.49	110	R			From: 41-764 New Haven Rd					NA		NA			09/08/2008
						To: Dead End										
(959) King Village Trail	0.88	120	R			From: 41-614 Love Shop Rd					NA		NA			08/18/2011
						To: Dead End										
(960) Elmer Barker Trail	0.43	40	R			From: Dead End					NA		NA			08/06/2008
						To: SR 344										
(963) Healey Lane	0.07	5	R			From: 41-957 Ace Dr					NA		NA			09/08/2008
						To: Dead End										
(964)	0.10	20	R			From: 41-957 Ace Dr					NA		NA			09/08/2008
						To: Dead End										
(965) John Logan Trail	0.41	40	R			From: 41-841 Garretts Trail					NA		NA			07/30/2008
						To: Dead End										
(980) Chaney Lane	0.04	1300	R			From: Dead End					NA		NA			08/04/2008
						To: 41-626; 41-937										
(985) New Haven Rd	0.21	30	R			From: 41-764 New Haven Rd					NA		NA			08/13/2008
						To: Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(990) Newman Dr	0.13	30	R											NA		08/20/2008
<b>Clover</b>																
(1001) East Church St	0.08	180	R											NA		08/04/2008
(1002) Short St	0.09	570	G	94%	1%	1%	1%	4%	0%	C	0.127	F	0.597	580	G	2012
(1003) North Gayle St	0.15	90	R											NA		08/11/2011
(1003) North Gayle St	0.10	50	R											NA		08/11/2011
<b>Halifax County</b>																
(1004) Coleman Ave	0.30	50	R											NA		08/03/2008
<b>Clover</b>																
(1004) Coleman Ave	0.11	70	R											NA		08/11/2011
(1005) Delaware St	0.23	210	R											NA		08/11/2011
(1006) Tanyard Branch Trail	0.05	220	R											NA		08/11/2011
<b>Halifax County</b>																
(1030) Brook Run	0.51	410	R											NA		08/18/2011
(1035) Occoneechee Trail	0.52	190	R											NA		07/28/2011
(1036) Lakeshore Dr	0.47	NA												NA		
(1036) Lakeshore Dr	0.27	180	R											NA		07/28/2011
(1040) Chestnut Creek Rd	0.31	100	R											NA		07/28/2011
<b>Town of Halifax</b>																
(1101) Mimosa Dr	0.08	100	R											NA		08/18/2011
(1101) Mimosa Dr	0.15	170	R											NA		08/18/2011
(1102) Cedar Lane	0.06	40	R											NA		08/18/2011
(1102) Cedar Lane	0.08	130	R											NA		08/18/2011
(1102) Cedar Lane	0.23	250	R											NA		08/18/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Halifax</b>																
(1103) Oak Lane	0.06	20	R									NA		NA		08/18/2011
(1103) Oak Lane	0.10	90	R									NA		NA		08/18/2011
(1103) Oak Lane	0.11	50	R									NA		NA		08/18/2011
(1104) Pine Rd	0.10	30	R									NA		NA		08/18/2011
(1104) Pine Rd	0.06	49	R									NA		NA		08/18/2011
(1104) Pine Rd	0.11	50	R									NA		NA		08/18/2011
(1105) Maple Ave	0.10	450	R									NA		NA		08/16/2011
(1105) Maple Ave	0.11	270	R									NA		NA		08/16/2011
(1105) Maple Ave	0.02	250	R									NA		NA		08/16/2011
(1105) Maple Ave	0.09	110	R									NA		NA		08/16/2011
(1105) Maple Ave	0.02	10	R									NA		NA		08/16/2011
(1106) Church St	0.08	210	R									NA		NA		09/08/2008
(1107) Elam St	0.12	60	R									NA		NA		08/16/2011
(1107) Elam St	0.03	170	R									NA		NA		08/16/2011
(1108) Craddock St	0.18	220	R									NA		NA		08/16/2011
(1109) Harding St	0.06	70	R									NA		NA		08/16/2011
(1110) Houston St	0.16	230	R									NA		NA		08/19/2008
(1111) Cemetery St	0.04	1000	R									NA		NA		08/11/2008
(1111) Cemetery St	0.06	110	R									NA		NA		08/16/2011
(1112) Hedderly St	0.22	90	R									NA		NA		08/16/2011
(1113) Lakeside Dr	0.03	90	R									NA		NA		08/16/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Halifax</b>																
(1114) Lakeside Dr	0.05	110	R								NA			NA		08/16/2011
(1114) Lakeside Dr	0.08	40	R								NA			NA		08/16/2011
(1115) Buena Vista Dr	0.51	120	R								NA			NA		08/16/2011
(1116) Poplar Lane	0.11	30	R								NA			NA		08/18/2011
(1117) Ash St	0.06	30	R								NA			NA		08/18/2011
(1118) Snead Lane	0.13	170	R								NA			NA		08/16/2011
(1119) Canterbury Dr	0.73	330	R								NA			NA		08/16/2011
(1120) Green St	0.08	490	R								NA			NA		08/16/2011
<b>Halifax County</b>																
(1121) Banister St	0.19	70	R								NA			NA		08/16/2011
<b>Town of Halifax</b>																
(1122) Mary Bethune St	0.05	490	R								NA			NA		08/11/2008
(1123) Back St	0.03	140	R								NA			NA		08/16/2011
(1124) Back St	0.22	140	R								NA			NA		08/16/2011
(1127)	0.13	NA									NA			NA		
<b>Halifax County</b>																
(1130) Crews Trail	0.17	50	R								NA			NA		07/26/2011
<b>Town of Virgilina</b>																
(1201) Tenth St	0.10	90	R								NA			NA		07/12/2011
(1201) Tenth St	0.13	60	R								NA			NA		07/12/2011
(1202) Ninth St	0.10	70	R								NA			NA		07/12/2011
(1202) Ninth St	0.09	70	R								NA			NA		07/12/2011
(1202) Ninth St	0.01	60	R								NA			NA		07/12/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Virgilina</b>																
1202 Ninth St	0.11	60	R			From: 0.01 ME 41-1209					NA			NA		07/12/2011
						To: Dead End										
1203 Eighth St	0.07	6	R			From: 41-1207 Alabama St					NA			NA		08/13/2008
1203 Eighth St	0.36	100	R			From: 41-1205 Carolina St					NA			NA		07/12/2011
						To: 41-1208 Ohio St										
1204 Sixth St	0.09	20	R			From: 41-1205 Carolina St					NA			NA		08/13/2008
						To: SR 49 Florence Ave										
1205 Carolina St	0.16	110	R			From: North Carolina State Line					NA			NA		08/13/2008
1205 Carolina St	0.28	70	R			From: SR 96					NA			NA		08/13/2008
						To: 41-1201 Tenth St										
1206 Nevada St	0.10	10	R			From: SR 49 Seventh St					NA			NA		08/13/2008
						To: 41-1203 Eighth St										
1207 Alabama St	0.09	10	R			From: SR 96					NA			NA		08/13/2008
						To: 41-1203 Eighth St										
1208 Ohio St	0.10	50	R			From: 41-1203 Eighth St					NA			NA		07/12/2011
						To: SR 49 Seventh St										
1209 Colorado St	0.09	60	R			From: SR 49 Seventh St					NA			NA		07/12/2011
1209 Colorado St	0.10	40	R			From: 41-1203 Eighth St					NA			NA		07/12/2011
						To: 41-1202 Ninth St										
1210 Tennessee St	0.09	10	R			From: Dead End					NA			NA		08/13/2008
						To: SR 96										
<b>Halifax County</b>																
1220 Union Ave	0.20	80	R			From: 41-734 Red Bank Rd					NA			NA		08/13/2008
						To: Dead End										
1301 Holly Court	0.12	250	R			From: 41-729 Bellevue Rd					NA			NA		08/23/2011
1301 Holly Court	0.20	130	R			From: 41-1302 Quail Lane					NA			NA		08/23/2011
						To: 41-802 Myers Rd										
1302 Quail Lane	0.13	70	R			From: 41-1301 Holly Court					NA			NA		08/23/2011
						To: 41-1303 Highland Hills Dr										
1303 Highland Hills Dr	0.12	190	R			From: 41-729 Bellevue Rd					NA			NA		08/23/2011
1303 Highland Hills Dr	0.14	70	R			From: 41-1302 Quail Lane					NA			NA		08/23/2011
						To: Dead End										
1304 Edgewood Dr	0.09	260	R			From: 41-614 Love Shop Rd					NA			NA		08/06/2008
						To: Dead End										
1305 Hedgeway Dr	0.16	150	R			From: Dead End					NA			NA		08/06/2008
						To: 41-1304 Edgewood Dr										

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(1306) White Oak Dr	0.04	320	R			From: US 501 Halifax Rd					NA			NA		08/25/2011
(1306) White Oak Dr	0.32	130	R			From: 41-1307 S, Sycamore Rd					NA			NA		08/25/2011
						To: 41-1307 N, Sycamore Rd										
(1307) Sycamore Rd	0.10	60	R			From: Dead End					NA			NA		08/25/2011
(1307) Sycamore Rd	0.08	130	R			From: 41-1306 S, White Oak Dr					NA			NA		08/25/2011
						To: 41-1306 N, White Oak Dr										
(1308) West Oak Dr	1.03	350	R			From: 41-614 N, Love Shop Rd					NA			NA		08/23/2011
						To: 41-614 S, Love Shop Rd										
(1309) Rosehill Dr	0.08	1200	R			From: 41-884 Powell Rd					NA			NA		08/25/2011
						To: Dead End										
(1312) Red Oak Pl	0.06	60	R			From: 41-1305 Hedgeway Dr					NA			NA		08/06/2008
						To: Dead End										
(1313) First St	0.02	70	R			From: Dead End					NA			NA		08/25/2011
(1313) First St	0.13	320	R			From: 41-847 Cherry St					NA			NA		08/25/2011
						To: Dead End										
(1314) Cheverly Dr	0.11	70	R			From: 41-1316 Alta Lane					NA			NA		08/25/2011
						To: 41-884 Powell Rd										
(1315) Valley Dr	0.16	220	R			From: Dead End					NA			NA		08/25/2011
(1315) Valley Dr	0.13	300	R			From: 41-1316 Alta Lane					NA			NA		08/25/2011
						To: 41-884 Powell Rd										
(1316) Alta Lane	0.07	50	R			From: 41-1314 Cheverly Dr					NA			NA		08/25/2011
						To: 41-1315 Valley Dr										
(1317) Turkey Run Rd	0.36	80	R			From: Cul-de-Sac					NA			NA		08/11/2008
						To: 41-802 Myers Rd										
(1320) Laura Court	0.08	200	R			From: 41-716 Rodgers Chapel Rd					NA			NA		08/23/2011
(1320) Laura Court	0.07	70	R			From: 41-1321 Fordland Dr					NA			NA		08/23/2011
						To: Cul-de-Sac										
(1321) Fordland Dr	0.14	100	R			From: 41-1320 Laura Court					NA			NA		08/23/2011
(1321) Fordland Dr	0.03	240	R			From: 41-1322 David St					NA			NA		08/23/2011
						To: 41-1324 Evergreen Trail										
(1321) Fordland Dr	0.11	130	R			From: 41-1323 Greenway Lane					NA			NA		08/23/2011
						To: 41-716 Rodgers Chapel Rd										
(1322) David St	0.07	210	R			From: 41-1321 Fordland Dr					NA			NA		08/23/2011
						To: 41-1321 Fordland Dr										

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(1323) Greenway Lane	0.09	150	R			From: 41-716; 41-729					NA		NA			08/23/2011
						To: 41-1321 Fordland Dr										
(1324) Evergreen Trail	0.37	150	R			From: 41-1321 Fordland Dr					NA		NA			08/23/2011
						To: Cul-de-Sac										
(1330) Wildflower Dr	0.08	430	R			From: 41-659 River Rd					NA		NA			07/26/2011
						To: 41-1331 S, Greenfield Rd										
(1330) Wildflower Dr	0.29	150	R			From: 41-1331 N, Greenfield Rd					NA		NA			07/26/2011
						To: Cul-de-Sac										
(1331) Greenfield Rd	0.05	30	R			From: 41-1330 N, Wildflower Dr					NA		NA			07/26/2011
						To: 41-1332 Aster Place										
(1331) Greenfield Rd	0.30	90	R			From: 41-1330 S, Wildflower Dr					NA		NA			07/26/2011
						To: 41-682 Old Grubby Rd										
(1331) Greenfield Rd	0.19	70	R			From: Cul-de-Sac					NA		NA			07/26/2011
						To: 41-1331 Greenfield Rd										
(1332) Aster Place	0.06	80	R			From: 41-1338 Lincoln Dr					NA		NA			07/26/2011
						To: 41-1337 East Forest Trail										
(1336) Westside Dr	0.13	500	R			From: 41-1339 Cathy Sue Lane					NA		NA			07/26/2011
						To: 41-654 Singi Rd										
(1336) Westside Dr	0.21	1000	R			From: Dead End					NA		NA			07/26/2011
						To: 41-1336 Westside Dr										
(1336) Westside Dr	0.06	1200	R			From: Dead End					NA		NA			07/26/2011
						To: Cul-de-Sac										
(1337) East Forest Trail	0.06	110	R			From: Cul-de-Sac					NA		NA			07/26/2011
						To: 41-1336 Westside Dr										
(1337) West Forest Trail	0.05	60	R			From: Dead End					NA		NA			07/26/2011
						To: Cul-de-Sac										
(1338) Lincoln Dr	0.33	450	R			From: Cul-de-Sac					NA		NA			07/26/2011
						To: 41-1336 Westside Dr										
(1339) Cathy Sue Lane	0.13	180	R			From: Cul-de-Sac					NA		NA			07/26/2011
						To: 41-1336 Westside Dr										
(1349) Sunshine Dr	0.27	860	R			From: US 501 Main St					NA		NA			08/16/2011
						To: Cul-de-Sac										
(1401) Seven Oaks Dr	0.08	110	R			From: Dead End					NA		NA			08/30/2011
						To: 41-1404 Pine Court										
(1401) Seven Oaks Dr	0.08	240	R			From: 41-1403 Ratliff Dr					NA		NA			08/30/2011
						To: 41-1402 Cedar Court										
(1401) Seven Oaks Dr	0.08	640	R			From: 41-1402 Cedar Court					NA		NA			08/30/2011
						To: US 58 Bill Tuck Hwy										



Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Halifax County</b>																	
1402 Cedar Court	0.05	30	R			From: 41-1401 Seven Oaks Dr					NA			NA		08/30/2011	
						To: Cul-de-Sac											
1403 Ratliff Dr	0.22	120	R			From: Dead End					NA			NA		08/30/2011	
1403 Ratliff Dr	0.07	390	R			From: 41-1406 Eanes Dr					NA			NA		08/30/2011	
1403 Elm Court	0.04	50	R			From: 41-1401 Seven Oaks Dr					NA			NA		08/30/2011	
						To: Dead End											
1404 Pine Court	0.05	90	R			From: 41-1401 Seven Oaks Dr					NA			NA		08/30/2011	
						To: Dead End											
1405 Memorial Dr	0.34	190	R			From: Dead End					NA			NA		08/30/2011	
						To: 41-744 Riverdale Dr											
1406 Eanes Dr	0.08	240	R			From: Dead End					NA			NA		08/30/2011	
						To: 41-1403 Ratliff Dr; Elm Court											
1407 Watlington Dr	0.20	110	R			From: Dead End					NA			NA		08/11/2008	
						To: 41-1406 Eanes Dr											
1410 Shepherds Gate Rd	0.27	310	R			From: 41-854 Belt Blvd					NA			NA		08/30/2011	
						To: US 360 James D Hagood Hwy											
1501 Height Trail	0.14	150	R			From: 41-1502 Pine Trail					NA			NA		07/28/2011	
						To: 41-891 Pine Height Trail											
1502 Pine Trail	0.06	30	R			From: Cul-de-Sac					NA			NA		07/28/2011	
						To: 41-1501 Height Trail											
1502 Pine Trail	0.08	60	R			From: Dead End					NA			NA		07/28/2011	
						To: Dead End											
9180 High School Circle	0.88	1800	R			From: Halifax High School					NA			NA		03/08/2011	
						To: SR 129 Old Halifax Rd											
9181 Clays Mill School Dr	0.12	460	R			From: Cul-de-Sac					NA			NA		03/15/2011	
						To: 41-612 Clays Mill School Rd											
<b>Town of Virgilina</b>																	
9182 Virgilina School Rd	0.09	0	R			From: 41-1220 Union Ave					NA			NA		03/15/2011	
						To: Cul-de-Sac											
<b>Halifax County</b>																	
9183 Meadville School Loop	0.10	150	R			From: SR 57 Chatham Rd					NA			NA		03/08/2011	
						To: SR 57 Chatham Rd											
9184 S of Dan School Rd	0.08	0	R			From: 41-658 Cherry Hill Church Rd					NA			NA		03/15/2011	
						To: 41-658 Cherry Hill Church Rd											
9185 School House Rd	0.16	0	R			From: Dead End					NA			NA		03/08/2011	
						To: 41-658 Melon Rd											
9187 Volens School Rd	0.06	0	R			From: US 501, L P Bailey Mem Hwy					NA			NA		03/08/2011	
						To: US 501, L P Bailey Mem Hwy											

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Halifax</b>																
(9188) Halifax Elementary Dr	0.05	0	R									NA		NA		03/08/2011
<b>Halifax County</b>																
(9189) Scottsburg School Trail	0.11	300	R									NA		NA		03/15/2011
(9509) Middle School Circle	0.43	1200	R									NA		NA		03/08/2011
(9509) Middle School Circle	0.16	1300	R									NA		NA		03/08/2011
(9822) Sydnor Jennings Rd	0.06	300	R									NA		NA		03/08/2011
(9823) Cluster Springs School Rd	0.09	0	R									NA		NA		03/15/2011
(9823) Cluster Springs School Rd	0.17	0	R									NA		NA		03/15/2011
(9848) Sinai Elementary Dr	0.08	740	R									NA		NA		03/08/2011
(9949) Wilson Mem School Loop	0.06	0	R									NA		NA		03/08/2011
<b>Town of South Boston</b>																
(1 130) Railroad Ave	0.36	430	G									NA		470	G	2012
(1 130) Railroad Avenue	0.18	560	G									NA		610	G	2012
(2 130) Riley Ave	0.16	850	G									NA		920	G	2012
(3 130) Seymour Dr	0.11	640	G									NA		700	G	2012
(4 130) Vaughan St	0.35	980	G									NA		1100	G	2012
(5 130) Webster St	0.61	860	G	98%	1%	1%	0%	0%	0%	C	0.091	F	0.607	910	G	2012
(6 130) Third St	0.14	390	G									NA		420	G	2012
(4700 130) Berry Hill Rd	1.13	1700	G									NA		1900	G	2012
(4700 130) Berry Hill Rd	0.20	2400	G									NA		2600	G	2012
(4700 130) Edmunds St	0.06	2500	G									NA		2700	G	2012
(4700 130) Edmunds St	0.45	1600	G									NA		1800	G	2012

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of South Boston</b>																
4700 130 Edmunds St	0.54	1300	G			From: US 501 Wilborn Ave				NA				1400	G	2012
						To: SR 29; North Main St										
4701 130 Marshall Ave	0.15	700	G			From: Seymour Dr				0.128	F	0.557	750	G	2012	
						To: Fenton St										
4701 130 Marshall Ave	0.41	900	G			From: Fenton St				NA			980	G	2012	
						To: Hodges St										
4702 130 Hamilton Blvd	0.37	3200	G	99%	0%	From: SCL South Boston				C	0.101	F	0.55	3400	G	2012
						To: Wilborn Ave										
4702 130 Hamilton Blvd	0.70	5700	G	95%	1%	From: Wilborn Ave				C	0.096	F	0.764	6000	G	2012
						To: SR 129 North Main St										
4702 130 Hamilton Blvd	1.26	6000	G			From: SR 129 North Main St				NA			6500	G	2012	
						To: US 360 John Randolph Blvd										
4704 130 College St	0.80	1200	G			From: North Main St				NA			1300	G	2012	
						To: Cavalier Blvd										
4710 130 Jeffress St	0.20	790	G			From: North Main St				NA			850	G	2012	
						To: Fenton St										
4710 130 Fenton St	0.19	580	G			From: Fenton St				NA			630	G	2012	
						To: Jeffress St										
4713 130 Watkins Ave	0.61	2200	G	97%	0%	From: Edmunds St				C	0.094	F	0.523	2300	G	2012
						To: Seymour Dr										
Carrington St		NA				From: Watkins Ave				NA			NA			
						To: Noblin Ave										
College St		530	G			From: Llewellyn Avenue				0.103	F	0.581	530	G	2012	
						To: Washington Avenue										
Greenway Dr		360	G			From: Wilborn Ave				NA			360	G	2012	
						To: Norwood Ave										
Ridge St		330	G			From: Spring Avenue				0.118	F	0.519	330	G	2012	
						To: Alderson Avenue										
Robin Hood Rd		430	G			From: Halifax Rd				NA			430	G	2012	
						To: Nottingham Dr										