

2013

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

88

Spotsylvania County
City of Fredericksburg

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.






QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source





Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

- North
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

Special Routes

- Bus
 Bus - Business Route
Bypas - Bypass Route
Truck - Truck Route
- ALT
 ALT - Alternate Route
Wye - Wye Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.





Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW		
							2Axle	3+Axle	1Trail	2Trail								
		From:	Caroline County Line															
1	Jefferson Davis Hwy	Spotsylvania County	2.61	9700	G	92%	0%	1%	1%	5%	1%	F	0.086	F	0.657	9900	G	
		To:	88-606 Thornburg															
1	Jefferson Davis Hwy	Spotsylvania County	4.25	14000	G	92%	0%	1%	1%	5%	1%	F	0.087	F	0.571	15000	G	
		To:	88-608 Massaponax Church Rd															
1	Jefferson Davis Hwy	Spotsylvania County	2.27	17000	G	96%	0%	1%	1%	2%	0%	C	0.084	F	0.638	18000	G	
		To:	US 17 Poor House Rd															
1	17	Jefferson Davis Hwy	Spotsylvania County	1.18	52000	G	98%	0%	1%	0%	0%	0%	F	0.078	F	0.592	55000	G
		To:	I-95															
1	Jefferson Davis Hwy	Spotsylvania County	0.96	24000	G	98%	0%	1%	0%	0%	0%	F	0.079	F	0.503	26000	G	
		To:	Bus US 1; SR 208 Four Mile Fork															
		From:	US 1 Bus; SR 208 Four Mile Fork															
1	Jefferson Davis Hwy	Spotsylvania County	1.30	23000	G	98%	0%	1%	0%	0%	0%	F	NA		26000	G		
		To:	SCL Fredericksburg															
1	Jefferson Davis Blvd	City of Fredericksburg	1.48	31000	A	98%	0%	1%	0%	0%	0%	C	0.098	A	0.591	33000	A	
		To:	SR 3															
1	Jefferson Davis Blvd	City of Fredericksburg	0.90	28000	G	98%	1%	1%	0%	1%	0%	C	NA		31000	G		
		To:	College Ave															
1	Jefferson Davis Blvd	City of Fredericksburg	0.59	28000	G	98%	0%	1%	0%	0%	0%	C	0.082	F	0.567	30000	G	
		To:	Fall Hill Ave															
1	Jefferson Davis Blvd	City of Fredericksburg	0.29	23000	G	98%	0%	1%	0%	0%	0%	F	0.084	F	0.639	24000	G	
		To:	Bus US 1 Princess Anne Ave															
1	Bus 17	Jefferson Davis Blvd	City of Fredericksburg	0.11	31000	N	98%	0%	1%	0%	1%	0%	N	0.086	N	0.564	33000	N
		To:	NCL Fredericksburg															
		From:	US 1 TO AND FROM RT															
1	Ramp	Spotsylvania County	0.12	5700	G								0.08	F		5700	G	
		To:	I-95-S FROM RT 1															
		From:	US 1															
1	17	Ramp US 1, US 17 to I-95 N at Exit 126	Spotsylvania County	0.12	17000	G								0.09	F		18000	G
		To:	I-95 N															
		From:	US 1, SR 208															
Bus 1	LaFayette Blvd	Spotsylvania County	1.52	20000	G	97%	0%	1%	1%	1%	0%	C	0.085	F	0.527	22000	G	
		To:	SCL Fredericksburg															
Bus 1	LaFayette Blvd	City of Fredericksburg	1.42	21000	G	97%	0%	1%	1%	1%	0%	F	0.083	F	0.542	22000	G	
		To:	SR 3; Blue and Grey Parkway															
Bus 1	LaFayette Blvd	City of Fredericksburg	0.38	10000	G	97%	0%	1%	1%	1%	0%	F	0.092	F	0.625	11000	G	
		To:	111-3957 Sunken Rd															

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: 111-3957 Sunken Rd Bus 1 LaFayette Blvd	City of Fredericksburg	0.56	10000	G	97%	0%	1%	1%	1%	0%	F	0.092	F	0.594	11000	G
To: 111-3961 Kenmore Ave From: 111-3961 Kenmore Ave	City of Fredericksburg	0.10	5300	N	99%	0%	1%	0%	0%	0%	N	0.100	N	0.516	5600	N
To: Bus US 1 Par, Bus 17 Par Princess Anne St From: Bus US 1 Par, Bus 17 Par Princess Anne St	City of Fredericksburg	0.06	5300	G	99%	0%	1%	0%	0%	0%	F	0.100	F	0.516	5600	G
To: Bus US 17 Caroline St From: Bus US 17, Lafayette Blvd	City of Fredericksburg	0.38	5000	G	99%	0%	1%	0%	0%	0%	F	NA		5400	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			11000	G	98%	1%	1%	0%	0%	0%	F	NA		12000	G	
To: Bus SR 3 William St From: Bus SR 3 William St	City of Fredericksburg	0.51	6700	G	99%	0%	1%	0%	0%	0%	C	0.092	F		7100	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			14000	G	98%	1%	1%	0%	0%	0%	C	0.091	F	0.528	15000	G
To: Herndon St From: Herndon St	City of Fredericksburg	0.06	4400	G	99%	0%	1%	0%	0%	0%	F	NA		4800	G	
To: Bus US 1 Par Princess Anne St From: Bus US 1 Par Herndon St	City of Fredericksburg	0.70	9800	G	98%	0%	1%	0%	0%	0%	C	0.086	F	0.674	10000	G
To: US 1 Jefferson Davis Highway From: US 1 Jefferson Davis Highway	City of Fredericksburg	0.37	6500	G	97%	1%	1%	0%	0%	0%	F	0.089	F		6900	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			11000	G	98%	1%	1%	0%	0%	0%	F	NA		12000	G	
To: Bus SR 3 William St From: Bus SR 3 William St	City of Fredericksburg	0.52	7600	G	97%	1%	1%	0%	0%	0%	C	0.092	F		8100	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			14000	G	98%	1%	1%	0%	0%	0%	C	0.091	F	0.528	15000	G
To: Bus US 1 Herndon St From: Bus US 1 Herndon St	City of Fredericksburg	0.55	23000	G	94%	1%	1%	1%	3%	0%	C	0.086	F	0.604	24000	G
To: ECL Fredericksburg From: ECL Fredericksburg	City of Fredericksburg	0.26	10000	G	99%	0%	0%	0%	0%	0%	C	0.097	F	0.650	11000	G
To: Charles St From: Ramp from SR 3 Connector	City of Fredericksburg	0.26	10000	G	99%	0%	0%	0%	0%	0%	C	0.097	F	0.650	11000	G
From: Caroline County Line 2 Sandy Lane Dr	Spotsylvania County	1.36	5100	G	95%	1%	1%	1%	2%	0%	F	0.088	F	0.64	5200	G
To: US 17 Mills Dr From: US 17 Mills Dr	Spotsylvania County	3.56	6800	G	92%	0%	1%	3%	3%	0%	C	0.085	F	0.628	7000	G
To: 88-1301 From: 88-1301	Spotsylvania County	0.97	20000	G	92%	0%	1%	3%	3%	0%	F	0.081	F	0.527	22000	G
To: ECL Fredericksburg From: ECL Fredericksburg	City of Fredericksburg	0.55	23000	G	94%	1%	1%	1%	3%	0%	C	0.086	F	0.604	24000	G
To: Ramp from SR 3 Connector From: Ramp from SR 3 Connector	City of Fredericksburg	0.26	10000	G	99%	0%	0%	0%	0%	0%	C	0.097	F	0.650	11000	G
To: Charles St From: Ramp from SR 3 Connector	City of Fredericksburg	0.26	10000	G	99%	0%	0%	0%	0%	0%	C	0.097	F	0.650	11000	G

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: Charles St																
2  Dixon St	City of Fredericksburg	0.06	5100	G	99%	0%	0%	0%	0%	F	0.099	F	0.612	5400	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			8000	G	98%	1%	1%	0%	0%	F	NA			8500	G	
To: Princess Anne St																
From: Dixon St																
2  Princess Anne St	City of Fredericksburg	0.26	2800	G	96%	1%	2%	0%	0%	C	NA			3100	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			6000	G	97%	1%	2%	0%	0%	C	NA			6500	G	
To: Bus US 1																
From: Bus US 1																
2   Princess Anne St	City of Fredericksburg	0.37	6500	G	97%	1%	1%	0%	0%	F	0.089	F		6900	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			11000	G	98%	1%	1%	0%	0%	F	NA			12000	G	
To: Bus SR 3 William St																
From: Orange County Line																
3 Plank Rd	Spotsylvania County	5.27	23000	G	96%	1%	0%	0%	2%	F	0.079	F	0.583	24000	G	
To: 88-610 Elys Ford Rd																
From: 88-610 Elys Ford Rd																
3 Plank Rd	Spotsylvania County	2.99	28000	G	96%	1%	0%	0%	2%	C	0.075	F	0.580	30000	G	
To: 88-626 Andora Dr																
From: 88-626 Andora Dr																
3 Plank Rd	Spotsylvania County	1.33	37000	G	96%	1%	0%	0%	2%	F	0.075	N	0.580	37000	G	
To: 88-627 Gordon Rd																
From: 88-627 Gordon Rd																
3 Plank Rd	Spotsylvania County	1.53	54000	G	96%	1%	0%	0%	2%	F	0.07	N	0.557	54000	G	
To: 88-639 Salem Church Rd																
From: 88-639 Salem Church Rd																
3 Plank Rd	Spotsylvania County	1.09	71000	G	96%	1%	0%	0%	2%	F	0.07	F	0.557	75000	G	
To: WCL Fredericksburg																
From: WCL Fredericksburg																
3 Plank Rd	City of Fredericksburg	0.34	79000	G	96%	1%	0%	0%	2%	F	0.072	F	0.513	83000	G	
To: I-95																
From: I-95																
3 Plank Rd	City of Fredericksburg	0.61	53000	G	95%	1%	1%	1%	3%	F	NA			53000	G	
To: Oakwood St																
From: Oakwood St																
3 Plank Rd	City of Fredericksburg	0.63	42000	G	94%	0%	1%	1%	3%	C	0.073	F	0.523	45000	G	
To: US 1 Jefferson Davis Hwy																
From: US 1 Jefferson Davis Hwy																
3 William St	City of Fredericksburg	0.24	38000	G	93%	0%	1%	1%	3%	C	NA			42000	G	
To: Bus SR 3; Blue and Gray Pkwy																
From: Bus SR 3; Blue and Gray Pkwy																
3 Blue and Grey Parkway	City of Fredericksburg	0.53	32000	G	95%	1%	1%	1%	3%	C	0.074	F	0.519	34000	G	
To: Bus US 1 LaFayette Blvd																
From: Bus US 1 LaFayette Blvd																
3 Blue and Grey Parkway	City of Fredericksburg	1.00	37000	G	91%	1%	2%	2%	4%	C	0.075	F	0.509	39000	G	
To: Bus US 17 SR 2 Dixon St																
From: Bus US 17 SR 2 Dixon St																
3 Blue and Grey Parkway	City of Fredericksburg	0.36	34000	G	95%	1%	1%	1%	3%	F	0.082	F	0.520	36000	G	
To: ECL Fredericksburg																
From: ECL Fredericksburg																
East																
From: SR 3 Plank Rd																
3 Ramp	Spotsylvania County	0.28	6900	G	96%	1%	0%	0%	2%	F	0.084	F		7400	G	
To: I-95 South																

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 3 Ramp	From: SR 3 I-95-N I30B TO AND FROM RT Spotsylvania County To: I-95-N FROM RT 3 EB	0.28	19000	G								0.100	F	19000	G	
West 3 Ramp	From: SR 3 TO AND FROM RT Spotsylvania County To: I-95-S FROM RT 3	0.27	3900	G								0.094	F	3900	G	
West 3 Ramp at I-95 Exit 130	From: SR 3 Plank Rd West Spotsylvania County To: I-95 North	0.26	8800	G								0.098	F	8800	G	
Bus 3 William St	From: SR 3 Blue and Grey Parkway City of Fredericksburg To: 111-3958 Hanover St	0.14	13000	G	98%	0%	1%	0%	0%	0%	F	NA		14000	G	
Bus 3 William St	From: 111-3955 College Ave City of Fredericksburg To: SR 3 Par, Washington Ave	0.30	9900	G	98%	0%	1%	0%	0%	0%	C	NA		11000	G	
Bus 3 William St	From: SR 3 Par, Washington Ave City of Fredericksburg To: Bus US 1 Caroline St	0.37	5400	G	98%	0%	1%	0%	0%	0%	C	NA		5900	G	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		10000	G	98%	1%	1%	0%	0%	F	NA		11000	G	
Bus 3 William St	From: Bus US 1 Caroline St City of Fredericksburg To: Bus SR 3 Par, Sophia St	0.07	6500	G	98%	0%	1%	0%	0%	0%	F	NA		7100	G	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		12000	G	98%	0%	1%	0%	0%	F	NA		13000	G	
Bus 3 William St	From: Bus SR 3 Par, Sophia St City of Fredericksburg To: WCL Stafford	0.03	18000	G	98%	0%	1%	0%	0%	0%	F	0.104	N	0.609	19000	G
Bus 3 Washington Ave	From: Bus SR 3 William St City of Fredericksburg To: 111-3963 Amelia St	0.07	4800	G	97%	1%	1%	0%	1%	0%	F	NA		5200	G	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		10000	G	98%	1%	1%	0%	0%	F	NA		11000	G	
Bus 3 Amelia St	From: 111-3963, Washington Ave City of Fredericksburg To: 111-3973 Sophia St	0.43	4200	G	97%	1%	1%	0%	1%	0%	C	0.099	F	4400	G	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		9600	G	98%	1%	1%	0%	0%	C	NA		10000	G	
Bus 3 Sophia St	From: 111-3973, Amelia St City of Fredericksburg To: Bus SR 3 William St	0.07	5500	G	99%	0%	0%	0%	0%	0%	C	NA		6000	G	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		12000	G	98%	0%	1%	0%	0%	F	NA		13000	G	
17 Mills Dr	From: Caroline County Line Spotsylvania County To: SR 2; Bus US 17	1.89	5300	G	94%	0%	1%	1%	4%	0%	F	0.080	F	0.562	4700	G

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: SR 2; Bus US 17															
17 Mills Dr	Spotsylvania County	1.23	5800	G	85%	1%	2%	4%	8%	0%	C	0.083	F	0.553	5100	G
	To: 88-609 Jim Morris Rd; Thornton Rolling Rd															
17 Mills Dr	Spotsylvania County	3.17	12000	G	96%	0%	1%	1%	2%	0%	C	0.097	F	0.547	11000	G
	To: 88-771 Cosner Dr; 88-1035															
17 Mills Dr	Spotsylvania County	1.05	22000	G	94%	0%	1%	1%	4%	0%	F	0.077	F	0.525	19000	G
	To: Bus US 17															
	From: Bus US 17 Mill Rd															
17 Mills Dr	Spotsylvania County	0.27	15000	G	94%	0%	1%	1%	4%	0%	F	0.088	F	0.794	13000	G
	To: US 1 Jefferson Davis Hwy															
	From: US 17 Poor House Rd															
17 1 Jefferson Davis Hwy	Spotsylvania County	1.18	52000	G	98%	0%	1%	0%	0%	0%	F	0.078	F	0.592	55000	G
	To: I-95 N															
	From: US 1															
17 1 Ramp US 1, US 17 to I-95 N at Exit 126	Spotsylvania County	0.12	17000	G								0.09	F		18000	G
	To: I-95 N															
	From: US 1 Jefferson Davis Hwy															
17 95	Spotsylvania County	2.81														
	See I-95 for directional traffic volume estimates for this segment.															
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 116000 A 86% 1% 1% 1% 11% 0% F 0.085 A 0.502 107000 A															
	From: SCL Fredericksburg															
17 95	City of Fredericksburg (Maint: 88)	0.89														
	See I-95 for directional traffic volume estimates for this segment.															
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 116000 A 86% 1% 1% 1% 11% 0% F NA 107000 A															
	To: SR 3															
17 95	City of Fredericksburg (Maint: 88)	2.29														
	See I-95 for directional traffic volume estimates for this segment.															
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 143000 A 86% 1% 1% 1% 11% 0% F 0.077 A 0.514 137000 A															
	To: Stafford County Line															
ALT 17	From: US 17 Mills Dr															
Latitude St	Spotsylvania County	0.09	1700	G	92%	0%	1%	3%	3%	0%	F	0.096	F	0.599	1800	G
	To: Bus US 17 Mill Rd															
Bus 17 2	From: US 17 Mills Dr; SR 2 Sandy Lane Dr															
Tidewater Trail	Spotsylvania County	3.56	6800	G	92%	0%	1%	3%	3%	0%	C	0.085	F	0.628	7000	G
	To: 88-1310 Church St															
Bus 17 2	From: 88-1310 Church St															
Tidewater Trail	Spotsylvania County	0.97	20000	G	92%	0%	1%	3%	3%	0%	F	0.081	F	0.527	22000	G
	To: ECL Fredericksburg															
Bus 17 2	From: ECL Fredericksburg															
Dixon St	City of Fredericksburg	0.55	23000	G	94%	1%	1%	1%	3%	0%	C	0.086	F	0.604	24000	G
	To: Ramp from Rte. 3 Connector															
Bus 17 2	From: Ramp from Rte. 3 Connector															
Dixon St	City of Fredericksburg	0.26	10000	G	99%	0%	0%	0%	0%	0%	C	0.097	F	0.650	11000	G
	To: Charles St															

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 17 2 Dixon St	From: Charles St City of Fredericksburg	0.06	5100	G	99%	0%	0%	0%	0%	0%	F	0.099	F	0.612	5400	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			8000	G	98%	1%	1%	0%	0%	0%	F	NA		8500	G	
Bus 17 2 Dixon St	To: Princess Anne St From: City of Fredericksburg	0.06	2700	G	98%	0%	1%	0%	0%	0%	C	0.081	F		2900	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			5500	G	97%	1%	2%	0%	0%	0%	C	NA		6000	G	
Bus 17 2 Caroline St	To: Caroline St From: Dixon Street City of Fredericksburg	0.24	3200	G	97%	1%	2%	0%	0%	0%	C	0.086	F		3400	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			6000	G	97%	1%	2%	0%	0%	0%	C	NA		6500	G	
Bus Bus 17 1 2 Caroline St	To: Lafayette Blvd From: City of Fredericksburg	0.38	5000	G	99%	0%	1%	0%	0%	0%	F	NA		5400	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			11000	G	98%	1%	1%	0%	0%	0%	F	NA		12000	G	
Bus Bus 17 1 Caroline St	To: Bus SR 3 William St From: City of Fredericksburg	0.51	6700	G	99%	0%	1%	0%	0%	0%	C	0.092	F		7100	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			14000	G	98%	1%	1%	0%	0%	0%	C	0.091	F	0.528	15000	G
Bus Bus 17 1 Herndon St	To: Herndon St From: Caroline St City of Fredericksburg	0.06	4400	G	99%	0%	1%	0%	0%	0%	F	NA		4800	G	
Bus Bus 17 1 Princess Anne St	To: BUS US 1 Par Princess Anne St From: BUS US 1 Par Herndon St City of Fredericksburg	0.70	9800	G	98%	0%	1%	0%	0%	0%	C	0.086	F	0.674	10000	G
Bus 17 1 Jefferson Davis Blvd	To: US 1 Jefferson Davis Highway From: BUS US 1 Princess Anne Ave City of Fredericksburg	0.11	31000	N	98%	0%	1%	0%	1%	0%	N	0.086	N	0.564	33000	N
Bus 17 2 Princess Anne St	To: NCL Fredericksburg From: Dixon Street City of Fredericksburg	0.26	2800	G	96%	1%	2%	0%	0%	0%	C	NA		3100	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			6000	G	97%	1%	2%	0%	0%	0%	C	NA		6500	G	
Bus Bus 17 1 2 Princess Anne St	To: Bus US 1, Bus US 17 Lafayette Blvd From: City of Fredericksburg	0.37	6500	G	97%	1%	1%	0%	0%	0%	F	0.089	F		6900	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			11000	G	98%	1%	1%	0%	0%	0%	F	NA		12000	G	
Bus Bus 17 1 Princess Anne St	To: Bus SR 3 William St From: City of Fredericksburg	0.52	7600	G	97%	1%	1%	0%	0%	0%	C	0.092	F		8100	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			14000	G	98%	1%	1%	0%	0%	0%	C	0.091	F	0.528	15000	G
Bus 17 Mill Rd	To: Bus US 1 Herndon St From: US 17 Mills Dr Spotsylvania County	0.30	11000	G								0.085	F	0.905	12000	G
	To: US 1 Jefferson Davis Hwy															

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
North 95	From: Caroline County Line Spotsylvania County	1.61	46000	A	86%	1%	1%	0%	11%	1%	F	0.102	A	40000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		92000	A	86%	1%	1%	1%	11%	0%	F	NA		80000	A	
North 95	To: 88-606 Mudd Tavern Rd From: Spotsylvania County	7.58	47000	A	86%	1%	1%	0%	11%	1%	C	0.100	A	41000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		95000	A	86%	1%	1%	1%	11%	0%	C	0.096	A	0.511	83000	A
North 95 17	To: US 1, US 17, Ramp I-95 N126A From: US 1, US 17 Jefferson Davis Hwy Spotsylvania County	2.81	57000	A	86%	1%	1%	0%	11%	1%	F	0.089	A	53000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		116000	A	86%	1%	1%	1%	11%	0%	F	0.085	A	0.502	107000	A
North 95 17	To: SCL Fredericksburg From: City of Fredericksburg (Maint: 88)	0.89	57000	A	86%	1%	1%	0%	11%	1%	F	0.089	A	53000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		116000	A	86%	1%	1%	1%	11%	0%	F	NA		107000	A	
North 95 17	To: SR 3 Plank Rd From: City of Fredericksburg (Maint: 88)	2.29	73000	A	86%	1%	1%	0%	11%	1%	F	0.080	A	70000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		143000	A	86%	1%	1%	1%	11%	0%	F	0.077	A	0.514	137000	A
North 95 Ramp	To: Stafford County Line From: Spotsylvania County	0.22	2400	G								0.097	F	2400	G	
North 95 Ramp	To: 88-606 FR RT 95 TO RT From: Spotsylvania County	0.29	4300	G								0.094	F	4300	G	
North 95 Ramp	To: I-95 North From: Spotsylvania County	0.08	1700	G								0.089	F	1700	G	
North 95 Ramp	To: US 1 Gap FROM RT 95 From: Spotsylvania County	0.37	3500	G								0.090	F	3500	G	
North 95 Ramp	To: SR 3 Plank Rd From: Spotsylvania County	0.18	6000	G								0.075	F	6000	G	
South 95	To: I-95-N TO RT 3 WB From: Spotsylvania County	0.18	6000	G								0.075	F	6000	G	
	To: SR 3 SR 03-E032B TO AND FROM RT															
South 95	From: Caroline County Line Spotsylvania County	2.07	46000	A	86%	1%	1%	1%	11%	0%	F	0.099	A	40000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		92000	A	86%	1%	1%	1%	11%	0%	F	NA		80000	A	
South 95	To: 88-606 Mudd Tavern Rd From: Spotsylvania County	7.07	48000	A	86%	1%	1%	1%	11%	0%	C	0.099	A	41000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		95000	A	86%	1%	1%	1%	11%	0%	C	0.096	A	0.511	83000	A
	To: US 1, US 17 Jefferson Davis Hwy															

Virginia Department of Transportation
 Traffic Engineering Division
 2013
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
South 95 17	From: US 1, US 17 Jefferson Davis Hwy Spotsylvania County	3.10	59000	A	86%	1%	1%	1%	11%	0%	F	0.085	A	54000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			116000	A	86%	1%	1%	1%	11%	0%	F	0.085	A	107000	A	
South 95 17	To: SCL Fredericksburg From: City of Fredericksburg (Maint: 88)	1.61	59000	A	86%	1%	1%	1%	11%	0%	F	0.085	A	54000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			116000	A	86%	1%	1%	1%	11%	0%	F	NA		107000	A	
South 95 17	To: SR 3 Plank Rd From: City of Fredericksburg (Maint: 88)	1.76	70000	A	86%	1%	1%	1%	11%	0%	F	0.081	A	67000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			143000	A	86%	1%	1%	1%	11%	0%	F	0.077	A	137000	A	
South 95 Ramp	To: Stafford County Line From: I-95-S TO RT 606 Spotsylvania County	0.24	4100	G								0.115	F	4100	G	
South 95 Ramp	To: I-95-S TO RT 1 From: 88-606 FR RT 95 TO RT Spotsylvania County	0.32	17000	G								0.113	F	17000	G	
South 95 Ramp at I-95 Exit 130	To: US 1 TO AND FROM RT From: I-95 SB Spotsylvania County	0.20	6900	G								0.094	F	6900	G	
South 95 Ramp at I-95 Exit 130	To: SR 3 Plank Rd EB From: I-95 SB Spotsylvania County	0.36	19000	G								0.107	F	19000	G	
South 95 Fredericksburg Welcome Center	To: SR 3 Plank Rd WB From: I-95 South to Welcome Center Spotsylvania County	0.06	NA									NA		NA		
South 95 Fredericksburg Welcome Center	To: Enter Welcome Center Parking Lot From: Exit Welcome Center Parking Lot Spotsylvania County	0.06	2000	A	86%	1%	1%	1%	11%	0%	F	0.128	A	1800	A	
208 Courthouse Rd	To: I-95 South from Welcome Center From: Louisa County Line Spotsylvania County	3.64	4600	G	96%	0%	1%	2%	1%	0%	F	0.095	F	0.558	4700	G
208 Courthouse Rd	To: 88-601 Lewiston Rd From: 88-648 Block House Rd Spotsylvania County	8.85	6100	G	96%	0%	1%	2%	1%	0%	F	0.087	F	0.599	6200	G
208 Block House Rd	To: Bus SR 208 Courthouse Rd From: 88-608 S, Robert E Lee Dr Spotsylvania County	3.03	7900	G	96%	0%	1%	2%	1%	0%	C	0.087	F	0.621	8100	G
208	To: 88-613 Brock Rd From: 88-608 S, Robert E Lee Dr Spotsylvania County	0.98	10000	G	96%	0%	1%	2%	1%	0%	F	0.085	F	0.646	10000	G
208	To: Bus SR 208 Courthouse Rd From: 88-613 Brock Rd Spotsylvania County	0.87	13000	G	97%	0%	0%	2%	0%	0%	C	0.087	F	0.630	13000	G

Virginia Department of Transportation
 Traffic Engineering Division
 2013
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
							From: Bus SR 208									
208 Courthouse Rd	Spotsylvania County	2.25	2000	G	97%	0%	0%	2%	0%	0%	F	0.081	F	0.618	20000	G
							To: 88-628 Smith Station Rd									
208 Courthouse Rd	Spotsylvania County	3.74	36000	G	97%	0%	0%	2%	0%	0%	F	0.084	F	0.627	38000	G
							To: US 1 Jefferson Davis Hwy									
							From: SR 208; 88-648 Block House Rd									
Bus 208 Courthouse Rd	Spotsylvania County	2.43	3500	G	95%	0%	1%	1%	2%	0%	C	0.093	F	0.64	3500	G
							To: 88-606 Morris Rd; 88-738 Parlow Rd									
Bus 208 Courthouse Rd	Spotsylvania County	3.41	3100	G	95%	0%	1%	1%	2%	0%	F	0.086	F	0.601	3100	G
							To: 88-608 Massaponax Church Rd									
Bus 208 Courthouse Rd	Spotsylvania County	0.54	7500	G	95%	0%	1%	1%	2%	0%	F	0.077	F	0.503	7700	G
							To: 88-613 Brock Rd									
Bus 208 Courthouse Rd	Spotsylvania County	0.71	6300	R								NA		NA		
							To: SR 208 Courthouse Rd									
							From: Louisa County Line									
522 Zachary Taylor Hwy	Spotsylvania County	1.01	2700	G	92%	1%	1%	2%	5%	0%	C	0.102	F	0.554	2800	G
							To: 88-612 Monrovia Rd									
522 Zachary Taylor Hwy	Spotsylvania County	0.94	2600	G	92%	1%	1%	2%	5%	0%	F	0.099	F	0.539	2700	G
							To: Orange County Line									

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(F163) Mallard Rd	0.60	NA									NA			NA		
(F163) Mallard Rd	0.62	490	R								NA			NA		04/21/2009
(F164)	0.05	NA									NA			NA		
(F167) Glenwood Dr	0.12	610	R								NA			NA		10/05/2009
(F168) Clark Ct	0.16	40	R								NA			NA		10/05/2009
(F690) Jefferson Davis Hwy From 0.38 Rd	0.38	270	R								NA			NA		11/05/2009
(F690) Loren Dr	1.00	1900	R								NA			NA		10/05/2009
(F690) Jefferson Davis Hwy From 0.14 Rd	0.14	390	R								NA			NA		11/05/2009
(F691) Kershaw St	0.32	760	R								NA			NA		10/05/2009
(F691) Kershaw St	0.58	450	R								NA			NA		04/22/2009
(F691) Wicker St	0.50	NA									NA			NA		
(F692) Jefferson Davis Hwy From 0.26 Rd	0.26	280	R								NA			NA		10/05/2009
(F693) Gateway Blvd	0.31	5800	R								NA			NA		10/05/2009
(F694) Plank Rd Frontage	0.08	710	R								NA			NA		11/09/2009
(F696) Overview Dr	1.81	130	R								NA			NA		10/05/2009
(F697) Lavue Lane	0.36	NA									NA			NA		
(704) Lawyers Rd	0.05	270	R								NA			NA		07/18/2011
(600) Herndon Rd	0.64	800	R								NA			NA		11/02/2010
(600) Herndon Rd	0.66	970	R								NA			NA		11/02/2010
(600) Herndon Rd	0.50	1100	R								NA			NA		11/02/2010

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(601) Arritt Rd	1.84	910	G	96%	1%	1%	0%	1%	0%	F	0.082	F	0.669	930	G	2013
			From: Louisa County Line													
(601) Lewiston Rd	3.21	1100	G	96%	1%	1%	0%	1%	0%	C	0.09	F	0.524	1100	G	2013
			To: 88-622 N, Fairview Rd													
(601) Lewiston Rd	3.73	1700	G	96%	1%	1%	0%	1%	0%	F	0.081	F	0.512	1700	G	2013
			From: 88-614 N, Breaknock Rd													
(601) Lawyers Rd	1.59	2100	G	98%	1%	1%	1%	0%	0%	C	0.102	F	0.67	2200	G	2013
			To: SR 208 S, Courthouse Rd													
(601) Lawyers Rd	2.96	1400	G	98%	1%	1%	1%	0%	0%	F	0.100	F	0.713	1400	G	2013
			From: SR 208 N, Courthouse Rd													
(601) Lawyers Rd	0.97	770	R									NA		NA		11/11/2010
			To: 88-612 Stubbs Bridge Rd													
(601) Lawyers Rd	1.92	340	R									NA		NA		11/11/2010
			From: 88-653 Powell Rd													
(601) Lawyers Rd	2.15	900	G	98%	1%	1%	1%	0%	0%	F	0.102	F	0.648	920	G	2013
			To: 88-652 Belmont Rd													
(601) Lawyers Rd	0.94	1700	G	98%	1%	1%	1%	0%	0%	F	0.093	F	0.607	1700	G	2013
			From: 88-651 Tatum Rd													
(602) Massey Rd	1.71	790	R									NA		NA		01/24/2011
			To: 88-608 Catharpin Rd													
(603) Arcadia Rd	0.70	900	R									NA		NA		10/10/2002
			From: Dead End													
(603) Arcadia Rd	0.89	3500	G	98%	0%	0%	0%	1%	0%	C	0.086	F	0.774	3600	G	2013
			To: SR 208 Courthouse Rd													
(604) Blanton Rd	1.93	310	R									NA		NA		10/10/2002
			From: Caroline County Line													
(605) Swift Rd	1.00	150	R									NA		NA		01/19/2011
			To: 88-605 Marye Rd													
(605) Wallers Rd	2.42	610	R									NA		NA		01/19/2011
			From: 88-605 Marye Rd													
(605) Marye Rd	1.95	830	R									NA		NA		01/20/2011
			To: 88-738 N, Partlow Rd													
(605) Marye Rd	3.38	1300	G	96%	0%	1%	0%	2%	0%	F	0.090	F	0.778	1300	G	2013
			From: 88-738 S, Partlow Rd													
(605) Marye Rd	3.16	2400	G	96%	0%	1%	0%	2%	0%	C	0.087	F	0.715	2500	G	2013
			To: 88-658 Shirleys Hill Rd													
(605) Marye Rd	0.26	590	R									NA		NA		10/10/2002
			From: 88-647 Blaydes Comer Rd													
(606) Post Oak Rd	2.67	840	G	96%	0%	1%	1%	2%	0%	F	0.102	F	0.54	880	G	2013
			To: 88-603 Arcadia Rd													
(606) Post Oak Rd	0.93	1500	G	96%	0%	1%	1%	2%	0%	F	0.088	F	0.623	1500	G	2013
			From: 88-603 Arcadia Rd													
(606) Post Oak Rd	3.80	900	G	96%	0%	1%	1%	2%	0%	F	0.088	F	0.523	920	G	2013
			To: 88-612 W, Stubbs Bridge Rd													
(606) Post Oak Rd	4.14	1400	G	96%	0%	1%	1%	2%	0%	C	0.087	F	0.659	1400	G	2013
			From: 88-612 E, Pamunkey Rd													
			To: 88-650 Margo Rd													
			From: SR-208 W, Courthouse Rd													

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(606) Morris Rd	3.15	6800	G	96%	0%	1%	1%	2%	0%	C	0.08	F	0.688	6900	G	2013
						From: SR 208 Courthouse Rd; 88-738 Parlow Rd										
						To: 88-617 Hams Ford Rd										
(606) Morris Rd	1.41	8800	G	94%	1%	2%	1%	3%	0%	C	0.077	F	0.688	9000	G	2013
						From: 88-617 Hams Ford Rd										
						To: US 1 Jefferson Davis Hwy										
(606) Mudd Tavern Rd	0.51	12000	G	94%	0%	1%	1%	3%	0%	C	0.077	F	0.659	12000	G	2013
						From: US 1 Jefferson Davis Hwy										
						To: I-95										
(606) Mudd Tavern Rd	1.00	1900	G	94%	0%	1%	2%	2%	0%	C	0.098	F	0.537	1900	G	2013
						From: I-95										
						To: Caroline County Line										
(606) Ramp	0.15	2900	G								0.091	F		2900	G	2013
						From: 88-606 Mudd Tavern Rd										
						To: I-95 South										
(606) Ramp	0.19	4600	G								0.115	F		4600	G	2013
						From: 88-606 Mudd Tavern Rd										
						To: I-95 North										
(607) Guinea Station Rd	1.20	1700	R								NA			NA		01/05/2011
						From: US 1 Jefferson Davis Hwy										
						To: 88-633 Church Pond Rd										
(607) Guinea Station Rd	2.30	1000	R								NA			NA		01/05/2011
						From: 88-633 Church Pond Rd										
						To: Caroline County Line										
(608) West Catharpin Rd	1.04	1600	G	99%	0%	0%	0%	0%	0%	F	0.097	F	0.561	1700	G	2013
						From: Orange County Line										
						To: 88-606 Post Oak Rd										
(608) West Catharpin Rd	6.02	1400	G	99%	0%	0%	0%	0%	0%	F	0.098	F	0.741	1500	G	2013
						From: 88-606 Post Oak Rd										
						To: 88-612 W. Pamunkey Rd										
(608) West Catharpin Rd	0.28	2500	G	99%	0%	0%	0%	0%	0%	C	0.093	F	0.704	2500	G	2013
						From: 88-612 W. Pamunkey Rd										
						To: 88-612 E. Catharpin Rd										
(608) Robert E Lee Dr	1.85	1300	G	99%	0%	0%	0%	0%	0%	F	0.101	F	0.686	1300	G	2013
						From: 88-612 E. Catharpin Rd										
						To: 88-649 W. Seays Rd										
(608) Robert E Lee Dr	2.01	1900	G	99%	0%	0%	0%	0%	0%	F	0.094	F	0.717	1900	G	2013
						From: 88-649 W. Seays Rd										
						To: 88-693 Gladly Fork Rd										
(608) Robert E Lee Dr	1.65	2300	G	99%	0%	0%	0%	0%	0%	F	0.098	F	0.746	2300	G	2013
						From: 88-693 Gladly Fork Rd										
						To: 88-747 Old Mill Lane										
(608) Robert E Lee Dr	0.36	2900	G	98%	0%	0%	1%	0%	0%	F	0.098	F	0.729	3000	G	2013
						From: 88-747 Old Mill Lane										
						To: 88-648 Block House Rd										
(608) Robert E Lee Dr	0.22	3600	G	98%	0%	0%	1%	0%	0%	C	0.097	F	0.671	3600	G	2013
						From: 88-648 Block House Rd										
						To: SR 208 S, Lake Anna Pkwy										
(608) Robert E Lee Dr	0.46	790	G	98%	1%	0%	0%	0%	0%	C	NA			840	G	2013
						From: SR 208 S, Lake Anna Pkwy										
						To: SR 208 N, Lake Anna Pkwy										
(608) Massaponax Church Rd	3.90	2200	G	95%	1%	1%	3%	1%	0%	F	0.106	F	0.729	2300	G	2013
						From: SR 208 N, Lake Anna Pkwy										
						To: 88-613 Brock Rd										
(608) Massaponax Church Rd	0.95	6000	G	95%	1%	1%	3%	1%	0%	C	0.095	F	0.656	6100	G	2013
						From: 88-613 Brock Rd										
						To: Bus SR 208 Courthouse Rd										
(608) Massaponax Church Rd	2.56	4800	G	97%	0%	1%	1%	1%	0%	C	0.101	F	0.549	4800	G	2013
						From: Bus SR 208 Courthouse Rd										
						To: 88-639 Smith Station Rd										
(608) Massaponax Church Rd	1.97	2500	G	97%	0%	1%	1%	1%	0%	F	0.112	F	0.612	2500	G	2013
						From: 88-639 Smith Station Rd										
						To: 88-639 Leavells Rd										
(608) Massaponax Church Rd	1.97	2500	G	97%	0%	1%	1%	1%	0%	F	0.112	F	0.612	2500	G	2013
						From: 88-639 Leavells Rd										
						To: US 1 Jefferson Davis Hwy										
(608) Massaponax Church Rd	2.56	4800	G	97%	0%	1%	1%	1%	0%	C	0.101	F	0.549	4800	G	2013
						From: US 1 Jefferson Davis Hwy										
						To: 88-668 Summit Crossing Rd										
(608) Massaponax Church Rd	1.97	2500	G	97%	0%	1%	1%	1%	0%	F	0.112	F	0.612	2500	G	2013
						From: 88-668 Summit Crossing Rd										
						To: US-17 W, Mills Dr										
(608) Benchmark Rd	2.65	4400	G	97%	0%	1%	1%	1%	0%	F	0.107	F	0.610	4500	G	2013
						From: US-17 W, Mills Dr										
						To: US-17 E, Mills Dr										
(608) Benchmark Rd	2.65	4400	G	97%	0%	1%	1%	1%	0%	F	0.107	F	0.610	4500	G	2013
						From: US-17 E, Mills Dr										
						To: US 17 Bus; SR 2 Tidewater Trail										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(609) Thornton Rolling Rd	1.86	2400	R			Caroline County Line					NA			NA		01/19/2011
(609) Jim Morris Rd	1.51	2000	R			US 17 Mills Dr					NA			NA		12/14/2010
						Bus US 17, SR 2 Tidewater Trail										
(610) Elys Ford Rd	3.90	2100	G	99%	0%	0%	1%	0%	0%	C	0.089	F	0.619	2200	G	2013
(610) Elys Ford Rd	0.98	4400	G	99%	0%	0%	1%	0%	0%	F	0.086	F	0.658	4500	G	2013
(610) Old Plank Rd	1.85	2800	G	97%	0%	2%	1%	1%	0%	C	0.104	F	0.532	2800	G	2013
(610) Old Plank Rd	2.85	10000	G	99%	0%	0%	0%	0%	0%	C	0.085	F	0.706	11000	G	2013
(610) Old Plank Rd	0.21	3000	G	99%	0%	0%	0%	0%	0%	F	0.092	F	0.555	3200	G	2013
(610) Old Plank Rd	0.51	4900	G	99%	0%	0%	0%	0%	0%	F	0.076	F	0.566	5200	G	2013
(611) Windy Acres Lane	0.35	210	R			Dead End					NA			NA		10/06/2010
(611) Windy Acres Lane	0.20	260	R			88-682 Parker Lane					NA			NA		10/06/2010
(611) Windy Acres Lane	1.10	350	R			88-621 Orange Plank Rd					NA			NA		10/06/2010
(612) Monrovia Rd	1.46	420	R			Orange County Line					NA			NA		11/04/2010
(612) Monrovia Rd	2.53	470	G	98%	0%	1%	0%	0%	0%	F	0.101	F	0.553	480	G	2013
(612) Stubbs Bridge Rd	0.38	1100	G	98%	0%	1%	0%	0%	0%	C	0.08	F	0.527	1100	G	2013
(612) Stubbs Bridge Rd	3.87	920	G	98%	0%	1%	0%	0%	0%	F	0.094	F	0.671	940	G	2013
(612) Stubbs Bridge Rd	3.18	800	G	98%	0%	1%	0%	0%	0%	F	0.099	F	0.518	810	G	2013
(612) Pamunkey Rd	4.14	820	G	97%	2%	0%	1%	0%	0%	F	0.101	F	0.735	860	G	2013
(612) Catharpin Rd	3.24	1900	G	97%	2%	0%	1%	0%	0%	F	0.087	F	0.698	2000	G	2013
(612) Catharpin Rd	4.30	3300	G	97%	2%	0%	1%	0%	0%	C	0.087	F	0.583	3500	G	2013
(613) Brock Rd	1.63	4100	G	98%	0%	1%	1%	1%	0%	C	0.099	F	0.664	4200	G	2013
(613) Brock Rd	3.97	3600	G	98%	0%	1%	1%	1%	0%	F	0.099	F	0.635	3700	G	2013
(613) Brock Rd	4.78	2700	G	98%	0%	1%	1%	1%	0%	F	0.093	F	0.560	2800	G	2013
(613) Brock Rd	1.52	3800	G	98%	0%	1%	1%	1%	0%	F	0.098	F	0.565	3900	G	2013
						SR 3 Plank Rd										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(614) Breaknock Rd	0.20	8	R			From: Dead End					NA			NA		10/08/2002
(614) Breaknock Rd	1.30	310	R			To: 88-1520 Billman Dr					NA			NA		01/24/2011
(614) Dickerson Rd	1.60	510	R			From: 88-601 N, Lewiston Rd					NA			NA		01/24/2011
(614) Dickerson Rd	1.57	460	R			To: 88-601 S, Lewiston Rd					NA			NA		01/24/2011
(614) Dickerson Rd	0.20	630	R			From: 88-657 Edenton Rd					NA			NA		01/24/2011
(614) Dickerson Rd	0.43	600	R			To: 88-1797 Wilton Lane					NA			NA		01/24/2011
(614) Dickerson Rd	0.43	600	R			From: 0.20 ME 88-1797 Wilton Lane					NA			NA		01/24/2011
(614) Duerson Lane	1.95	780	R			To: 88-656 Towles Rd					NA			NA		01/24/2011
(615) Rapidan Dr	0.45	620	R			From: 88-738 Partlow Rd					NA			NA		10/05/2010
(615) Rapidan Dr	0.47	550	R			To: 88-610 Elys Ford Rd					NA			NA		09/04/2002
(615) Rapidan Dr	1.10	310	R			From: 88-753 Rapidan Rd					NA			NA		09/04/2002
(615) Rapidan Dr	1.10	310	R			To: 0.47 MN 88-753 Rapidan Rd					NA			NA		09/04/2002
(616) US Ford Rd	2.29	430	R			From: Dead End					NA			NA		
(616) US Ford Rd	2.29	430	R			To: 88-610 Elys Ford Rd					NA			NA		09/23/2010
(617) Hams Ford Rd	1.80	130	R			From: 88-620 Spottswood Furnace Rd					NA			NA		11/02/2005
(617) Hams Ford Rd	1.20	1000	R			To: 88-605 Marye Rd					NA			NA		10/10/2002
(618) River Rd	0.76	2500	R			From: 88-645 Sunset Rd					NA			NA		09/23/2010
(618) River Rd	0.14	1400	R			To: 88-606 Morris Rd					NA			NA		10/17/2002
(618) River Rd	0.04	2700	R			From: SR 3 Plank Rd					NA			NA		09/23/2010
(618) River Rd	0.39	2600	R			To: 88-1790					NA			NA		09/23/2010
(618) River Rd	0.82	2800	R			From: 0.14 ME 88-1790					NA			NA		09/23/2010
(618) River Rd	1.47	3500	R			To: 88-1794					NA			NA		09/23/2010
(618) River Rd	0.67	3600	R			From: 88-1786 Musket Ridge Lane					NA			NA		09/23/2010
(618) River Rd	1.14	3700	R			To: 88-620 Spottswood Furnace Rd					NA			NA		09/20/2010
(618) River Rd	1.33	3900	R			From: 88-1740 River Bluffs Dr					NA			NA		09/20/2010
(618) River Rd	0.91	4000	R			To: 88-1737 Sedgwick Dr					NA			NA		09/20/2010
(618) River Rd	0.91	4000	R			From: 88-1750 Riverdowns Dr					NA			NA		09/20/2010
(618) River Rd	0.91	4000	R			To: 1.33 ME 88-1750					NA			NA		09/20/2010
(618) River Rd	0.91	4000	R			From: 88-639 Bragg Rd					NA			NA		09/20/2010

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(619) Mill Rd	1.31	1200	R			88-620 Spotswood Furnace Rd					NA			NA		10/04/2010
(619) Mill Rd	0.24	130	R			88-1033					NA			NA		10/22/2002
						Cul-de-Sac										
(620) Spotswood Furnace Rd	1.24	420	R			88-610 Elys Ford Rd					NA			NA		10/05/2010
(620) Spotswood Furnace Rd	0.74	170	R			88-1733 Antler Rd					NA			NA		10/05/2010
(620) Spotswood Furnace Rd	1.80	480	R			0.74 ME 88-1733					NA			NA		10/05/2010
(620) Spotswood Furnace Rd	1.92	250	R			88-616 US Ford Rd					NA			NA		09/23/2010
(620) Spotswood Furnace Rd	2.65	1700	R			88-618 River Rd					NA			NA		09/23/2010
(620) Harrison Rd	0.31	12000	G	99%	0%	0%	0%	0%	0%	F	0.093	F	0.537	12000	G	2013
(620) Harrison Rd	0.18	12000	G	99%	0%	0%	0%	0%	0%	F	0.087	F	0.534	12000	G	2013
(620) Harrison Rd	0.60	17000	G	99%	0%	0%	0%	0%	0%	F	0.099	F	0.505	18000	G	2013
(620) Harrison Rd	1.28	18000	G	99%	0%	0%	0%	0%	0%	F	0.096	F	0.629	19000	G	2013
(620) Harrison Rd	1.53	13000	G	99%	0%	0%	0%	0%	0%	C	0.104	F	0.679	14000	G	2013
(620) Harrison Rd	0.92	14000	G	99%	0%	0%	0%	0%	0%	F	0.102	F	0.717	15000	G	2013
(620) Harrison Rd	0.18	6200	G	98%	0%	1%	0%	0%	0%	C	0.081	F	0.504	6600	G	2013
(621) Orange Plank Rd	1.60	2000	R			Orange County Line					NA			NA		10/06/2010
(621) Orange Plank Rd	3.30	3500	G	97%	0%	1%	1%	0%	0%	C	0.093	F	0.66	3600	G	2013
(621) Orange Plank Rd	2.10	6100	R			88-613 Brock Rd					NA			NA		09/10/2002
(622) Lucks Rd	0.95	220	R			Dead End					NA			NA		01/19/2011
(622) Fairview Rd	1.20	1300	R			88-601 S; Arritt Rd					NA			NA		10/08/2002
(622) Fairview Rd	1.60	840	R			88-605 W; Wallers Rd					NA			NA		10/10/2002
(623) Stewart Rd	0.90	60	R			88-605 W, Wallers Rd					NA			NA		10/10/2002
(623) Stewart Rd	0.90	60	R			88-738 Partlow Rd					NA			NA		10/10/2002
(623) Stewart Rd	0.90	60	R			88-613 Brock Rd					NA			NA		11/10/2010
(624) Piney Branch Rd	2.10	1100	R			88-612 Catharpin Rd					NA			NA		11/09/2010
						88-613 Brock Rd					NA			NA		11/09/2010
						88-612 Catharpin Rd					NA			NA		11/09/2010

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(625) Ashby Dr	0.50	1200	R								NA			NA		10/19/2010
			From: Dead End													
(625) Ashby Dr	1.00	2500	R								NA			NA		10/18/2010
			From: 88-714 Cloverdale St													
			To: 88-674 Chancellor Rd													
(626) Andora Dr	0.41	8200	R								NA			NA		10/12/2010
			From: 88-610 Old Plank Rd													
			To: SR 3 Plank Rd													
(627) Gordon Rd	1.45	2900	G	98%	1%	0%	0%	0%	0%	F	0.092	F	0.594	2900	G	2013
			From: 88-613 Brock Rd													
(627) Gordon Rd	2.07	4100	G	98%	1%	0%	0%	0%	0%	F	0.096	F	0.645	4200	G	2013
			From: 88-732 Mallard Point Lane													
(627) Gordon Rd	0.91	9700	G	98%	1%	0%	0%	0%	0%	F	0.094	F	0.556	10000	G	2013
			From: 88-628 Smith Station Rd													
(627) Gordon Rd	1.42	15000	G	98%	1%	0%	0%	0%	0%	C	0.088	F	0.606	16000	G	2013
			From: 88-674 Chancellor Rd													
(627) Gordon Rd	0.12	11000	G	98%	1%	0%	0%	0%	0%	F	0.091	F	0.522	12000	G	2013
			From: 88-620 Harrison Rd													
(627) Gordon Rd	0.22	9900	G	98%	1%	0%	0%	0%	0%	F	0.078	F	0.599	10000	G	2013
			From: 88-610 Old Plank Rd													
			To: SR 3 Plank Rd													
(628) Smith Station Rd	2.10	3800	G	99%	0%	0%	0%	0%	0%	F	0.091	F	0.521	4000	G	2013
			From: US 1 Jefferson Davis Hwy													
(628) Smith Station Rd	1.67	10000	G	99%	0%	0%	0%	0%	0%	F	0.094	F	0.627	11000	G	2013
			From: 88-639 Leavells Rd													
(628) Smith Station Rd	1.60	9000	G	99%	0%	0%	0%	0%	0%	C	0.098	F	0.587	9600	G	2013
			From: SR 208 Courthouse Rd													
(628) Smith Station Rd	0.91	5800	G	99%	0%	0%	0%	0%	0%	F	0.104	F	0.549	5900	G	2013
			From: 88-1157 Elk Dr													
			To: 88-627 Gordon Rd													
(629) Foster Rd	0.56	4300	R								NA			NA		01/13/2011
			From: 88-628 Smith Station Rd													
			To: SR 208 Courthouse Rd													
(630) Corene Rd	0.38	10	R								NA			NA		11/10/2010
			From: 88-655 Ridge Rd													
			To: SR 208 Courthouse Rd													
(631) American Legion Dr	0.21	570	R								NA			NA		12/06/2010
			From: SR 208 Courthouse Rd													
			To: SR 208 Courthouse Rd													
(632) Roxbury Mill Rd South	1.00	620	R								NA			NA		01/19/2011
			From: US 1 S, Jefferson Davis Hwy													
(632) Roxbury Mill Rd South	0.12	70	R								NA			NA		10/31/2005
			From: 1.00 MN US 1													
(632) Roxbury Mill Rd North	0.96	1300	R								NA			NA		01/04/2011
			From: Dead End: Gap													
			To: US 1 MID, Jefferson Davis Hwy													
(632) Hickory Ridge Rd	3.40	1200	R								NA			NA		01/04/2011
			From: US 1 N, Jefferson Davis Hwy													
			To: 88-608 Massaponax Church Rd													
(633) Church Pond Rd	1.40	410	R								NA			NA		01/05/2011
			From: 88-607 Guinea Station Rd													
			To: 88-608 Massaponax Church Rd													
(634) Flippo Dr	2.60	340	R								NA			NA		01/05/2011
			From: 88-607 Guinea Station Rd													
			To: 88-608 Massaponax Church Rd													

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(635) Lee Hill School Dr	2.53	4100	R								NA			NA		01/19/2011
(636) Ewell Rd	0.09	1600	R								NA			NA		11/14/2005
(636) Ewell Rd	0.30	1200	R								NA			NA		12/08/2010
(636) Hood Dr	0.44	13000	R								NA			NA		11/14/2005
(636) Mine Rd	1.47	13000	G	98%	0%	0%	0%	1%	0%	C	0.088	F	0.513	14000	G	2013
(636) Mine Rd	2.30	4900	G	98%	0%	0%	0%	1%	0%	F	0.086	F	0.609	5100	G	2013
(637)	0.09	40	R								NA			NA		09/25/2002
(638) Lansdowne Rd	1.92	6700	G	97%	0%	1%	0%	1%	0%	C	0.089	F	0.630	7100	G	2013
(639) Leavells Rd	1.69	6100	N	98%	0%	0%	1%	0%	0%	N	0.131	N	0.569	6500	N	2013
(639) Leavells Rd	1.38	6100	G	98%	0%	0%	1%	0%	0%	C	0.131	F	0.569	6500	G	2013
(639) Leavells Rd	0.43	7800	G								0.096	F	0.592	8300	G	2013
(639) Leavells Rd	0.69	9600	G	99%	1%	1%	0%	0%	0%	F	0.097	F	0.569	10000	G	2013
(639) Leavells Rd	2.09	24000	G	98%	1%	1%	0%	0%	0%	C	0.088	F	0.505	25000	G	2013
(639) Salem Church Rd	1.45	26000	G	99%	1%	1%	0%	0%	0%	C	0.085	F	0.533	27000	G	2013
(639) Bragg Rd	0.91	17000	G	99%	0%	0%	0%	0%	0%	C	0.089	F	0.617	18000	G	2013
(640) Black Meadow Rd	1.60	900	R								NA			NA		11/02/2010
(641) Gatewood Rd	0.20	110	R								NA			NA		01/19/2011
(642) Woolfolk Rd	0.80	210	R								NA			NA		11/11/2010
(643) Haleys Mill Rd	2.50	60	R								NA			NA		11/10/2010
(643) Williams Lane	0.96	280	R								NA			NA		11/11/2010
(644) Village Dr	0.09	120	R								NA			NA		08/27/2002

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(644) Marshall Dr	0.07	70	R			From: 0.09 ME US 1 Bus					NA			NA		08/27/2002
						To: Dead End										
(645) Sunset Rd	1.20	550	R			From: 88-606 Morris Rd					NA			NA		10/10/2002
(645) Sunset Rd	0.85	660	R			From: 88-646 Stanfield Rd					NA			NA		10/10/2002
(645) Sunset Rd	0.25	840	R			From: 0.85 MS 88-646					NA			NA		10/31/2005
(646) Stanfield Rd	3.48	270	R			From: 88-617 Hams Ford Rd					NA			NA		10/10/2002
						From: 88-605 Marye Rd					NA			NA		10/10/2002
						To: 88-645 Sunset Rd										
(647) Twilight Lane	0.10	90	R			From: Dead End					NA			NA		11/02/2005
(647) Blaydes Corner Rd	3.80	450	R			From: 88-605 Marye Rd					NA			NA		10/10/2002
						To: 88-738 Partlow Rd										
(648) Block House Rd	2.26	1200	R			From: 88-738 Partlow Rd					NA			NA		01/19/2011
(648) Block House Rd	1.15	1400	R			From: 2.26 MN 88-738					NA			NA		01/19/2011
						To: SR 208 Courthouse Rd										
(649) Seays Rd	1.10	740	R			From: 88-606 Post Oak Rd					NA			NA		11/10/2010
(649) Seays Rd	1.20	890	R			From: 88-703 Mastin Lane					NA			NA		11/10/2010
(649) Mill Pond Rd	2.30	480	R			From: 88-608 W, Robert E Lee Dr					NA			NA		11/10/2010
						From: 88-608 E, Robert E Lee Dr					NA			NA		11/10/2010
						To: 88-612 Catharpin Rd										
(650) Margo Rd	1.30	510	R			From: 88-733 Brockenburg Rd					NA			NA		11/10/2010
						To: 88-606 Post Oak Rd										
(651) Tatum Rd	0.10	510	R			From: Orange County Line					NA			NA		11/02/2010
(651) Houston Lane	0.25	100	R			From: 88-601 Lawyers Rd					NA			NA		11/02/2010
						To: Dead End										
(652) Belmont Rd	1.00	750	R			From: 88-719 Days Bridge Rd					NA			NA		11/03/2010
(652) Belmont Rd	2.10	660	R			From: 88-653 S, Jones Powell Rd					NA			NA		11/02/2010
						To: 88-601 Lawyers Rd										
(653) Orange Springs Rd	1.90	220	R			From: Orange County Line					NA			NA		11/02/2010
						To: 88-652 N, Belmont Rd										
(653) Jones Powell Rd	1.70	400	R			From: 88-652 S, Belmont Rd					NA			NA		11/11/2010
						To: 88-601 Lawyers Rd										
(654) Windway Dr	0.55	80	R			From: 88-612 Monrovia Rd					NA			NA		11/04/2010
(654) Windway Dr	0.03	2	R			From: 88-1545 Windway Dr					NA			NA		09/26/2005
						To: Dead End										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(655) Ridge Rd	1.78	210	R								NA			NA		11/10/2010
(655) Ridge Rd	1.45	300	R								NA			NA		11/10/2010
(656) Towles Mill Rd	2.77	290	R								NA			NA		01/24/2011
(656) Towles Mill Rd	0.13	860	R								NA			NA		01/24/2011
(656) Towles Mill Rd	2.30	940	R								NA			NA		01/24/2011
(657) Edenton Rd	3.40	350	R								NA			NA		01/19/2011
(658) Mount Olive Rd	3.10	580	R								NA			NA		01/19/2011
(658) Shirleys Hill Rd	2.00	400	G	97%	1%	0%	0%	2%	0%	C	0.1	F	0.775	410	G	2013
(659) Lanes Corner Rd	2.80	210	R								NA			NA		01/24/2011
(660) Len Hart Lane	0.70	90	R								NA			NA		11/02/2005
(661) Hudgins Rd	0.30	2400	R								NA			NA		01/05/2011
(661) Hudgins Rd	0.31	1400	R								NA			NA		11/09/2005
(662) Log Cabin Rd	1.92	120	R								NA			NA		01/19/2011
(663) Comfort Lane	0.97	590	R								NA			NA		11/04/2010
(664) Granite Springs Rd	1.10	80	R								NA			NA		11/02/2010
(665) Belfonte Rd	0.60	350	R								NA			NA		01/24/2011
(665) Belfonte Rd	1.40	260	R								NA			NA		01/24/2011
(666) Tribble Rd	0.57	100	R								NA			NA		01/19/2011
(667) Robinson Rd	0.80	220	R								NA			NA		11/10/2010
(667) Robinson Rd	0.41	20	R								NA			NA		10/07/2002

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(668) Summit Crossing Rd	2.84	300	R			From 88-608 Massaponax Church Rd					NA		NA			10/21/2002
						To Caroline County Line										
(669) Butler Rd	0.27	80	R			From Caroline County Line					NA		NA			01/19/2011
						To 0.27 MN 16-669										
(669) Trivette Rd	0.33	60	R			From 88-662 Log Cabin Rd					NA		NA			11/02/2005
						To 1.39 MN 88-662										
(669) Butler Rd	1.39	70	R			From 88-738 S, Partlow Rd					NA		NA			01/19/2011
						To 88-738 N, Partlow Rd										
(669) Smith Rd	1.15	30	R			From Caroline County Line					NA		NA			01/19/2011
						To 88-738 Partlow Rd										
(670) Winding Rd	1.65	380	R			From 88-605 Marye Rd					NA		NA			01/20/2011
						To SR 208 Courthouse Rd										
(671) Rhoads Dr	0.41	370	R			From 88-1031					NA		NA			12/08/2010
						To 88-608 Massaponax Church Rd										
(672) Hall Industrial Dr	0.44	230	R			From Dead End					NA		NA			01/05/2011
						To 88-628 Smith Station Rd										
(673) Piedmont Dr	0.30	4400	R			From 88-1154 Fawn Circle					NA		NA			12/01/2010
						To 88-1100 Deerskin Dr										
(673) Piedmont Dr	0.67	4700	R			From 88-620 Harrison Rd					NA		NA			11/30/2010
						To 88-610 Old Plank Rd										
(674) Chancellor Rd	0.50	3600	R			From 88-625 Ashby Dr					NA		NA			10/18/2010
						To 0.60 M SE 88-625										
(674) Chancellor Rd	0.90	4400	R			From 88-627 Gordon Rd					NA		NA			10/18/2010
						To SR 3 Plank Rd										
(675) Five Mile Rd	1.08	1200	R			From Dead End					NA		NA			10/18/2010
						To 88-613 Brock Rd										
(676) Cookstown Rd	0.90	210	R			From Dead End					NA		NA			11/02/2010
						To Dead End										
(677)	0.23	620	R			From US 1 Jefferson Davis Hwy					NA		NA			09/25/2002
						To 88-605 Marye Rd										
(678) Shepherds Rd	3.03	910	R			From Dead End					NA		NA			01/20/2011
						To Caroline County Line										
(679) Country Rd	1.10	250	R			From 88-738 Partlow Rd					NA		NA			01/19/2011
						To 88-664 Granite Springs Rd										
(680) Granite Springs Rd	1.20	160	R			From 1.20 MN 88-664					NA		NA			11/02/2010
						To										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(680) Granite Springs Rd	1.00	670	R			1.20 MN 88-664					NA			NA		11/02/2010
						88-601 Lawyers Rd										
(681) Lorraine Ave	0.12	910	R			US 1 Bus; Lafayette Blvd					NA			NA		12/13/2010
(681) Lorraine Ave	0.12	870	R			88-1201 Madeline Ave					NA			NA		12/13/2010
(681) Lorraine Ave	0.13	1000	R			88-1204 Laurel Ave; 88-1219					NA			NA		12/13/2010
(681) Lorraine Ave	0.03	690	R			88-1222 Lorraine Ct					NA			NA		08/18/2005
(681) Lorraine Ave	0.14	270	R			88-9393 Spotswood Elementary School					NA			NA		12/13/2010
						88-1370 Ann Davis Dr										
(682) Parker Lane	0.95	70	R			88-611 Windy Acres Lane					NA			NA		10/06/2010
						Dead End										
(683) Bartlett Lane	0.17	30	R			Dead End					NA			NA		10/05/2005
(683) Bartlett Lane	0.30	40	R			88-698 Harry Lee Dr					NA			NA		10/05/2005
						Dead End										
(684) Craigs Church Lane	0.65	330	R			88-608 Catharpin Rd					NA			NA		11/02/2010
(684) Craigs Church Lane	0.95	150	R			88-754 Hayden Rd					NA			NA		11/02/2010
						Dead End										
(685) Pritchett Rd	0.45	110	R			Dead End					NA			NA		01/13/2011
						88-648 Block House Rd										
(686) Lee St.	0.16	120	R			US 1 Jefferson Davis Hwy					NA			NA		01/05/2011
						US 1 Bus										
(687) Shirley Rd	1.20	90	R			88-653 Orange Springs Rd					NA			NA		11/02/2010
						Orange County Line										
(688) Single Oak Rd	1.17	650	R			SR 3 Plank Rd					NA			NA		10/04/2010
						88-675 Five Mile Rd										
(689) Gentry Lane	0.30	60	R			88-601 Lewiston Rd					NA			NA		01/24/2011
						Dead End										
(690) Peppertree Rd	0.40	20	R			Dead End					NA			NA		08/08/2005
(690) Peppertree Rd	0.60	170	R			0.40 MN Dead End					NA			NA		11/02/2010
						88-600 Herndon Rd										
(691) Black Rock Dr	1.51	210	R			88-656 Towles Rd					NA			NA		01/24/2011
						SR 208 Courthouse Rd										
(692) Sunnybrook Farm Rd	0.75	150	R			Dead End					NA			NA		01/13/2011
						88-608 Robert E Lee Dr										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(693) Gladly Fork Rd	0.40	40	R									NA		NA		01/13/2011
(694) Heatherstone Dr	0.35	1800	R									NA		NA		09/27/2010
(694) Heatherstone Dr	0.13	1500	R									NA		NA		09/27/2010
(694) Heatherstone Dr	0.37	240	R									NA		NA		09/27/2010
(695) Mosby St	0.16	550	R									NA		NA		01/05/2011
(696) Sullivan Rd	1.10	70	R									NA		NA		11/02/2010
(697) Red Hill Rd	0.50	170	R									NA		NA		11/10/2010
(698) Harry Lee Dr	0.10	40	R									NA		NA		01/25/2011
(699) French Acors Rd	0.96	270	R									NA		NA		10/10/2002
(700)	0.20	660	R									NA		NA		10/29/2002
(701) Rumsey Lane	0.70	60	R									NA		NA		01/24/2011
(702) Curtis Lane	0.90	360	R									NA		NA		01/24/2011
(703) Mastin Lane	0.20	110	R									NA		NA		10/31/2005
(704) Hadamar Rd	1.05	120	R									NA		NA		01/20/2011
(705) Jennings Lane	0.50	120	R									NA		NA		01/13/2011
(706) Cherry Rd	0.65	1900	G	99%	0%	0%	0%	0%	0%	C	0.109	F	0.569	2000	G	2013
(707) Chewning Lane	0.40	180	R									NA		NA		10/04/2010
(707) Chewning Lane	0.06	350	R									NA		NA		09/20/2005
(708) Bernstein Rd	0.18	120	R									NA		NA		09/03/2002

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(709) Alsop Town Rd	0.54	190	R								NA			NA		01/24/2011
(710) Taskforce Dr	0.16	4400	R								NA			NA		07/12/2010
(710) Maple Grove Dr	0.16	3200	R								NA			NA		09/28/2010
(710) Bragg Rd	0.27	1400	R								NA			NA		10/04/2010
(710) Bragg Rd	0.11	200	R								NA			NA		10/04/2010
(711) Southpoint Pkwy	1.14	20000	R								NA			NA		12/09/2008
(711) Southpoint Pkwy	0.11	18000	R								NA			NA		12/08/2010
(711) Rollingwood Dr	0.31	610	R								NA			NA		12/08/2010
(711) Rollingwood Dr	0.27	520	R								NA			NA		12/08/2010
(712) Bradley Lane	0.40	210	R								NA			NA		11/10/2010
(713) Boggs Dr	1.41	90	R								NA			NA		01/24/2011
(714) Cloverdale St	0.36	180	R								NA			NA		10/18/2010
(714) Cloverdale St	0.34	570	R								NA			NA		10/18/2010
(715) Camp Town Rd	0.50	290	R								NA			NA		01/24/2011
(716) Southgate Ave	0.28	400	R								NA			NA		12/13/2010
(716) Southgate Ave	0.05	90	R								NA			NA		12/13/2010
(718) Hebron Church Rd	0.60	150	R								NA			NA		01/24/2011
(719) Days Bridge Rd	2.83	290	R								NA			NA		11/03/2010
(719) Days Bridge Rd	1.83	800	R								NA			NA		11/03/2010
(719) Days Bridge Rd	1.18	1100	R								NA			NA		10/03/2002
(720) Confederate Cemetery Dr	0.25	9	R								NA			NA		12/06/2010

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(721) Grand Brooks Rd	4.01	250	R									NA		NA		11/11/2010
(722) Tanglewood Rd	0.82	510	R									NA		NA		01/05/2011
(722) Tanglewood Rd	0.08	80	R									NA		NA		01/05/2011
(723) Dovey Rd	0.92	100	R									NA		NA		11/11/2010
(724) Wigglesworth Rd	0.50	20	R									NA		NA		11/02/2005
(725) Talley Rd	0.70	100	R									NA		NA		11/10/2010
(726) Ryland Payne Rd	0.65	80	R									NA		NA		11/10/2010
(727) Rosser St	0.20	60	R									NA		NA		10/05/2005
(728) Wheeler Rd	0.65	220	R									NA		NA		01/24/2011
(729) Hill St	0.19	570	R									NA		NA		01/05/2011
(730)	0.16	110	R									NA		NA		08/05/2002
(732) Mallard Point Rd	0.30	40	R									NA		NA		08/03/2005
(733) Brockenburg Rd	0.68	470	R									NA		NA		11/10/2010
(734) Greengate Rd	0.80	370	R									NA		NA		09/20/2010
(735) Vidalia St	0.09	300	R									NA		NA		09/20/2010
(736) Eagle Dr	0.05	2100	R									NA		NA		01/19/2011
(736)	0.36	70	R									NA		NA		10/21/2002
(738) Partlow Rd	1.98	1600	G	97%	1%	1%	0%	1%	0%	F	0.106	F	0.559	1700	G	2013
(738) Partlow Rd	2.97	1700	G	97%	1%	1%	0%	1%	0%	C	0.099	F	0.512	1700	G	2013
(738) Partlow Rd	3.83	2300	G	97%	1%	1%	0%	1%	0%	F	0.095	F	0.667	2400	G	2013

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(738) Partlow Rd	1.74	2800	G	97%	1%	1%	0%	1%	0%	F	0.092	F	0.532	3000	G	2013
(738) Partlow Rd	2.01	3800	G	97%	0%	2%	0%	1%	0%	C	0.090	F	0.664	4000	G	2013
(739) Dickenson Dr	0.03	340	R								NA			NA		01/04/2011
(739) Dickenson Dr	0.31	380	R								NA			NA		01/04/2011
(740) Wrights Lane	0.05	690	R								NA			NA		10/12/2010
(740) Wrights Lane	0.04	20	R								NA			NA		09/03/2002
(741) Wrights Lane	0.02	840	R								NA			NA		10/12/2010
(742) Timberbrook Lane	0.54	140	R								NA			NA		11/10/2010
(743) Lewis Thorburn Rd	0.79	1700	R								NA			NA		10/12/2010
(744) Dogwood Ave	0.26	450	R								NA			NA		01/04/2011
(745)	0.13	70	R								NA			NA		09/03/2002
(745) Woodside Dr	0.18	380	R								NA			NA		09/27/2010
(746) Sarah Lane	0.05	180	R								NA			NA		12/08/2010
(747) Old Mill Lane	1.54	220	R								NA			NA		01/13/2011
(747) Old Mill Lane	0.35	590	R								NA			NA		01/13/2011
(748) Three Cedars Lane	0.12	80	R								NA			NA		08/31/2005
(748) Three Cedars Lane	0.91	1900	R								NA			NA		12/14/2010
(749) Old Telegraph Rd	0.44	90	R								NA			NA		01/04/2011
(750) Lee Dr	0.30	60	R								NA			NA		09/12/2002
(752) Fenton Rd	0.49	70	R								NA			NA		11/10/2010

Virginia Department of Transportation
 Traffic Engineering Division
 2013
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(753) Rapidan Rd	0.45	230	R								NA			NA		10/03/2005
(754) Hayden Rd	0.30	70	R								NA			NA		11/02/2010
(756)	0.41	2800	R								NA			NA		03/14/2002
(756)	0.43	1800	R								NA			NA		03/14/2002
(757) Moss Lane	0.27	20	R								NA			NA		01/24/2011
(758) Lee Hill Park Rd	0.20	940	R								NA			NA		01/19/2011
(759) Orrock Lane	0.73	40	R								NA			NA		01/19/2011
(760) Willow Oaks Dr	0.20	1300	R								NA			NA		10/04/2010
(760) Corter Ave	0.11	910	R								NA			NA		10/04/2010
(760) Corter Ave	0.06	900	R								NA			NA		10/18/2010
(760) Corter Ave	0.05	820	R								NA			NA		10/04/2010
(760) Corter Ave	0.11	560	R								NA			NA		10/04/2010
(762) White Shop Rd	0.30	10	R								NA			NA		11/03/2010
(763) Don Rd	0.60	49	R								NA			NA		11/03/2010
(764) Bowen Dr	0.53	560	R								NA			NA		12/13/2010
(765) Crossroads Pkwy	0.47	430	R								NA			NA		01/19/2011
(766) Nyland Rd	0.61	110	R								NA			NA		01/05/2011
(767) Wildwood Court	0.11	49	R								NA			NA		08/11/2005
(768) Blount Dr	1.28	110	R								NA			NA		01/19/2011
(770) Northeast Dr	0.64	840	R								NA			NA		01/19/2011

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(771) Cosner Dr	0.31	400	R								NA			NA		01/19/2011
						From: Dead End										
						To: FR-696 Overview Dr										
(771) Cosner Dr	0.03	5100	R								NA			NA		01/19/2011
						From: US 17; 88-1035										
						To: 88-639 Salem Church Rd										
(775) Genral Semmes Rd	0.06	2000	R								NA			NA		07/12/2010
						From: 88-776										
						To: Cul-de-Sac										
(776)	0.09	90	R								NA			NA		1999
						From: 88-775										
(776) Old Salem Church Rd	0.17	1600	R								NA			NA		09/28/2010
						From: 88-1118 Norris Dr										
						To: Dead End										
(777) Round Hill Rd	0.16	110	R								NA			NA		11/10/2010
						From: 88-612 Catharpin Rd										
						To: 88-777 Round Hill Rd										
(778) Landon Lane	0.07	30	R								NA			NA		10/17/2005
						From: Dead End										
						To: 88-608 Massaponax Church Rd										
(780) Corridor Dr	0.76	650	R								NA			NA		01/04/2011
						From: US 1 Jefferson Davis Hwy										
						To: Poe River Dr										
(785) Hunters Lodge Dr	0.45	250	R								NA			NA		04/21/2009
						From: SR 208 Courthouse Rd										
						To: US 17 Bus										
(790)	0.07	240	R								NA			NA		10/29/2002
						From: Dead End										
						To: 88-608										
(791)	0.43	NA									NA			NA		
						From: Cul-de-Sac										
						To: 88-649 Mill Pond Rd										
(795) Todds Tavern Dr	0.61	90	R								NA			NA		11/10/2010
						From: Cul-de-Sac										
						To: Cul-de-Sac										
(796)	0.20	NA									NA			NA		
						From: 88-795										
						To: 88-688 Single Oak Rd										
(950) Trench Hill Lane	0.65	200	R								NA			NA		10/13/2009
						From: Cul-de-Sac										
						To: Cul-de-Sac										
(951) Block House Rd	0.39	40	G	98%	0%	1%	1%	1%	0%	F	0.325	F	0.539	40	G	2013
						From: 88-608 Robert E Lee Dr										
(951) Block House Rd	1.12	950	G	98%	0%	1%	1%	1%	0%	C	0.112	F	0.646	970	G	2013
						From: 88-613 Brock Rd										
						To: 88-656 Towles Mill Rd										
(990) Horseshoe Dr	0.85	200	R								NA			NA		01/24/2011
						From: Cul-de-Sac										
						To: Cul-de-Sac										
(991)	0.15	40	R								NA			NA		10/28/2002
						From: 88-990										
						To: 88-656 Towles Mill Rd										
(992)	0.39	100	R								NA			NA		10/28/2002
						From: Cul-de-Sac										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(999) Greentree Dr	0.16	90	R								NA			NA		12/07/2010
(1000) Cedar Brook Dr	0.15	790	R								NA			NA		12/07/2010
(1001) Kemper Dr	0.07	60	R								NA			NA		11/07/2005
(1002) Bent Tree Dr	0.79	210	R								NA			NA		12/07/2010
(1004) Briarbend Ct	0.21	120	R								NA			NA		11/07/2005
(1005) Leavels Crossing Dr	0.76	790	R								NA			NA		12/07/2010
(1006) Rainwood Dr	0.46	120	R								NA			NA		12/08/2010
(1007) Priest Ct	0.05	40	R								NA			NA		11/07/2005
(1008) Jamie Ct	0.16	230	R								NA			NA		12/07/2010
(1009) Lotus Ct	0.05	40	R								NA			NA		11/07/2005
(1010) Blue Ridge Rd	0.46	100	R								NA			NA		11/04/2010
(1011)	0.07	NA									NA			NA		
(1013)	0.09	50	R								NA			NA		10/02/2002
(1014) Cowger Ct	0.09	120	R								NA			NA		11/07/2005
(1015)	0.05	30	R								NA			NA		09/25/2002
(1016) Cedar Ridge Dr	0.80	140	R								NA			NA		12/07/2010
(1017)	0.18	200	R								NA			NA		10/02/2002
(1018) State Place	0.04	40	R								NA			NA		08/11/2005
(1019) Harvard St	0.06	210	R								NA			NA		08/11/2005

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1019) Harvard St	0.06	130	R								NA			NA		08/11/2005
(1020) Chatham Court	0.09	80	R								NA			NA		08/11/2005
(1021) Fullerton Court	0.10	280	R								NA			NA		08/11/2005
(1021) Fullerton Court	0.07	100	R								NA			NA		08/11/2005
(1022) Crossgate Dr	0.14	130	R								NA			NA		08/11/2005
(1022) Crossgate Dr	0.06	70	R								NA			NA		08/11/2005
(1023) Westover Court	0.05	48	R								NA			NA		08/11/2005
(1024) Colechester St	0.12	130	R								NA			NA		08/11/2005
(1024) Colechester St	0.23	110	R								NA			NA		08/11/2005
(1024) Colechester St	0.18	500	R								NA			NA		08/11/2005
(1024) Colechester St	0.08	620	R								NA			NA		08/11/2005
(1024) Colechester St	0.07	680	R								NA			NA		08/11/2005
(1025)	0.04	70	R								NA			NA		09/09/2002
(1026)	0.03	40	R								NA			NA		09/09/2002
(1027) Bazzanella Dr	0.88	80	R								NA			NA		10/05/2009
(1027) Bazzanella Dr	0.06	190	R								NA			NA		11/04/2010
(1028) Wyndemere Circle	1.33	50	R								NA			NA		11/04/2010
(1028) Wyndemere Circle	0.11	120	R								NA			NA		11/04/2010
(1029) Germanna Dr	0.42	7900	R								NA			NA		01/19/2011
(1030) Debon Lane	0.07	70	R								NA			NA		11/19/2005
(1031)	0.06	46	R								NA			NA		09/25/2002

Virginia Department of Transportation
 Traffic Engineering Division
 2013
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
1032	Gobbler Court	0.09	40	R				88-1033				NA		NA		09/20/2005
								Cul-de-Sac								
1033	Turkey Rn Rd	0.75	200	R				88-619 Mill Rd				NA		NA		10/04/2010
								Cul-de-Sac								
1034	Gunston Hall Rd	0.58	740	R				88-1036				NA		NA		01/19/2011
								Dead End								
1035	Old Dominion Pkwy	1.04	9100	R				US 17 Mills Dr				NA		NA		01/19/2011
								Cul-de-Sac								
1036	Grand Staff Rd	0.22	960	R				88-1034 Gunston Hall Rd				NA		NA		01/19/2011
								88-1035								
1037	Monticello St	0.15	1700	R				88-1035				NA		NA		01/19/2011
								88-1045 Avalon Way								
1037	Monticello St	0.33	1200	R				88-1045 Avalon Way				NA		NA		01/19/2011
								88-1061 Fendale Lane								
1037	Monticello St	0.15	910	R				88-1061 Fendale Lane				NA		NA		01/19/2011
								88-1063 Oatlands Place								
1037	Monticello St	0.37	1400	R				88-1063 Oatlands Place				NA		NA		01/19/2011
								88-635 Lee Hill School Dr								
1038	Wickham Ct	0.05	40	R				88-1034 Gunston Hall Rd				NA		NA		08/10/2005
								Cul-de-Sac								
1039	Murven Park Lane	0.13	60	R				Cul-de-Sac				NA		NA		08/10/2005
								88-1034 Gunston Hall Rd								
1039	Murven Park Lane	0.05	50	R				88-1034 Gunston Hall Rd				NA		NA		08/10/2005
								Cul-de-Sac								
1040		0.02	40	R				88-1196				NA		NA		07/31/2002
								Cul-de-Sac								
1041		0.02	60	R				88-1196				NA		NA		07/31/2002
								Cul-de-Sac								
1042		0.02	40	R				88-1196				NA		NA		07/31/2002
								Cul-de-Sac								
1043		0.02	40	R				88-1196				NA		NA		07/31/2002
								Cul-de-Sac								
1044	Battery Hill Ct	0.12	330	R				Dead End				NA		NA		01/19/2011
								88-1034 Gunston Hall Rd								
1045	Avalon Way	0.08	80	R				Cul-de-Sac				NA		NA		08/15/2005
								88-1046 Oakhill Rd								
1045	Avalon Way	0.04	250	R				88-1046 Oakhill Rd				NA		NA		08/15/2005
								88-1037 Monticello St								
1045	Avalon Way	0.04	420	R				88-1037 Monticello St				NA		NA		08/15/2005
								88-1048 Mount Vernon Place								

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1045) Avalon Way	0.06	260	R			From: 88-1048 Mount Vernon Place					NA			NA		08/15/2005
(1045) Avalon Way	0.17	110	R			To: 88-1049 Prestwould Ct					NA			NA		08/15/2005
						From: Cul-de-Sac										
(1046) Oakhill Rd	0.05	160	R			To: 88-1045 Avalon Way					NA			NA		08/15/2005
(1046) Oakhill Rd	0.08	80	R			From: 88-1047 Kenmore Ct					NA			NA		08/15/2005
						To: Cul-de-Sac										
(1047) Kenmore Ct	0.07	48	R			From: Cul-de-Sac					NA			NA		08/15/2005
						To: 88-1046 Oakhill Rd										
(1048) Mount Vernon Place	0.11	110	R			From: Cul-de-Sac					NA			NA		08/15/2005
(1048) Mount Vernon Place	0.10	47	R			To: 88-1045 Avalon Way					NA			NA		08/15/2005
						From: Cul-de-Sac										
(1049) Prestwould Ct	0.09	70	R			To: Cul-de-Sac					NA			NA		08/15/2005
						From: 88-1045 Avalon Way										
(1050)	0.04	80	R			To: 88-1118 Norris Dr					NA			NA		1995
						From: Cul-de-Sac										
(1051)	0.20	160	R			To: 88-1044					NA			NA		11/07/2002
						From: Cul-de-Sac										
(1052) Park Ridge Rd	0.32	230	R			To: 88-1205 Artillery Ridge Rd					NA			NA		12/14/2010
(1052) Park Ridge Rd	0.20	NA				From: 88-1053 Howitzer Dr					NA			NA		
						To: Cul-de-Sac										
(1053)	0.12	NA				From: Cul-de-Sac					NA			NA		
(1053) Howitzer Dr	0.13	160	R			To: 88-1205 Artillery Ridge Rd					NA			NA		12/14/2010
						From: 88-1052 Park Ridge Rd										
(1054) Crescent Point Dr	0.79	80	R			To: Cul-de-Sac					NA			NA		11/04/2010
						From: 88-612 Monrovia Rd										
(1055) Venison Dr	0.31	370	R			To: 88-1059 Antelope Trl					NA			NA		11/09/2005
						From: 88-673 Piedmont Dr										
(1056) Doeskin Dr	0.16	80	R			To: 88-1055 Venison Dr					NA			NA		11/09/2005
						From: 88-1100 Deerskin Dr										
(1057) Buckskin Lane	0.16	150	R			To: 88-1055 Venison Dr					NA			NA		11/09/2005
						From: 88-1100 Deerskin Dr										
(1058) Deer Dr	0.17	210	R			To: 88-1055 Venison Dr					NA			NA		11/09/2005
						From: 88-1100 Deerskin Dr										
(1059) Antelope Trl	0.19	150	R			To: 88-1055 Venison Dr					NA			NA		11/09/2005
						From: 88-1100 Deerskin Dr										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1060) Minuteman Ct	0.19	140	R			From: 88-1044					NA		NA			08/10/2005
						To: Cul-de-Sac										
(1061) Fendale Lane	0.05	230	R			From: 88-1037 Monticello St					NA		NA			08/16/2005
(1061)	0.16	160	R			From: 88-1062 Weston Court					NA		NA			08/15/2005
						To: Cul-de-Sac										
(1062) Weston Court	0.06	50	R			From: 88-1061 Fendale Lane					NA		NA			08/15/2005
						To: Cul-de-Sac										
(1063) Oatlands Place	0.05	240	R			From: 88-1037 Monticello St					NA		NA			01/19/2011
(1063) Oatlands Place	0.11	120	R			From: 88-1064 Ramsay Dr					NA		NA			08/15/2005
						To: Cul-de-Sac										
(1064) Ramsay Dr	0.16	80	R			From: 88-1063 Oatlands Place					NA		NA			08/15/2005
						To: Cul-de-Sac										
(1065) Creekwood Rd	0.20	670	R			From: 88-673 Piedmont Dr					NA		NA			12/01/2010
						To: Cul-de-Sac										
(1066) Huntington Woods Circle	0.46	210	R			From: Dead End					NA		NA			12/01/2010
						To: 88-1065 E, Creekwood Rd										
(1067)	0.14	70	R			From: Dead End					NA		NA			1995
						To: Cul-de-Sac										
(1068) Leeds Ct	0.19	310	R			From: Cul-de-Sac					NA		NA			01/25/2011
						To: 88-1091 Lancaster Ring Rd										
(1069) Saltburn Ct	0.10	100	R			From: Cul-de-Sac					NA		NA			10/26/2005
(1069) Saltburn Ct	0.06	90	R			From: 88-1068					NA		NA			10/31/2002
						To: Cul-de-Sac										
(1070) Juniper Ct	0.07	60	R			From: 88-1237 Butternut Dr					NA		NA			11/16/2005
						To: Cul-de-Sac										
(1071) Kerrydale Cir	0.23	80	R			From: 88-1237 W, Butternut Dr					NA		NA			11/16/2005
						To: 88-1237 E, Butternut Dr										
(1072) Dairy jDr	0.30	60	R			From: Cul-de-Sac					NA		NA			11/04/2010
						To: US 522 Zachary Taylor Hwy										
(1073) Springfield Farm Lane	0.30	40	R			From: Cul-de-Sac					NA		NA			11/04/2010
						To: 88-1010; 88-1074										
(1074) Derrick Circle	0.05	10	R			From: 88-1010; 88-1074					NA		NA			09/26/2005
						To: Cul-de-Sac										
(1075) Danielville Dr	0.48	110	R			From: Cul-de-Sac					NA		NA			11/02/2010
						To: 88-608 Catharpin Rd										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1076) Danielville Dr	0.14	40	R			From: 88-1075					NA			NA		09/27/2005
						To: Cul-de-Sac										
(1077)	0.09	80	R			From: Cul-de-Sac					NA			NA		10/31/2002
						To: 88-1091 Lancaster Ring Rd										
(1078) Engleman Lane	0.80	200	R			From: Cul-de-Sac					NA			NA		11/10/2010
						To: 88-649 Seays Rd										
(1079)	0.18	70	R			From: Cul-de-Sac					NA			NA		10/22/2002
						To: 88-1078										
(1080) Sorrell Ct	0.14	120	R			From: Cul-de-Sac					NA			NA		10/26/2005
						To: 88-1068										
(1081) Hastings Court West	0.10	110	R			From: Cul-de-Sac					NA			NA		10/26/2005
						To: 88-1091 Lancaster Ring Rd										
(1081) Hastings Court East	0.11	NA				From: Cul-de-Sac					NA			NA		
						To: Cul-de-Sac										
(1082)	0.04	50	R			From: Cul-de-Sac					NA			NA		08/29/2002
						To: 88-1145 Tara Dr										
(1083)	0.03	90	R			From: Dead End					NA			NA		08/19/2002
						To: 88-1145 Tara Dr										
(1084)	0.04	40	R			From: Dead End					NA			NA		08/19/2002
						To: 88-1145 Tara Dr										
(1085) Shamrock Dr	0.33	530	R			From: 88-1146 Lavelle Dr					NA			NA		11/30/2010
						To: 88-1141										
(1086) Gallagher Dr	0.15	120	R			From: 88-1085 Shamrock Dr					NA			NA		11/30/2010
						To: 88-1146 Lavelle Dr										
(1087) Kildare Ct	0.03	40	R			From: Cul-de-Sac					NA			NA		11/09/2005
						To: 88-1085 Shamrock Dr										
(1088) Dublin Ct	0.04	60	R			From: Cul-de-Sac					NA			NA		11/09/2005
						To: 88-1085 Shamrock Dr										
(1088) Larry Lane	0.05	90	R			From: Cul-de-Sac					NA			NA		11/09/2005
						To: Cul-de-Sac										
(1089)	0.13	640	R			From: 88-1099 Manette Dr					NA			NA		10/31/2002
						To: Cul-de-Sac										
(1090)	0.49	3500	R			From: 88-608 Massaponax Church Rd					NA			NA		10/31/2002
						To: Dead End										
(1091) Lancaster Ring Rd	0.09	1400	R			From: Dead End					NA			NA		01/25/2011
						To: 88-1090										
(1091) Lancaster Ring Rd	0.55	880	R			From: 88-1090					NA			NA		01/25/2011
						To: 88-1068										
(1091) Lancaster Ring Rd	0.56	280	R			From: 88-1068					NA			NA		01/25/2011
						To: 88-2100 Brighten Court										

Virginia Department of Transportation
 Traffic Engineering Division
 2013
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1091) Lancaster Ring Rd	0.60	490	R			From: 88-2100 Brighten Court					NA		NA			01/25/2011
						To: Dead End										
(1092)	0.23	70	R			From: Dead End					NA		NA			10/31/2002
						To: Dead End										
(1093) Oldham Rd	0.34	130	R			From: Cul-de-Sac					NA		NA			01/25/2011
						To: 88-1091 Lancaster Ring Rd										
(1094) Witneys Ct	0.12	300	R			From: Dead End					NA		NA			10/26/2005
						To: 88-1090										
(1094) Witneys Ct	0.07	230	R			From: 88-1093					NA		NA			01/25/2011
						To: 88-1093										
(1095) Westbury Manor Dr	0.34	230	R			From: Cul-de-Sac					NA		NA			10/18/2010
						To: 88-625 Ashby Dr										
(1096)	0.15	130	R			From: Cul-de-Sac					NA		NA			09/17/2002
						To: 88-1095										
(1097) Banbury Ct	0.06	40	R			From: Cul-de-Sac					NA		NA			09/17/2002
						To: 88-1095										
(1098) Henly Court	0.16	380	R			From: 88-1091 Lancaster Ring Rd					NA		NA			01/25/2011
						To: Cul-de-Sac										
(1099) Manette Dr	0.06	180	R			From: Dead End					NA		NA			10/26/2005
						To: 88-1089										
(1099) Manette Dr	0.11	260	R			From: 88-1098					NA		NA			01/25/2011
						To: 88-1098										
(1100) Deerskin Dr	0.22	360	R			From: Cul-de-Sac					NA		NA			11/30/2010
						To: 88-1164										
(1100) Deerskin Dr	0.10	710	R			From: 88-673 Piedmont Dr					NA		NA			11/30/2010
						To: 88-673 Piedmont Dr										
(1101) Sheraton Hill Dr	0.13	300	R			From: 88-1106 Calhoun Dr					NA		NA			10/25/2010
						To: 88-1105										
(1101) Sheraton Hill Dr	0.07	340	R			From: 88-1104					NA		NA			10/25/2010
						To: 88-1104										
(1101) Sheraton Hill Dr	0.04	390	R			From: 88-1103					NA		NA			10/25/2010
						To: 88-1103										
(1101) Sheraton Hill Dr	0.06	410	R			From: SR 3 Plank Rd					NA		NA			10/25/2010
						To: SR 3 Plank Rd										
(1102) Weaton Rd	0.20	100	R			From: 88-1106					NA		NA			10/25/2010
						To: 88-1103										
(1103)	0.03	20	R			From: Dead End					NA		NA			1999
						To: 88-1102 Weaton Rd										
(1103) Lasalle Dr	0.07	150	R			From: 88-1101 Sheraton Hill Dr					NA		NA			10/25/2010
						To: 88-1101 Sheraton Hill Dr										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1104) Sheraton Hill Dr	0.12	340	R								NA			NA		10/25/2010
(1104)	0.05	490	R								NA			NA		1999
(1104) Watson Lane	0.03	500	R								NA			NA		10/25/2010
(1105)	0.03	47	R								NA			NA		1999
(1106)	0.02	30	R								NA			NA		08/19/2002
(1106) Calhoun Dr	0.08	110	R								NA			NA		10/25/2010
(1106) Calhoun Dr	0.04	200	R								NA			NA		10/25/2010
(1106) Calhoun Dr	0.06	210	R								NA			NA		10/25/2010
(1106) Calhoun Dr	0.07	610	R								NA			NA		10/25/2010
(1106) Up A Way Dr	0.06	320	R								NA			NA		09/28/2010
(1106) Up A Way Dr	0.05	380	R								NA			NA		09/28/2010
(1106)	0.19	280	R								NA			NA		08/29/2002
(1106) Up A Way Dr	0.10	240	R								NA			NA		09/28/2010
(1106)	0.03	360	R								NA			NA		08/29/2002
(1107) Concord Dr	0.14	40	R								NA			NA		10/25/2010
(1108) Branchwater St	0.12	490	R								NA			NA		10/25/2010
(1108) Branchwater St	0.17	800	R								NA			NA		10/25/2010
(1109)	0.11	110	R								NA			NA		08/29/2002
(1110) Ross Dr	0.28	130	R								NA			NA		09/28/2010
(1111) Lucas St	0.20	390	R								NA			NA		09/28/2010
(1111)	0.12	NA									NA			NA		
(1112) Rutherford Dr	0.18	530	R								NA			NA		10/25/2010

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1112) Rutherford Dr	0.16	340	R								NA			NA		10/26/2010
(1112) Rutherford Dr	0.26	390	R								NA			NA		10/26/2010
(1112) Rutherford Dr	0.07	650	R								NA			NA		10/26/2010
(1112) Rutherford Dr	0.06	800	R								NA			NA		10/26/2010
(1112) Rutherford Dr	0.19	1200	R								NA			NA		10/26/2010
(1112) Rutherford Dr	0.10	1700	R								NA			NA		10/26/2010
(1113) Jackson Rd	0.11	200	R								NA			NA		10/26/2010
(1113) Jackson Rd	0.10	300	R								NA			NA		10/26/2010
(1114) Kennedy Lane	0.05	1700	R								NA			NA		10/25/2010
(1114) Kennedy Lane	0.09	1400	R								NA			NA		10/27/2010
(1114) Kennedy Lane	0.19	1300	R								NA			NA		10/27/2010
(1114) Kennedy Lane	0.07	1400	R								NA			NA		10/27/2010
(1114) Kennedy Lane	0.07	1600	R								NA			NA		10/27/2010
(1114) Kennedy Lane	0.06	1500	R								NA			NA		10/26/2010
(1114) Kennedy Lane	0.28	1400	R								NA			NA		10/26/2010
(1115) Maple Grove Dr	0.32	1900	R								NA			NA		07/12/2010
(1115) Maple Grove Dr	0.06	3100	R								NA			NA		07/12/2010
(1115) Maple Grove Dr	0.29	4500	R								NA			NA		07/12/2010
(1116) Blake Dr	0.12	270	R								NA			NA		07/12/2010
(1116) Blake Dr	0.07	670	R								NA			NA		07/12/2010
(1116) Blake Dr	0.14	2300	G								NA		2300	G	2013	
(1117) Glazebrook Dr	0.06	750	R								NA			NA		07/12/2010
(1117) Glazebrook Dr	0.07	460	R								NA			NA		07/12/2010

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1117) Glazebrook Dr	0.05	430	R			From 88-1123 Douglas St					NA			NA		07/12/2010
(1117) Glazebrook Dr	0.04	220	R			To 88-1026 Junie Ct					NA			NA		09/09/2002
(1117) Glazebrook Dr	0.11	750	R			From 88-1025 Mickey Ct					NA			NA		07/12/2010
(1117) Glazebrook Dr	0.06	990	R			To 88-1123 Douglas St					NA			NA		07/12/2010
(1117) Glazebrook Dr	0.02	570	R			From 88-1122 Dinwiddie Dr					NA			NA		09/09/2002
(1117) Glazebrook Dr	0.06	1200	R			To 88-1121 Summer Ct					NA			NA		07/12/2010
(1117) Glazebrook Dr	0.06	630	R			From 88-1120 Arnall Ct					NA			NA		09/09/2002
(1118) Norris Dr	0.07	2000	G			To 88-1115 Maple Grove Dr					NA			2000	G	2013
(1118) Norris Dr	0.12	2400	R			From 88-776 Old Salem Church Rd					NA			NA		09/20/2005
(1118) Norris Dr	0.05	2500	R			To 88-1117 Glazebrook Dr					NA			NA		09/20/2005
(1118) Norris Dr	0.05	2500	R			From 88-1050 Eugene Ct					NA			NA		09/20/2005
(1118) Norris Dr	0.11	110	R			To 88-1119 Rick Court					NA			NA		09/20/2005
(1119) Rick Court	0.04	40	R			From Cul-de-Sac					NA			NA		09/20/2005
(1119) Rick Court	0.05	1400	R			To 88-1116					NA			NA		07/12/2010
(1120) Arnall Ct	0.04	40	R			From 88-1118 Norris Dr					NA			NA		09/09/2002
(1121)	0.06	60	R			To Cul-de-Sac					NA			NA		09/09/2002
(1122) Dinwiddie Dr	0.11	70	R			From 88-1117					NA			NA		07/12/2010
(1123) Douglas St	0.06	50	R			To 88-1117 Glazebrook Dr					NA			NA		09/28/2010
(1123)	0.10	190	R			From 88-1116 Blake Dr					NA			NA		09/09/2002
(1124)	0.03	47	R			To 88-1117					NA			NA		09/09/2002
(1125)	0.10	70	R			From Cul-de-Sac					NA			NA		1999
(1126)	0.05	48	R			To 88-1123					NA			NA		1999
						From 88-1133					NA			NA		1999
						To Cul-de-Sac					NA			NA		1999

Virginia Department of Transportation
 Traffic Engineering Division
 2013
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1127)	0.05	50	R			88-1133					NA			NA		1999
						Cul-de-Sac										
(1128)	0.09	160	R			88-1146 Lavelle Dr					NA			NA		08/28/2002
						Cul-de-Sac										
(1129)	0.03	45	R			88-1141					NA			NA		08/29/2002
						Cul-de-Sac										
(1130) Lincoln Dr	0.09	1100	R			88-1131					NA			NA		09/28/2010
						88-710 Bragg Rd; Maple Grove Dr										
(1131)	0.09	220	R			88-1133					NA			NA		1999
(1131) Churchill Dr	0.04	230	R			88-1139					NA			NA		09/29/2010
(1131) Churchill Dr	0.31	400	R			88-1138					NA			NA		09/29/2010
(1131) Churchill Dr	0.02	910	R			88-1130					NA			NA		09/29/2010
(1131) Churchill Dr	0.10	270	R			88-1137					NA			NA		09/29/2010
(1131) Churchill Dr	0.05	300	R			88-1135					NA			NA		09/29/2010
(1131) Churchill Dr	0.06	350	R			88-1134					NA			NA		09/29/2010
(1131) Churchill Dr	0.07	170	R			88-1133					NA			NA		09/29/2010
						88-1132 Barkley Dr										
(1132) Barkley Dr	0.04	60	R			Cul-de-Sac					NA			NA		1999
(1132) Barkley Dr	0.16	130	R			88-1136					NA			NA		09/29/2010
						88-1131										
(1133)	0.08	60	R			Dead End					NA			NA		1999
(1133)	0.07	160	R			88-1131					NA			NA		1999
(1133) Waverly Dr	0.06	120	R			88-1127					NA			NA		09/29/2010
(1133)	0.07	120	R			88-1126					NA			NA		1999
(1133) Waverly Dr	0.06	210	R			88-1135					NA			NA		09/29/2010
(1133)	0.04	240	R			88-1134					NA			NA		1999
(1133) Waverly Dr	0.16	290	R			88-1125					NA			NA		09/29/2010
(1133) Waverly Dr	0.16	520	R			88-1136					NA			NA		09/29/2010
(1133) Waverly Dr	0.04	970	R			88-1131					NA			NA		10/04/2010
						88-710 Bragg Rd										

Virginia Department of Transportation
 Traffic Engineering Division
 2013
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1134) Sherwood Lane	0.15	40	R			From: 88-1133 Waverly Dr					NA			NA		10/25/2010
(1134) Sherwood Lane	0.16	190	R			To: 88-1136 Somerset Lane					NA			NA		09/29/2010
						From: 88-1131 Churchill Dr										
(1135) Salem Dr	0.10	60	R			From: 88-1133 Waverly Dr					NA			NA		10/25/2010
(1135) Salem Dr	0.06	100	R			To: 88-1138 Hawthorne Rd					NA			NA		10/04/2010
(1135) Salem Dr	0.20	150	R			From: 88-1136 Somerset Lane					NA			NA		09/29/2010
						To: 88-1131 Churchill Dr										
(1136) Somerset Lane	0.06	40	R			From: 88-1135					NA			NA		09/29/2010
(1136) Somerset Lane	0.07	80	R			To: 88-1134					NA			NA		09/29/2010
(1136) Somerset Lane	0.07	60	R			From: 88-1133					NA			NA		09/29/2010
						To: 88-1132 Barkley Dr										
(1137) Lincoln Dr	0.26	230	R			From: 88-1138					NA			NA		09/29/2010
						To: 88-1131										
(1138) Hawthorne Rd	0.09	50	R			From: 88-1131					NA			NA		09/29/2010
(1138) Hawthorne Rd	0.09	50	R			To: 88-1137					NA			NA		09/29/2010
						From: 88-1137 Lincoln Dr										
						To: 88-1135 Salem Dr										
(1139)	0.08	50	R			From: Cul-de-Sac					NA			NA		1999
						To: 88-1131										
(1140)	0.03	110	R			From: Dead End					NA			NA		08/19/2002
(1140) Kilarney Dr	0.04	2200	R			To: 88-1145 Tara Dr					NA			NA		11/30/2010
(1140) Kilarney Dr	0.07	2200	R			From: 88-1149					NA			NA		11/30/2010
(1140) Kilarney Dr	0.08	2300	R			To: 88-1143					NA			NA		11/30/2010
(1140) Kilarney Dr	0.21	3200	R			From: 88-1141					NA			NA		11/30/2010
(1140) Kilarney Dr	0.21	3200	R			To: 88-1178 St Patrick St					NA			NA		11/30/2010
						From: SR 3 Plank Rd										
(1141) McNamara Dr	0.09	130	R			From: 88-1145 Tara Dr					NA			NA		11/30/2010
(1141) McNamara Dr	0.09	190	R			To: 88-1129					NA			NA		11/30/2010
(1141) McNamara Dr	0.14	840	R			From: 88-1146 Lavelle Dr					NA			NA		11/30/2010
(1141) McNamara Dr	0.13	430	R			To: 88-1140					NA			NA		11/30/2010
						From: 88-1142										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1141) McNamara Dr	0.08	410	R				88-1142				NA			NA		11/30/2010
							88-706 Cherry Rd									
(1142)	0.03	47	R				Cul-de-Sac				NA			NA		08/29/2002
(1142) Galway Lane	0.13	110	R				88-1143				NA			NA		11/30/2010
(1142) Galway Lane	0.05	180	R				88-1144				NA			NA		11/30/2010
							88-1141									
(1143) Blarney St	0.05	160	R				88-1142				NA			NA		11/30/2010
(1143) Blarney St	0.12	130	R				88-1140				NA			NA		11/30/2010
							88-1145 Tara Dr									
(1144)	0.03	40	R				88-1142				NA			NA		08/29/2002
							Cul-de-Sac									
(1145) Tara Dr	0.10	2900	R				88-706 Cherry Rd				NA			NA		11/30/2010
(1145) Tara Dr	0.15	920	R				88-1140				NA			NA		11/30/2010
(1145) Tara Dr	0.13	370	R				88-1085 Shamrock Dr				NA			NA		11/30/2010
(1145) Tara Dr	0.10	180	R				88-1146 Lavelle Dr				NA			NA		11/30/2010
(1145) Tara Dr	0.03	60	R				88-1141				NA			NA		09/13/2005
							Cul-de-Sac									
(1146) Lavelle Dr	0.08	310	R				88-1141				NA			NA		11/30/2010
(1146) Lavelle Dr	0.10	320	R				88-1145 Tara Dr				NA			NA		11/30/2010
(1146) Lavelle Dr	0.12	140	R				88-1128				NA			NA		11/30/2010
(1146) Lavelle Dr	0.06	60	R				88-1085 Shamrock Dr				NA			NA		09/13/2005
							Cul-de-Sac									
(1147) Green Arbor Dr	0.05	710	R				88-1279 Durham Dr				NA			NA		12/01/2010
(1147) Green Arbor Dr	0.11	1100	R				88-1311 Maden St				NA			NA		12/01/2010
(1147) Green Arbor Dr	0.18	1900	R				88-1175 Albany St				NA			NA		12/01/2010
(1147) Green Arbor Dr	0.11	2300	R				88-1148 WEST				NA			NA		12/01/2010
(1147) Green Arbor Dr	0.04	2900	R				88-1279 Durham Dr				NA			NA		12/01/2010
(1147) Green Arbor Dr	0.06	3100	R				88-1148 EAST				NA			NA		11/30/2010
							88-620 Harrison Rd									

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1148) Timberland Dr	0.19	190	R			From: 88-1147					NA		NA			12/01/2010
						To: 88-1147										
(1149)	0.06	80	R			From: Cul-de-Sac					NA		NA			11/07/2002
						To: 88-1140										
(1150) Deerfield Dr	0.20	260	R			From: 88-1154 Fawn Circle					NA		NA			12/01/2010
						To: 88-1153 Bambi Ct										
(1150) Deerfield Dr	0.09	310	R			From: 88-1152 Buck Lane					NA		NA			12/01/2010
						To: 88-1151 Doe Circle										
(1150) Deerfield Dr	0.13	1300	R			From: 88-1151 Doe Circle					NA		NA			12/01/2010
						To: 88-673 Piedmont Dr										
(1151) Doe Circle	0.20	170	R			From: 88-1150					NA		NA			12/01/2010
						To: Dead End										
(1152) Buck Lane	0.34	1300	R			From: 88-2114					NA		NA			12/01/2010
						To: 88-1150										
(1153) Bambi Ct	0.03	50	R			From: Cul-de-Sac					NA		NA			09/12/2005
						To: 88-1150										
(1154) Fawn Circle	0.08	70	R			From: Dead End					NA		NA			08/29/2005
						To: 88-1150										
(1154) Fawn Circle	0.03	320	R			From: 88-673 Piedmont Dr					NA		NA			12/01/2010
						To: 88-673 Piedmont Dr										
(1155)	0.09	130	R			From: 88-673 Piedmont Dr					NA		NA			08/26/2002
						To: Cul-de-Sac										
(1156)	0.13	180	R			From: 88-673 Piedmont Dr					NA		NA			08/26/2002
						To: Cul-de-Sac										
(1157) Elk Dr	0.15	160	R			From: 88-628 Smith Station Rd					NA		NA			12/01/2010
						To: 88-1158										
(1157) Elk Dr	0.16	120	R			From: 88-1158					NA		NA			08/29/2005
						To: Dead End										
(1158) Copp Dr	0.17	130	R			From: 88-1157 Elk Dr					NA		NA			12/01/2010
						To: 88-1159 Ashton Circle										
(1159) Ashton Circle	0.02	49	R			From: Cul-de-Sac					NA		NA			08/29/2005
						To: 88-1158 Copp Dr										
(1159) Ashton Cir	0.09	190	R			From: 88-1158					NA		NA			12/01/2010
						To: 88-673 Piedmont Dr										
(1160) Duke of Gloucester St	0.06	190	R			From: 88-1163 Candlewood St					NA		NA			10/17/2005
						To: 88-1162 Buxley Ct										
(1160) Duke of Gloucester St	0.06	270	R			From: 88-1161 Belle Meade					NA		NA			10/17/2005
						To: 88-694 Heatherstone Dr										
(1160) Duke of Gloucester St	0.10	290	R			From: 88-694 Heatherstone Dr					NA		NA			09/27/2010
						To: 88-694 Heatherstone Dr										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1161) Belle Meade	0.06	80	R								NA			NA		10/17/2005
(1162) Buxley Ct	0.06	60	R								NA			NA		10/17/2005
(1163) Candlewood St	0.09	110	R								NA			NA		10/17/2005
(1163) Candlewood St	0.08	80	R								NA			NA		10/17/2005
(1164)	0.05	70	R								NA			NA		08/26/2002
(1165) Shenandoah Dr	0.05	430	R								NA			NA		12/14/2010
(1165) Shenandoah Dr	0.06	310	R								NA			NA		01/19/2011
(1165) Shenandoah Dr	0.15	230	R								NA			NA		12/14/2010
(1165) Shenandoah Dr	0.06	120	R								NA			NA		12/14/2010
(1166)	0.11	150	R								NA			NA		09/30/2002
(1166) Teton Dr	0.08	280	R								NA			NA		01/19/2011
(1166) Teton Dr	0.03	390	R								NA			NA		01/19/2011
(1167) Rainier Lane	0.17	90	R								NA			NA		01/19/2011
(1168) Yosemite Lane	0.14	70	R								NA			NA		01/19/2011
(1168) Yosemite Lane	0.07	120	R								NA			NA		01/19/2011
(1169) Ocala Lane	0.09	140	R								NA			NA		12/14/2010
(1169) Ocala Lane	0.08	70	R								NA			NA		12/14/2010
(1169)	0.03	60	R								NA			NA		09/30/2002
(1170) Olympic Dr	0.13	47	R								NA			NA		12/14/2010
(1171)	0.11	90	R								NA			NA		09/30/2002
(1172) Mintleaf Lane	0.13	270	R								NA			NA		09/27/2010

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1173) Bonnie Brae Ct	0.18	180	R				88-1174					NA		NA		09/27/2010
(1173)	0.10	50	R				88-1172					NA		NA		09/03/2002
							Dead End									
(1174)	0.15	60	R				Dead End					NA		NA		09/03/2002
(1174)	0.06	40	R				88-1173					NA		NA		09/03/2002
							Dead End									
(1175) Albany St	0.38	280	R				88-1316 E, Roanoke St					NA		NA		09/20/2005
(1175) Albany St	0.13	580	R				88-1316 W, Roanoke St					NA		NA		12/01/2010
(1175) Albany St	0.27	830	R				88-1176 Oak Ridge Ct					NA		NA		09/20/2005
(1175) Albany St	0.21	70	R				88-1147					NA		NA		12/01/2010
							88-1177 Burlington Dr									
(1176) Oak Ridge Ct	0.03	47	R				Cul-de-Sac					NA		NA		09/20/2005
							88-1175 Albany St									
(1177) Burlington Dr	0.06	80	R				88-1279 Durham Dr					NA		NA		09/20/2005
(1177) Burlington Dr	0.14	200	R				88-1175 Albany St					NA		NA		09/20/2005
							88-1147									
(1178) St Patrick St	0.06	30	R				Dead End					NA		NA		09/13/2005
(1178) St Patrick St	0.04	100	R				88-1140					NA		NA		11/30/2010
(1178) St Patrick St	0.05	70	R				88-1179 Murphy Ct					NA		NA		09/13/2005
							Dead End									
(1179) Murphy Ct	0.04	46	R				Cul-de-Sac					NA		NA		09/13/2005
							88-1178 St Patrick St									
(1180) Harvestdale Dr	0.05	690	R				88-674 Chancellor Rd					NA		NA		10/18/2010
(1180) Harvestdale Dr	0.16	620	R				88-1181 Silverleaf Lane					NA		NA		10/18/2010
(1180) Harvestdale Dr	0.27	180	R				88-1182 Harvest Lane					NA		NA		09/08/2005
							Cul-de-Sac									
(1181) Silverleaf Lane	0.11	250	R				88-1610					NA		NA		09/08/2005
(1181) Silverleaf Lane	0.21	240	R				88-1182 E, Harvest Lane					NA		NA		09/08/2005
(1181) Silverleaf Lane	0.17	240	R				88-1180 Harvestdale Dr					NA		NA		09/08/2005
(1181) Silverleaf Lane	0.11	110	R				88-1182 W, Harvest Lane					NA		NA		09/08/2005
							Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1182) Harvest Lane	0.06	60	R			From: 88-1181 W, Silverleaf Lane					NA			NA		09/08/2005
(1182) Harvest Lane	0.06	270	R			To: 88-1180 Harvestdale Dr					NA			NA		09/08/2005
(1182) Harvest Lane	0.11	200	R			From: 88-1181 E, Silverleaf Lane					NA			NA		09/08/2005
(1182) Harvest Lane	0.18	50	R			To: 88-1610					NA			NA		10/18/2010
(1182) Harvest Lane						From: 88-1180 N, Harvestdale Dr										
(1183)	0.05	50	R			To: Cul-de-Sac					NA			NA		1999
(1183) Rock Creek Rd	0.11	240	R			From: 88-1187 Breezewood Dr					NA			NA		12/06/2010
(1183) Rock Creek Rd	0.11	330	R			To: 88-1294 Powers St					NA			NA		12/06/2010
(1184)						From: 88-1195										
(1184)	0.09	60	R			To: Cul-de-Sac					NA			NA		1999
(1184) Kaiser Dr	0.22	240	R			From: 88-1187 Breezewood Dr					NA			NA		12/06/2010
(1185) Buchanan Ct	0.09	110	R			To: 88-1195					NA			NA		09/14/2005
(1185) Buchanan Ct						From: 88-1106										
(1186) Truman Circle	0.03	40	R			To: Cul-de-Sac					NA			NA		09/14/2005
(1187) Breezewood Dr	0.06	170	R			From: 88-1183					NA			NA		01/04/2011
(1187) Breezewood Dr	0.05	320	R			To: 88-1199					NA			NA		12/07/2010
(1187) Breezewood Dr	0.06	430	R			From: 88-1184					NA			NA		12/07/2010
(1187) Breezewood Dr	0.11	1200	R			To: 88-639 Leavells Rd					NA			NA		12/07/2010
(1187) Breezewood Dr	0.11	940	R			From: 88-1188 Stoney Creek Dr					NA			NA		12/07/2010
(1187) Breezewood Dr	0.04	950	R			To: 88-1189					NA			NA		12/06/2010
(1187) Breezewood Dr	0.05	1000	R			From: 88-1254 Foxhall Circle; Fairfield Circle					NA			NA		12/06/2010
(1187) Breezewood Dr	0.05	1100	R			To: Glenside Circle					NA			NA		12/06/2010
(1187) Breezewood Dr	0.06	1100	R			From: 88-1359 Bainbridge Lane					NA			NA		12/06/2010
(1187) Breezewood Dr	0.11	1300	R			To: 88-1358 Bradbury Circle					NA			NA		12/07/2010
(1187) Breezewood Dr	0.07	1500	R			From: 88-1356 Mayfair Dr					NA			NA		12/07/2010
(1187) Breezewood Dr	0.09	1800	R			To: 88-1355; 88-1360					NA			NA		12/07/2010
(1187) Breezewood Dr						From: SR 208; 88-1223										

Virginia Department of Transportation
 Traffic Engineering Division
 2013
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1188) Stoney Creek Dr	0.10	620	R			From 88-1187 Breezewood Dr					NA		NA			12/06/2010
(1188) Stoney Creek Dr	0.10	1100	R			To 88-1190					NA		NA			12/06/2010
(1188) Stoney Creek Dr	0.05	1100	R			From 88-1192					NA		NA			12/06/2010
(1188) Stoney Creek Dr	0.10	1200	R			To 88-1189					NA		NA			12/06/2010
(1188) Stoney Creek Dr	0.05	1300	R			From 88-1490 Valley View Rd					NA		NA			12/06/2010
(1188) Stoney Creek Dr	0.09	1300	R			To 88-1361 S. White Lake Dr					NA		NA			12/08/2010
(1188) Stoney Creek Dr	0.09	1400	R			From 88-1491 Dapple Grey Court					NA		NA			12/08/2010
(1188) Stoney Creek Dr	0.08	1600	R			To 88-1492 Inglewood Dr					NA		NA			12/08/2010
(1188) Stoney Creek Dr	0.08	1700	R			From 88-1363 Stable Way					NA		NA			12/08/2010
(1188) Stoney Creek Dr	0.06	1900	R			To 88-1496 Chinaberry Court					NA		NA			12/08/2010
(1188) Stoney Creek Dr	0.30	4300	R			From 88-1361 N. White Lake Dr					NA		NA			12/08/2010
(1188) Stoney Creek Dr	0.10	5100	R			To 88-1590 Ballantraye Dr					NA		NA			12/08/2010
(1189) Coleman Lane	0.14	120	R			From SR 208 Courthouse Rd					NA		NA			12/06/2010
(1189) Coleman Lane	0.10	150	R			To 88-1188 Stoney Creek Dr					NA		NA			12/06/2010
(1190) Windswept Dr	0.05	550	R			From 88-1190 Windswept Dr					NA		NA			12/06/2010
(1190) Windswept Dr	0.07	570	R			To 88-1191					NA		NA			12/06/2010
(1190) Windswept Dr	0.06	120	R			From 88-1194					NA		NA			12/06/2010
(1190) Windswept Dr	0.06	90	R			To 88-1188 Stoney Creek Dr					NA		NA			12/06/2010
(1190) Windswept Dr	0.06	90	R			From 88-1193					NA		NA			12/06/2010
(1191) Cul-de-Sac	0.09	70	R			To 88-1189					NA		NA			08/26/2002
(1191) Creek Lane	0.09	450	R			From 88-1190					NA		NA			12/06/2010
(1192) Cul-de-Sac	0.04	30	R			To 88-639 Leavells Rd					NA		NA			08/26/2002
(1193) Cul-de-Sac	0.04	70	R			From 88-1188 Stoney Creek Dr					NA		NA			08/26/2002
(1194) Cul-de-Sac	0.06	80	R			To 88-1190					NA		NA			08/26/2002

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1195)		0.11	130	R								NA		NA		1999
(1195)	C L Walker Blvd	0.06	540	R								NA		NA		12/06/2010
(1195)	C L Walker Blvd	0.06	810	R								NA		NA		12/06/2010
(1195)	C L Walker Blvd	0.06	1300	R								NA		NA		12/06/2010
(1195)	C L Walker Blvd	0.05	1500	R								NA		NA		12/06/2010
(1195)	C L Walker Blvd	0.06	1600	R								NA		NA		12/06/2010
(1196)	Stansbury Dr	0.28	330	R								NA		NA		01/04/2011
(1196)	Stansbury Dr	0.07	420	R								NA		NA		01/04/2011
(1197)		0.03	50	R								NA		NA		07/31/2002
(1198)		0.02	50	R								NA		NA		07/31/2002
(1199)		0.12	170	R								NA		NA		1999
(1199)	Millgarden Dr	0.21	270	R								NA		NA		12/06/2010
(1199)	Millgarden Dr	0.10	1700	R								NA		NA		12/06/2010
(1200)	Kendale Lane	0.08	90	R								NA		NA		09/20/2005
(1201)	Madeline Ave	0.06	70	R								NA		NA		12/13/2010
(1202)	Stratford Ave	0.13	210	R								NA		NA		12/13/2010
(1202)	Stratford Ave	0.12	190	R								NA		NA		12/13/2010
(1202)	Stratford Ave	0.05	90	R								NA		NA		08/18/2005
(1203)	East Stratford Ave	0.05	48	R								NA		NA		08/18/2005
(1204)	Laurel Ave	0.24	870	R								NA		NA		01/05/2011
(1204)	Laurel Ave	0.07	1000	R								NA		NA		01/05/2011
(1204)	Laurel Ave	0.06	990	R								NA		NA		01/05/2011

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1204) Laurel Ave	0.17	790	R			From 88-1239 W, Beechnut St						NA		NA		01/05/2011
(1204) Laurel Ave	0.05	760	R			To 88-1336 Azalea Dr						NA		NA		01/05/2011
(1204) Laurel Ave	0.12	320	R			From 88-1237 Mid, Butternut Dr						NA		NA		01/05/2011
(1204) Laurel Ave	0.09	500	R			To 88-1237 S, Butternut Dr						NA		NA		01/05/2011
(1204) Laurel Ave	0.22	500	R			From 88-1269 N, Rosewood Dr						NA		NA		01/05/2011
(1204) Laurel Ave	0.04	690	R			To 88-1269 S, Rosewood Dr						NA		NA		01/05/2011
(1204) Laurel Ave	0.10	740	R			From 88-1220 Lombardy Dr						NA		NA		01/05/2011
(1204) Laurel Ave	0.06	880	R			To 88-1221 Laurel Ct						NA		NA		1999
(1204) Laurel Ave	0.05	1300	R			From 88-1231 Rosemont Lane						NA		NA		12/13/2010
(1204) Bancroft Rd	0.06	200	R			To 88-681 Lorraine Ave						NA		NA		08/27/2002
						From 88-1235 Clay St						NA		NA		08/27/2002
						To Dead End										
(1205) Artillery Ridge Rd	0.44	240	R			From 88-1240 Parkview Dr						NA		NA		12/14/2010
(1205) Artillery Ridge Rd	0.24	570	R			To 88-1208 Gunnery Court						NA		NA		12/14/2010
(1205) Artillery Ridge Rd	0.10	670	R			From 88-1207 Battery Lane						NA		NA		08/22/2005
(1205) Artillery Ridge Rd	0.24	690	R			To 88-1206 Caison Way						NA		NA		12/14/2010
(1206) Caison Way	0.10	80	R			From 88-638 Lansdowne Rd						NA		NA		08/22/2005
						To 88-1205 Artillery Ridge Rd						NA		NA		08/22/2005
						To Dead End										
(1207) Battery Lane	0.14	60	R			From Dead End						NA		NA		08/22/2005
						To 88-1205 Artillery Ridge Rd										
(1208) Gunnery Court	0.08	40	R			From 88-1205 Artillery Ridge Rd						NA		NA		08/22/2005
						To Dead End										
(1209) Pegram Lane	0.15	420	R			From 88-636 Ewell Rd						NA		NA		12/08/2010
						To Dead End										
(1210)	0.15	360	R			From US 1 Bus						NA		NA		08/27/2002
(1210)	0.13	290	R			To 88-1211						NA		NA		08/27/2002
						To Dead End										
(1211) Tignor Lane	0.08	320	R			From 88-1212 Alexandria St						NA		NA		01/05/2011
						To 88-661 Hudgins Rd										
(1211) Rose Ave	0.06	80	R			From 88-1214 Early St						NA		NA		01/05/2011
						To 88-1215 East McLaws St										

Virginia Department of Transportation
 Traffic Engineering Division
 2013
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1211)	0.06	190	R			From: 88-1215 East McLaws St					NA			NA		08/27/2002
(1211)	0.06	170	R			To: 88-1210					NA			NA		08/27/2002
(1211)	0.06	40	R			From: 88-1216 Pender St					NA			NA		08/27/2002
(1211)						To: Dead End										
(1212) Alexandria St	0.04	50	R			From: Dead End					NA			NA		08/27/2002
(1212) Alexandria St	0.09	200	R			To: 88-1211 Tignor Lane					NA			NA		08/27/2002
(1212) Alexandria St						To: Dead End										
(1213) Archer St	0.05	140	R			From: US 1 Bus; Lafayette Blvd					NA			NA		09/21/2005
(1213) Archer St						To: Dead End										
(1214) Early St	0.12	240	R			From: Bus US 1 Lafayette Blvd					NA			NA		01/05/2011
(1214) Early St	0.10	40	R			To: 88-1211 Rose Ave					NA			NA		09/21/2005
(1214) Early St						To: Dead End										
(1215) East McLaws St	0.14	140	R			From: Bus US 1 Lafayette Blvd					NA			NA		01/05/2011
(1215) East McLaws St						To: 88-1211 Rose Ave										
(1216) Pender St	0.14	630	R			From: US 1 Bus; Lafayette Blvd					NA			NA		09/21/2005
(1216) Pender St	0.10	650	R			To: 88-1211 Rose Ave					NA			NA		09/21/2005
(1216) Pender St						To: Dead End										
(1217) Rodes St	0.09	90	R			From: US 1 Bus; 88-1227					NA			NA		09/21/2005
(1217) Rodes St						To: Dead End										
(1218)	0.10	90	R			From: Dead End					NA			NA		09/12/2002
(1218)						To: 88-636 Mine Rd										
(1219) Bancroft Rd	0.06	1900	R			From: 88-1235 Clay St					NA			NA		08/18/2005
(1219) Bancroft Rd	0.09	1800	R			To: 88-1236 Garfield Ct					NA			NA		12/13/2010
(1219) Bancroft Rd	0.04	1600	R			To: 88-716 Southgate Ave					NA			NA		12/13/2010
(1219) Bancroft Rd	0.06	1500	R			To: 88-1202 Stratford Ave					NA			NA		12/13/2010
(1219) Bancroft Rd						To: 88-681 Lorraine Ave										
(1220) Lombardy Dr	0.11	240	R			From: 88-681 Lorraine Ave					NA			NA		12/13/2010
(1220) Lombardy Dr	0.08	60	R			To: 88-1204 Laurel Ave					NA			NA		08/22/2005
(1220) Lombardy Dr						To: Cul-de-Sac										
(1221) Laurel Ct	0.04	40	R			From: Dead End					NA			NA		08/22/2005
(1221) Laurel Ct						To: 88-1204 Laurel Ave										
(1222) Lorraine Ct	0.04	60	R			From: 88-681 Lorraine Ave					NA			NA		08/22/2005
(1222) Lorraine Ct						To: Dead End										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1223) Woodland Dr	0.17	2200	R			From: SR 208; 88-1187					NA			NA		12/07/2010
(1223) Woodland Dr	0.12	2100	R			To: 88-1224 SOUTH					NA			NA		12/07/2010
(1223) Woodland Dr	0.13	2000	R			From: 88-1224 NORTH					NA			NA		12/07/2010
(1223) Woodland Dr	0.23	1800	R			To: Dead End; Gap Terminus From: 88-1982 Gap Terminus					NA			NA		12/07/2010
(1223)	0.06	60	R			From: 88-1005 Leavels Crossing Dr					NA			NA		09/25/2002
(1223)						To: Dead End										
(1224) Buckingham Dr	0.21	49	R			From: 88-1223					NA			NA		12/07/2010
(1224) Buckingham Dr						To: 88-1223										
(1225) McGowan Dr	0.06	190	R			From: Dead End					NA			NA		09/06/2005
(1225) McGowan Dr	0.05	230	R			To: 88-1226 N, Wilcox St					NA			NA		12/08/2010
(1225) McGowan Dr	0.05	270	R			From: 88-1226 S, Wilcox St					NA			NA		12/08/2010
(1225) McGowan Dr						To: 88-636 Hood Dr										
(1226) Wilcox St	0.02	100	R			From: 88-1225 S, McGowan Dr					NA			NA		12/08/2010
(1226) Wilcox St	0.07	6	R			To: 88-1245 Wilcox St					NA			NA		12/08/2010
(1226) Wilcox St						From: 88-1225 N, McGowan Dr										
(1227) Olde Greenwich Dr	0.38	2800	R			From: Bus US 1 Lafayette Blvd					NA			NA		09/21/2005
(1227) Olde Greenwich Dr						To: Dead End										
(1228) Redwood Dr	0.08	770	R			From: Bus US 1 Lafayette Blvd					NA			NA		08/27/2002
(1228) Redwood Dr	0.06	620	R			To: 88-1229 Midway St					NA			NA		01/05/2011
(1228) Redwood Dr	0.06	590	R			From: 88-1230 Redwood Cir					NA			NA		08/27/2002
(1228) Redwood Dr						To: 88-1231 Rosemont Lane										
(1229) Midway St	0.08	110	R			From: 88-1228 Redwood Dr					NA			NA		08/27/2002
(1229) Midway St						To: Cul-de-Sac										
(1230) Redwood Cir	0.07	90	R			From: 88-1228 Redwood Dr					NA			NA		08/27/2002
(1230) Redwood Cir						To: Cul-de-Sac										
(1231) Rosemont Lane	0.05	780	R			From: 88-1204 Laurel Ave					NA			NA		01/05/2011
(1231) Rosemont Lane	0.06	790	R			To: 88-1233 Chestnut Lane					NA			NA		01/05/2011
(1231) Rosemont Lane	0.03	690	R			From: 88-1228 Redwood Dr 88-1228 Chestnut Dr					NA			NA		01/05/2011
(1231) Rosemont Lane	0.11	610	R			To: 88-1232 N, Tulip Cir 88-1232 S, Tulip Cir					NA			NA		01/05/2011
(1231) Rosemont Lane	0.07	650	R			From: 88-1232 N, Tulip Cir					NA			NA		01/05/2011
(1231) Rosemont Lane						To: 88-1204 Laurel Ave										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1232) Tulip Cir	0.10	140	R								NA			NA		08/22/2005
(1232) Tulip Cir	0.11	90	R								NA			NA		01/05/2011
(1232) Tulip Circle	0.03	40	R								NA			NA		08/22/2005
(1233) Chestnut Lane	0.04	50	R								NA			NA		08/22/2005
(1233) Chestnut Lane	0.17	40	R								NA			NA		01/05/2011
(1234)	0.29	7600	R								NA			NA		11/14/2002
(1234)	0.39	7700	R								NA			NA		11/14/2002
(1234)	0.64	5700	R								NA			NA		11/14/2002
(1235) Clay St	0.10	2500	R								NA			NA		12/13/2010
(1235) Clay St	0.13	360	R								NA			NA		12/13/2010
(1236) Garfield Ct	0.06	140	R								NA			NA		08/18/2005
(1237) Butternut Dr	0.24	1000	R								NA			NA		01/05/2011
(1237) Butternut Dr	0.08	640	R								NA			NA		01/05/2011
(1237) Butternut Dr	0.05	420	R								NA			NA		01/05/2011
(1237) Butternut Dr	0.32	380	R								NA			NA		10/16/2002
(1237) Butternut Dr	0.07	140	R								NA			NA		01/05/2011
(1237) Butternut Dr	0.11	190	R								NA			NA		01/05/2011
(1237) Butternut Dr	0.14	480	R								NA			NA		10/16/2002
(1238) Sycamore Dr	0.13	190	R								NA			NA		01/05/2011
(1238) Sycamore Dr	0.07	90	R								NA			NA		10/17/2002
(1238) Sycamore Dr	0.04	50	R								NA			NA		10/17/2002
(1239) Beechnut St	0.16	150	R								NA			NA		01/05/2011

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1240) Parkview Dr	0.18	660	R			From: 88-638 Lansdowne Rd					NA			NA		12/14/2010
(1240) Parkview Dr	0.12	460	R			To: 88-1241 E, Longwood Dr					NA			NA		12/14/2010
(1240) Parkview Dr	0.32	360	R			From: 88-1241 W, Longwood Dr					NA			NA		12/14/2010
						To: Dead End										
(1241) Longwood Dr	0.43	150	R			From: 88-1240 W, Parkview Dr					NA			NA		08/22/2005
						To: 88-1240 E, Parkview Dr										
(1242) Pella Lane	0.29	210	R			From: 88-628 Smith Station Rd					NA			NA		01/19/2011
						To: Cul-de-Sac										
(1243) Birch Cir	0.03	150	R			From: 88-1238 Sycamore Dr					NA			NA		10/17/2002
						To: Cul-de-Sac										
(1244) Tulip Place	0.04	80	R			From: 88-1232 Tulip Cir					NA			NA		08/22/2005
						To: Cul-de-Sac										
(1245) Wilcox St	0.03	30	R			From: Dead End					NA			NA		09/06/2005
						To: 88-1226 Wilcox St										
(1246) Industrial Dr	0.45	5200	R			From: 88-1247 Industrial Ct					NA			NA		12/08/2010
						To: US 1; Ent Ser Rd										
(1247) Industrial Ct	0.18	1800	R			From: 88-1246 Industrial Dr					NA			NA		12/08/2010
						To: Cul-de-Sac										
(1248) Houser Dr	0.50	2200	R			From: 88-636 Ewell Rd					NA			NA		12/08/2010
						To: Dead End										
(1249)	0.21	210	R			From: Dead End					NA			NA		1999
(1249) Campbell Dr	0.04	870	R			To: 88-2053 Amelia Dr					NA			NA		12/13/2010
(1249) Campbell Dr	0.03	420	R			From: 88-2052					NA			NA		1999
(1249) Campbell Dr	0.06	1000	R			To: 88-2050					NA			NA		12/13/2010
(1249) Hardwood Lane	0.09	100	R			From: 88-636 Mine Rd					NA			NA		12/13/2010
(1249)	0.16	90	R			To: 88-1250 Tulip Poplar Lane					NA			NA		1999
(1250) Tulip Poplar Lane	0.20	30	R			From: 88-1249					NA			NA		12/13/2010
						To: 88-1251 Iron Wood Lane										
(1251) Iron Wood Lane	0.08	150	R			From: 88-636 Mine Rd					NA			NA		12/13/2010
(1251) Iron Wood Lane	0.06	110	R			To: 88-1250 Tulip Poplar Lane					NA			NA		12/13/2010
(1251) Iron Wood Lane	0.12	20	R			From: 88-1317					NA			NA		1999
						To: Cul-de-Sac										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1252)	0.05	270	R								NA			NA		09/16/2002
(1253)	Noel Dr	0.56	190	R							NA			NA		01/05/2011
(1254)	Fairfield Circle	0.05	60	R							NA			NA		08/22/2005
(1254)	Foxhall Circle	0.05	70	R							NA			NA		08/22/2005
(1255)		0.15	140	R							NA			NA		08/05/2002
(1255)	Oak Grove Dr	0.06	430	R							NA			NA		12/08/2010
(1255)	Oak Grove Dr	0.06	630	R							NA			NA		12/08/2010
(1255)	Oak Grove Dr	0.06	900	R							NA			NA		12/08/2010
(1255)	Oak Grove Dr	0.06	1200	R							NA			NA		12/08/2010
(1255)	Oak Grove Dr	0.06	1300	R							NA			NA		12/08/2010
(1255)	Oak Grove Dr	0.06	1600	R							NA			NA		12/08/2010
(1255)	Oak Grove Dr	0.06	1800	R							NA			NA		12/08/2010
(1255)	Oak Grove Dr	0.08	2100	R							NA			NA		12/08/2010
(1256)	Peters Lane	0.23	240	R							NA			NA		12/08/2010
(1257)	Massaponax Dr	0.12	70	R							NA			NA		12/08/2010
(1257)	Massaponax Dr	0.06	170	R							NA			NA		12/06/2010
(1257)	Massaponax Dr	0.06	240	R							NA			NA		12/06/2010
(1257)	Massaponax Dr	0.06	350	R							NA			NA		12/06/2010
(1257)	Massaaponax Dr	0.06	450	R							NA			NA		12/06/2010
(1257)	Massaponax Dr	0.06	530	R							NA			NA		12/06/2010
(1257)	Massaponax Dr	0.06	620	R							NA			NA		12/06/2010
(1257)	Massaponax Dr	0.06	680	R							NA			NA		12/06/2010
(1257)	Massaponax Dr	0.07	770	R							NA			NA		12/06/2010

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
1258 Elder St	0.23	190	R			From 88-1255					NA		NA			12/08/2010
						To 88-1257										
1259 Tallow St	0.23	210	R			From 88-1255					NA		NA			12/08/2010
						To 88-1257										
1260 Larch St	0.24	150	R			From 88-1255					NA		NA			12/08/2010
						To 88-1257										
1261 Rudy Lane	0.25	190	R			From 88-1255					NA		NA			12/08/2010
						To 88-1257										
1262 Bounds St	0.13	230	R			From 88-1255					NA		NA			12/08/2010
						To 88-1275										
1262 Bounds St	0.13	120	R			From 88-1275					NA		NA			12/08/2010
						To 88-1257										
1263 Slater St	0.14	160	R			From 88-1255					NA		NA			12/08/2010
						To 88-1275										
1263 Slater St	0.13	110	R			From 88-1275					NA		NA			12/08/2010
						To 88-1257										
1264 Carousel St	0.20	240	R			From 88-1255					NA		NA			12/08/2010
						To 88-1276										
1264 Carousel St	0.08	120	R			From 88-1276					NA		NA			12/08/2010
						To 88-1257										
1265 Meadowview Dr	0.24	370	R			From 88-1266 S, Hillside Lane					NA		NA			12/13/2010
						To 88-1266 N, Hillside Lane										
1265 Meadowview Dr	0.07	930	R			From 88-1266 N, Hillside Lane					NA		NA			12/13/2010
						To 88-636 Mine Rd										
1266 Hillside Lane	0.30	100	R			From 88-1265 N; Begin Loop					NA		NA			12/13/2010
						To 88-1265 S, Meadowview Dr										
1266 Hillside Lane	0.43	170	R			From 88-1265 S, Meadowview Dr					NA		NA			12/13/2010
						To 88-1265 N; End Loop										
1267 Circle One Dr	0.04	48	R			From Cul-de-Sac					NA		NA			08/15/2005
						To 88-636 Mine Rd										
1268 Fern Ct	0.09	80	R			From 88-1220 Lombardy Dr					NA		NA			11/14/2005
						To Cul-de-Sac										
1269 Rosewood Dr	0.23	130	R			From 88-1204 W, Laurel Ave					NA		NA			11/14/2005
						To 88-1204 E, Laurel Ave										
1270 Cambridge Dr	0.77	1000	R			From 88-1821 NORTH					NA		NA			12/08/2010
						To 88-639 Leavells Rd										
1270 Devonne Dr	0.15	750	R			From 88-639 Leavells Rd					NA		NA			12/08/2010
						To 88-1271 Jamie Court										
1270 Devonne Dr	0.05	490	R			From 88-1271 Jamie Court					NA		NA			12/08/2010
						To 88-1272 Shawn Dr										
1270 Devonne Dr	0.19	370	R			From 88-1272 Shawn Dr					NA		NA			12/08/2010
						To 88-1274 Lovett Dr										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1271) Jamie Court	0.13	290	R			From: Cul-de-Sac					NA			NA		12/08/2010
						To: 88-1270 Devonne Dr										
(1272) Shawn Dr	0.10	80	R			From: 88-1274 Lovett Dr					NA			NA		12/08/2010
						To: 88-1270 Devonne Dr										
(1273) Lee White Lane	0.12	70	R			From: 88-1274 Lovett Dr					NA			NA		12/08/2010
						To: 88-1270 Devonne Dr										
(1274) Lovett Dr	0.98	220	R			From: Cul-de-Sac					NA			NA		12/07/2010
						To: 88-1002 Bent Tree Dr										
(1275) Pondoley Dr	0.05	20	R			From: 88-1263 Slater St					NA			NA		12/08/2010
						To: 88-1262 Bounds St										
(1276)	0.03	70	R			From: Cul-de-Sac					NA			NA		08/05/2002
						To: 88-1257										
(1276) John Wayne Dr	0.09	120	R			From: 88-1264					NA			NA		12/08/2010
						To: 88-1264										
(1277) Quality Dr	0.12	470	R			From: Dead End					NA			NA		11/16/2005
						To: 88-1247 Industrial Ct										
(1278) Burman Lane	0.26	320	R			From: 88-1312 Cleveland Ct					NA			NA		09/20/2005
						To: 88-1147										
(1279) Durham Dr	0.22	170	R			From: 88-1312 Cleveland Ct					NA			NA		12/01/2010
						To: 88-1147										
(1279) Durham Dr	0.06	380	R			From: 88-1314 Columbus Court					NA			NA		12/01/2010
						To: 88-1313 Dayton Ct										
(1279) Durham Dr	0.07	430	R			From: 88-1177 Burlington Dr					NA			NA		12/01/2010
						To: 88-1300 Wilmington Court										
(1279) Durham Dr	0.16	620	R			From: 88-1147					NA			NA		12/01/2010
						To: 88-1147										
(1280) Taft Dr	0.19	90	R			From: 88-1281 Ford Rd					NA			NA		09/28/2010
						To: 88-1330 Roosevelt Rd										
(1280) Taft Dr	0.07	190	R			From: 88-1106					NA			NA		10/26/2010
						To: 88-1112										
(1281) Ford Rd	0.06	60	R			From: 88-1280 Taft Dr					NA			NA		09/28/2010
						To: 88-1332 Eisenhower Lane										
(1282) McKinley Dr	0.04	500	R			From: 88-1112					NA			NA		10/26/2010
						To: 88-1283 Madison Ct										
(1282) McKinley Dr	0.07	540	R			From: 88-1114 Kennedy Lane					NA			NA		10/26/2010
						To: 88-1114 Kennedy Lane										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
1282	McKinley Dr	0.07	60	R							NA			NA		09/14/2005
1283	Madison Ct	0.04	40	R							NA			NA		09/14/2005
1284	Old Leavells Rd	0.12	350	G	98%	2%	0%	0%	0%	F	0.121	F	0.734	370	G	2013
1284	Old Leavells Rd	0.24	270	G	98%	2%	0%	0%	0%	C	0.121	F	0.568	290	G	2013
1285		0.09	47	R							NA			NA		1999
1286	Battfield Green Dr	0.06	340	R							NA			NA		10/27/2010
1286	Battfield Green Dr	0.06	150	R							NA			NA		10/27/2010
1286	Battfield Green Dr	0.20	120	R							NA			NA		10/27/2010
1286	Battfield Green Dr	0.05	270	R							NA			NA		10/27/2010
1286	Battfield Green Dr	0.12	310	R							NA			NA		10/27/2010
1286	Battfield Green Dr	0.06	620	R							NA			NA		10/27/2010
1287	Soulier Lane	0.24	210	R							NA			NA		10/27/2010
1287	Soulier Lane	0.13	280	R							NA			NA		10/27/2010
1288	Lombard Lane	0.19	50	R							NA			NA		10/27/2010
1289	Collier Dr	0.09	40	R							NA			NA		10/27/2010
1290	Galaxie Dr	0.05	210	R							NA			NA		12/13/2010
1290	Galaxie Dr	0.06	440	R							NA			NA		12/13/2010
1290	Galaxie Dr	0.06	720	R							NA			NA		12/13/2010
1290	Galaxie Dr	0.04	1000	R							NA			NA		12/13/2010
1290	Galaxie Dr	0.05	1300	R							NA			NA		12/13/2010
1290	Galaxie Dr	0.25	1900	R							NA			NA		12/13/2010
1291	Patterson Ave	0.22	130	R							NA			NA		12/13/2010

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1291) Patterson Ave	0.17	270	R			From: 88-1290 Galaxie Dr					NA			NA		12/13/2010
(1291) Patterson Ave	0.13	100	R			To: 88-1349					NA			NA		12/13/2010
(1292) Pleasants Dr	0.06	790	R			From: 88-639 Leavells Rd					NA			NA		12/14/2010
(1292) Pleasants Dr	0.06	630	R			To: 88-1291 Patterson Ave					NA			NA		12/14/2010
(1292) Pleasants Dr	0.06	400	R			From: 88-1345					NA			NA		12/14/2010
(1292) Pleasants Dr	0.06	280	R			To: 88-1346					NA			NA		12/13/2010
(1292) Pleasants Dr	0.16	160	R			From: 88-1347					NA			NA		12/13/2010
(1292) Pleasants Dr	0.23	190	R			To: 88-1290 Galaxie Dr					NA			NA		12/13/2010
(1292) Pleasants Dr	0.07	70	R			From: 88-1347 EAST					NA			NA		12/13/2010
(1292) Pleasants Dr	0.07	70	R			To: 88-1346					NA			NA		12/13/2010
(1292) Pleasants Dr	0.07	70	R			From: 88-1346 EAST					NA			NA		12/13/2010
(1292) Pleasants Dr	0.07	70	R			To: 88-1345 EAST					NA			NA		12/13/2010
(1292) Pleasants Dr	0.07	60	R			From: 88-1291 E, Patterson Ave					NA			NA		12/13/2010
(1292) Pleasants Dr	0.05	140	R			To: 88-764					NA			NA		12/13/2010
(1292) Pleasants Dr	0.04	60	R			From: 88-764 Bowen Dr					NA			NA		12/13/2010
(1292)	0.04	60	R			To: 88-1365					NA			NA		08/07/2002
(1293) Hamway Dr	0.05	60	R			From: Cul-de-Sac					NA			NA		08/29/2005
(1293) Hamway Dr	0.14	200	R			To: 88-1294 Powers St					NA			NA		12/06/2010
(1294) Powers St	0.05	60	R			From: 88-1195					NA			NA		12/06/2010
(1294) Powers St	0.05	100	R			To: 88-1293 Hamway Dr					NA			NA		12/06/2010
(1295) Highland Rd	0.06	240	R			From: 88-1297					NA			NA		12/06/2010
(1295) Highland Rd	0.33	150	R			To: 88-1183					NA			NA		11/09/2010
(1295) Highland Rd	0.06	20	R			From: 88-674 Chancellor Rd					NA			NA		11/09/2010
(1295) Highland Rd	0.06	20	R			To: 88-1296 Selkirk Dr					NA			NA		11/09/2010
(1296) Selkirk Dr	0.19	70	R			From: 88-1305 Highland Court					NA			NA		07/31/2002
(1296) Selkirk Dr	0.19	70	R			To: Cul-de-Sac					NA			NA		07/31/2002
(1296) Selkirk Dr	0.19	70	R			From: 88-1295 Highland Rd					NA			NA		07/31/2002
(1296) Selkirk Dr	0.19	70	R			To: Cul-de-Sac					NA			NA		07/31/2002

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1297) Minnear St	0.12	49	R								NA			NA		12/06/2010
(1298) Shannon Dr	0.64	1600	R								NA			NA		01/19/2011
(1299) Twin Springs Dr	0.55	230	R								NA			NA		11/30/2010
(1300) Wilmington Court	0.05	45	R								NA			NA		09/20/2005
(1301) Bend Farm Rd	0.17	890	R								NA			NA		1999
(1301) Bend Farm Rd	0.17	610	R								NA			NA		1999
(1301) Bend Farm Rd	0.20	430	R								NA			NA		1999
(1301) Bend Farm Rd	0.05	60	R								NA			NA		1999
(1302) 2nd St	0.05	70	R								NA			NA		1999
(1303) Mansfield St	0.18	590	R								NA			NA		1999
(1303) Mansfield St	0.17	430	R								NA			NA		1999
(1303) Mansfield St	0.20	210	R								NA			NA		1999
(1304) 3rd St	0.06	130	R								NA			NA		1999
(1304) 3rd St	0.05	180	R								NA			NA		1999
(1304) 3rd St	0.08	110	R								NA			NA		1999
(1305) Highland Court	0.14	60	R								NA			NA		11/09/2010
(1306) 1st St	0.06	220	R								NA			NA		1999
(1306) 1st St	0.05	40	R								NA			NA		1999
(1307) Brooke Dr	0.02	210	R								NA			NA		01/25/2011
(1307) Brooke Dr	0.28	110	R								NA			NA		01/25/2011
(1307) Brooke Dr	0.25	60	R								NA			NA		01/25/2011

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1308) Vance Dr	0.30	80	R			From 88-1307 Brooke Dr					NA			NA		01/25/2011
						To 88-1307 Brooke Dr										
(1309) 4th St	0.05	46	R			From Dead End					NA			NA		1999
						To 88-1301 Bend Farm Rd										
(1310) Church St	0.20	1600	R			From SR 2, Bus US 17 Tidewater Trail					NA			NA		01/25/2011
						To 88-1306 1st St										
(1310) Church St	0.37	450	R			From 88-1304 3rd St					NA			NA		01/25/2011
						To 88-1304 3rd St										
(1311) Maden St	0.21	210	R			From 88-1312 Cleveland Ct					NA			NA		09/20/2005
						To 88-1147										
(1312) Cleveland Ct	0.10	120	R			From Cul-de-Sac					NA			NA		09/20/2005
						To 88-1278 Burman Lane										
(1312) Cleveland Ct	0.05	60	R			From 88-1311 Maden St					NA			NA		12/01/2010
						To 88-1311 Maden St										
(1312) Cleveland Ct	0.05	70	R			From 88-1279 Durham Dr					NA			NA		12/01/2010
						To 88-1279 Durham Dr										
(1312) Cleveland Ct	0.06	40	R			From 88-2010					NA			NA		12/01/2010
						To 88-2010										
(1313) Dayton Ct	0.03	50	R			From 88-1279 Durham Dr					NA			NA		09/20/2005
						To Cul-de-Sac										
(1314) Columbus Court	0.05	40	R			From 88-1279 Durham Dr					NA			NA		09/20/2005
						To Cul-de-Sac										
(1315)	0.22	110	R			From 88-609 Thornton Rolling Rd					NA			NA		10/21/2002
						To Cul-de-Sac										
(1316) Roanoke St	0.12	200	R			From Cul-de-Sac					NA			NA		11/14/2005
						To 88-1175 E, Albany St										
(1317)	0.16	110	R			From 88-1251 Iron Wood Lane					NA			NA		1999
						To Cul-de-Sac										
(1318) One Iron Blvd	0.04	1600	R			From 88-1319					NA			NA		01/05/2011
						To 88-636 Mine Rd										
(1319) Willow Point Dr	0.30	1300	R			From Cul-de-Sac					NA			NA		01/05/2011
						To 88-1318 One Iron Blvd										
(1319) Willow Point Dr	0.22	190	R			From 88-1397 Watford Lane					NA			NA		01/05/2011
						To 88-1397 Watford Lane										
(1320) Powell St	0.09	390	R			From US 17 Bus					NA			NA		12/14/2010
						To 88-1323										
(1320) Powell St	0.34	260	R			From 88-1322					NA			NA		12/14/2010
						To 88-1322										
(1321) Hamilton St	0.11	460	R			From Bus US 17					NA			NA		12/14/2010
						To 88-1323 First St										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1321) Hamilton St	0.34	250	R			From 88-1323 First St					NA			NA		12/14/2010
						To 88-1322 Greenfield Dr										
(1322) Greenfield Dr	0.15	130	R			From Cul-de-Sac					NA			NA		12/14/2010
(1322) Greenfield Dr	0.06	140	R			From 88-1321 Hamilton St.					NA			NA		12/14/2010
						To 88-1320 Powell St										
(1323) First St	0.06	30	R			From 88-1320 Powell St					NA			NA		12/14/2010
						To 88-1321 Hamilton St										
(1324) Lassen Lane	0.20	1800	R			From FR-691 Kershaw St					NA			NA		12/08/2010
						To Bus US 1 Lafayette Blvd										
(1325) Rebecca Rd	0.09	60	R			From 88-1326 South Brooks Dr					NA			NA		12/13/2010
						To 88-1328 Gerber Dr										
(1326) South Brooks Dr	0.28	160	R			From 88-1340 Vicky Lane					NA			NA		12/14/2010
(1326) South Brooks Dr	0.08	60	R			From 88-1327 Brandon Lane					NA			NA		12/14/2010
(1326) South Brooks Dr	0.06	70	R			From 88-1328 Gerber Dr					NA			NA		12/14/2010
						To 88-1322										
(1327) Brandon Lane	0.09	80	R			From 88-1326 South Brooks Dr					NA			NA		12/13/2010
						To 88-1328 Gerber Dr										
(1328) Gerber Dr	0.38	800	R			From US 17 Bus; Tidewater Trail					NA			NA		12/13/2010
(1328) Gerber Dr	0.15	80	R			From 88-1327 Brandon Lane					NA			NA		12/13/2010
						To 88-1326 South Brooks Dr										
(1329) Earlene St	0.08	70	R			From 88-1326 South Brooks Dr					NA			NA		12/13/2010
						To 88-1328 Gerber Dr										
(1330) Roosevelt Rd	0.13	70	R			From 88-1112					NA			NA		10/25/2010
(1330) Roosevelt Rd	0.34	210	R			From 88-1114 S, Kennedy Lane					NA			NA		10/26/2010
(1330) Roosevelt Rd	0.08	140	R			From 88-1114 N, Kennedy Lane					NA			NA		10/26/2010
						To 88-1280 N, Taft Dr										
(1331) Pierce Ct	0.13	50	R			From 88-1112					NA			NA		09/14/2005
						To Cul-de-Sac										
(1332) Eisenhower Lane	0.22	110	R			From 88-1112					NA			NA		10/26/2010
						To 88-1114 Kennedy Lane										
(1333) Coolidge Court	0.04	47	R			From 88-1332 Eisenhower Lane					NA			NA		09/14/2005
						To Cul-de-Sac										
(1334) Suzzane Dr	0.11	60	R			From 88-1326 South Brooks Dr					NA			NA		12/13/2010
						To 88-1328 Gerber Dr										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1335) Mary Lee Ave.	0.10	40	R								NA			NA		12/13/2010
(1336) Azalea Dr	0.15	150	R								NA			NA		01/05/2011
(1336) Azalea Dr	0.05	70	R								NA			NA		01/05/2011
(1337) Mahogany Lane	0.07	90	R								NA			NA		08/22/2005
(1337) Mahogany Lane	0.06	130	R								NA			NA		08/22/2005
(1338) Myrtle Court	0.03	47	R								NA			NA		08/22/2005
(1339) Jonquil Ct	0.11	80	R								NA			NA		08/22/2005
(1340) Vicky Lane	0.09	180	R								NA			NA		12/13/2010
(1341) Charles Washington Ave	0.06	210	R								NA			NA		01/19/2011
(1341) Charles Washington Ave	0.05	340	R								NA			NA		01/19/2011
(1342) Boxwood Rd	0.25	180	R								NA			NA		09/06/2005
(1343) Signal Corp Dr	0.12	120	R								NA			NA		01/19/2011
(1343) Signal Corp Dr	0.13	190	R								NA			NA		01/19/2011
(1343) Signal Corp Dr	0.05	100	R								NA			NA		01/19/2011
(1343) Signal Corp Dr	0.06	40	R								NA			NA		01/19/2011
(1344) Beauclaire Blvd	0.18	480	R								NA			NA		10/05/2005
(1344) Beauclaire Blvd	0.06	570	R								NA			NA		01/19/2011
(1344) Beauclaire Blvd	0.10	680	R								NA			NA		01/19/2011
(1344) Beauclaire Blvd	0.07	840	R								NA			NA		01/19/2011
(1344) Kingswood Blvd	0.04	3200	R								NA			NA		01/19/2011
(1344) Kingswood Blvd	0.06	2800	R								NA			NA		01/19/2011
(1344) Kingswood Blvd	0.08	2600	R								NA			NA		01/19/2011

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1344) Kingswood Blvd	0.48	2200	R			From: 88-1580 NORTH					NA			NA		1999
(1344) Kingswood Blvd	0.08	1700	R			To: 88-1583					NA			NA		01/19/2011
(1344) Kingswood Blvd	0.08	1600	R			From: 88-1584 Alton Ct					NA			NA		01/19/2011
(1344) Kingswood Blvd	0.05	1700	R			To: 88-1585					NA			NA		1999
(1344) Kingswood Blvd	0.06	840	R			From: 88-1576					NA			NA		1999
(1344) Kingswood Blvd	0.06	750	R			To: 88-1577					NA			NA		1999
(1344) Kingswood Blvd	0.06	1100	R			From: 88-1578					NA			NA		01/19/2011
(1344) Kingswood Blvd	0.70	860	R			To: 88-1579					NA			NA		01/19/2011
(1345)	0.13	120	R			From: Cul-de-Sac					NA			NA		08/07/2002
(1345) Gallimore Dr	0.20	150	R			To: Dead End					NA			NA		08/07/2002
(1345) Gallimore Dr	0.18	110	R			From: 88-1292 W, Pleasants Dr					NA			NA		12/13/2010
(1345) Gallimore Dr	0.09	80	R			To: 88-1290 Galaxie Dr					NA			NA		12/13/2010
(1345) Gallimore Dr	0.09	80	R			From: 88-1349					NA			NA		12/13/2010
(1346) Sugun Dr	0.17	100	R			To: 88-1292 E, Pleasants Dr					NA			NA		12/13/2010
(1346) Sugun Dr	0.24	200	R			From: 88-1292 W, Pleasants Dr					NA			NA		12/13/2010
(1347) Wyatt Dr	0.15	90	R			To: 88-1290 Galaxie Dr					NA			NA		12/13/2010
(1347) Wyatt Dr	0.20	40	R			From: 88-1292 E, Pleasants Dr					NA			NA		12/13/2010
(1348)	0.08	80	R			To: 88-764					NA			NA		08/07/2002
(1349) Dunlap St	0.26	10	R			From: Cul-de-Sac					NA			NA		12/13/2010
(1350) Woodfield Dr	0.81	460	R			To: 88-1345 Gallimore Dr					NA			NA		12/06/2010
(1351) Fielding Lewis Ct	0.05	40	R			From: Dead End					NA			NA		11/09/2005
(1351) Fielding Lewis Ct	0.05	50	R			To: 88-1344 Beauclaire Blvd					NA			NA		11/09/2005
(1352) Carriage House Ct	0.10	90	R			From: Cul-de-Sac					NA			NA		11/09/2005
						To: Cul-de-Sac					NA			NA		11/09/2005
						From: 88-1343 Signal Corp Dr					NA			NA		11/09/2005

Virginia Department of Transportation
 Traffic Engineering Division
 2013
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1353) Statesman Ct	0.04	40	R			From 88-1343 Signal Corp Dr					NA		NA			11/09/2005
						To Cul-de-Sac										
(1354) Glenside Circle	0.04	30	R			From 88-1187 Breezewood Dr					NA		NA			11/07/2005
						To Cul-de-Sac										
(1355) Merrymount Dr	0.13	100	R			From 88-1356 Mayfair Dr					NA		NA			11/07/2005
						To 88-1187; 88-1360										
(1356) Mayfair Dr	0.26	90	R			From Dead End					NA		NA			11/07/2005
						To Cul-de-Sac										
(1357) Whitecliff Dr	0.07	80	R			From Cul-de-Sac					NA		NA			11/07/2005
						To 88-1356 Mayfair Dr										
(1358) Bradbury Circle	0.04	60	R			From Cul-de-Sac					NA		NA			11/07/2005
						To 88-1187 Breezewood Dr										
(1359) Bainbridge Lane	0.08	80	R			From Dead End					NA		NA			11/07/2005
						To 88-1187 Breezewood Dr										
(1359) Bainbridge Lane	0.09	90	R			From Cul-de-Sac					NA		NA			11/07/2005
						To Cul-de-Sac										
(1360) Sanford Circle	0.10	150	R			From 88-1187; 88-1355					NA		NA			11/07/2005
						To Cul-de-Sac										
(1361) White Lake Dr	0.44	100	R			From 88-1188 W, Stoney Creek Dr					NA		NA			11/14/2005
						To 88-1188 E, Stoney Creek Dr										
(1362) Victoria Court	0.07	60	R			From Cul-de-Sac					NA		NA			11/14/2005
						To 88-1361 White Lake Dr										
(1363) Stable Way	0.10	160	R			From Cul-de-Sac					NA		NA			11/14/2005
						To 88-1188 Stoney Creek Dr										
(1364) Trottef Circle	0.10	90	R			From Cul-de-Sac					NA		NA			11/14/2005
						To 88-1363 Stable Way										
(1365)	0.05	60	R			From Cul-de-Sac					NA		NA			08/07/2002
						To 88-1292										
(1366)	0.09	80	R			From 88-764					NA		NA			08/07/2002
						To Cul-de-Sac										
(1367)	0.06	80	R			From Cul-de-Sac					NA		NA			08/07/2002
						To 88-1349										
(1368) Ruffin Dr	0.25	180	R			From Cul-de-Sac					NA		NA			01/05/2011
						To 88-1372										
(1368) Ruffin Dr	0.07	250	R			From 88-1369					NA		NA			01/05/2011
						To 88-1369										
(1368) Ruffin Dr	0.27	690	R			From US 17 Bus					NA		NA			01/05/2011
						To US 17 Bus										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1369) Sharon Springs Dr	0.25	120	R			From: 88-1368					NA			NA		01/05/2011
						To: 88-1373 Pittston Rd										
(1370) Ann Davis Dr	0.35	230	R			From: Cul-de-Sac					NA			NA		11/14/2005
						To: 88-681 Lorraine Ave										
(1371) Hilltop Court	0.05	60	R			From: Cul-de-Sac					NA			NA		11/14/2005
						To: 88-1370 Ann Davis Dr										
(1372) South Fulton	0.25	130	R			From: 88-1368					NA			NA		01/05/2011
						To: 88-1373 Pittston Rd										
(1373) Pittston Rd	0.23	390	R			From: Cul-de-Sac					NA			NA		12/14/2010
						To: 88-1372 South Fulton										
(1373) Pittston Rd	0.09	230	R			From: 88-1369 Sharon Springs Dr					NA			NA		01/05/2011
						To: 88-1368										
(1374) New Scotland Dr	0.27	890	R			From: 88-1368					NA			NA		12/14/2010
						To: 88-609 Jim Morris Rd										
(1375) Wilburn Dr	0.29	1300	R			From: 88-694 Heatherstone Dr					NA			NA		09/27/2010
						To: 88-1380										
(1376) Milestone Dr	0.30	570	R			From: 88-1375					NA			NA		09/27/2010
						To: 88-1381 Clover Dr										
(1377) Meekins Dr	0.29	1800	R			From: 88-1376					NA			NA		09/27/2010
						To: 88-1382										
(1378) Brimstone Dr	0.18	110	R			From: 88-1375					NA			NA		09/27/2010
						To: 88-1377										
(1379) N Rockcreek Dr	0.20	140	R			From: 88-1380					NA			NA		09/27/2010
						To: 88-1380										
(1380) Dewberry Dr	0.66	160	R			From: 88-1375					NA			NA		09/27/2010
						To: Cul-de-Sac										
(1381) Clover Dr	0.42	100	R			From: 88-1375					NA			NA		09/27/2010
						To: Cul-de-Sac										
(1382) Wills Way	0.08	2700	R			From: 88-1377					NA			NA		09/27/2010
						To: 88-639 Bragg Rd										
(1383)	0.30	260	R			From: 88-636 Mine Rd					NA			NA		09/26/2002
						To: Dead End										
(1384) Abbey Lane	0.29	210	R			From: 88-1385 W, Windsor Dr					NA			NA		11/30/2010
						To: 88-1385 E, Windsor Dr										
(1385) Windsor Dr	0.51	1000	R			From: 88-1389 Ascot Circle					NA			NA		11/30/2010
						To: 88-639 Leavells Rd										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
1386 Cathedral Dr	0.18	190	R								NA			NA		11/14/2005
1387 Loriella Park Dr	0.64	1200	R								NA			NA		11/30/2010
1388 Westminster Ct	0.05	45	R								NA			NA		11/14/2005
1389 Ascot Circle	0.46	190	R								NA			NA		11/30/2010
1389 Ascot Cir	0.06	430	R								NA			NA		01/04/2011
1389 Ascot Circle	0.30	730	R								NA			NA		11/30/2010
1390 Broadfield Lane	0.35	100	R								NA			NA		12/06/2010
1392 Longview Lane	0.09	90	R								NA			NA		12/06/2010
1393	0.12	100	R								NA			NA		11/04/2002
1394	0.17	70	R								NA			NA		11/04/2002
1395 Park Dr	0.23	930	R								NA			NA		12/08/2010
1396 Freedom Court	0.13	470	R								NA			NA		12/08/2010
1397 Watford Lane	0.38	820	R								NA			NA		01/05/2011
1397 Watford Lane	0.26	420	R								NA			NA		01/05/2011
1398 Ashland Ct	0.04	30	R								NA			NA		09/30/2002
1399 Surry Woods Ct	0.05	NA									NA			NA		
1399 Surry Woods Ct	0.29	200	R								NA			NA		11/30/2010
1400	0.15	170	R								NA			NA		08/21/2002
1401 Wild Turkey Dr	0.20	1900	R								NA			NA		12/08/2010
1401 Wild Turkey Dr	0.09	1600	R								NA			NA		12/08/2010

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1401) Wild Turkey Dr	0.08	1100	R			From 88-1403 Bluebird Lane					NA			NA		12/08/2010
(1401) Wild Turkey Dr	0.06	870	R			To 88-1406 Redbird Lane					NA			NA		12/08/2010
(1401) Wild Turkey Dr	0.17	540	R			From 88-1408 Mockingbird Lane					NA			NA		12/08/2010
(1401) Wild Turkey Dr	0.13	170	R			To 88-1417 Bobwhite Lane					NA			NA		01/04/2011
(1401) Wild Turkey Dr						From 88-1405 Meadowlark Lane										
(1402) Robin Lane	0.10	280	R			To 88-1401 Wild Turkey Dr					NA			NA		12/08/2010
(1402) Robin Lane	0.06	80	R			From 88-1404 Woodcock Lane					NA			NA		08/01/2005
(1402) Robin Lane						To Dead End										
(1403) Bluebird Lane	0.08	270	R			From 88-1421					NA			NA		08/21/2002
(1403) Bluebird Lane	0.06	190	R			To 88-1423					NA			NA		12/08/2010
(1403) Bluebird Lane	0.09	340	R			From 88-1401 Wild Turkey Dr					NA			NA		12/08/2010
(1403) Bluebird Lane	0.06	80	R			To 88-1405 Meadowlark Lane					NA			NA		12/08/2010
(1403) Bluebird Lane	0.04	30	R			From 88-1404 Woodcock Lane					NA			NA		08/01/2005
(1403) Bluebird Lane						To Dead End										
(1404) Woodcock Lane	0.07	220	R			From 88-1402 Robin Lane					NA			NA		12/08/2010
(1404) Woodcock Lane	0.19	70	R			To 88-1403 Bluebird Lane					NA			NA		12/08/2010
(1404) Woodcock Lane						From 88-1408 Mockingbird Lane										
(1405) Meadowlark Lane	0.10	70	R			To Cul-de-Sac					NA			NA		01/04/2011
(1405) Meadowlark Lane	0.14	140	R			From 88-1421					NA			NA		01/04/2011
(1405) Meadowlark Lane	0.10	170	R			To 88-1400					NA			NA		01/04/2011
(1405) Meadowlark Lane	0.07	90	R			From 88-1417 Bobwhite Lane					NA			NA		01/04/2011
(1405) Meadowlark Lane	0.11	90	R			To 88-1418 Goldfinch Circle					NA			NA		01/04/2011
(1405) Meadowlark Lane	0.12	110	R			From 88-1401 Wild Turkey Dr					NA			NA		01/04/2011
(1405) Meadowlark Lane	0.08	90	R			To 88-1408 Mockingbird Lane					NA			NA		12/09/2010
(1405) Meadowlark Lane	0.11	190	R			From 88-1406 Redbird Lane					NA			NA		12/09/2010
(1405) Meadowlark Lane	0.05	60	R			To 88-1403 Bluebird Lane					NA			NA		12/08/2010
(1405) Meadowlark Lane						From Cul-de-Sac										
(1406) Redbird Lane	0.07	230	R			To 88-1401 Wild Turkey Dr					NA			NA		12/09/2010
(1406) Redbird Lane						From 88-1407 Raven Circle										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1406) Redbird Lane	0.12	60	R								NA		NA			12/09/2010
(1407) Raven Circle	0.04	40	R								NA		NA			08/01/2005
(1408) Mockingbird Lane	0.26	300	R								NA		NA			12/08/2010
(1408) Mockingbird Lane	0.06	120	R								NA		NA			01/04/2011
(1408) Mockingbird Lane	0.06	80	R								NA		NA			12/08/2010
(1409) Sparrow Lane	0.03	48	R								NA		NA			08/01/2005
(1410) Spotslee Dr	0.09	310	R								NA		NA			01/13/2011
(1410) Spotslee Dr	0.05	360	R								NA		NA			01/13/2011
(1410) Spotslee Dr	0.12	610	R								NA		NA			01/13/2011
(1410) Spotslee Dr	0.09	1100	R								NA		NA			01/13/2011
(1411)	0.07	80	R								NA		NA			08/21/2002
(1412) Cooper St	0.16	100	R								NA		NA			01/13/2011
(1412) Cooper St	0.14	180	R								NA		NA			01/13/2011
(1413)	0.08	80	R								NA		NA			08/21/2002
(1414) Hardee St	0.06	190	R								NA		NA			01/13/2011
(1414) Hardee St	0.21	170	R								NA		NA			01/13/2011
(1414) Hardee St	0.09	490	R								NA		NA			01/13/2011
(1415) Hampton Dr	0.06	80	R								NA		NA			01/13/2011
(1415) Hampton Dr	0.28	140	R								NA		NA			01/13/2011
(1416) Polk Dr	0.05	70	R								NA		NA			01/13/2011
(1416) Polk Dr	0.10	120	R								NA		NA			01/13/2011

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1416) Polk Dr	0.04	240	R			From: 88-1435					NA		NA			01/13/2011
						To: 88-1414										
(1417) Bobwhite Lane	0.12	240	R			From: 88-1401 Wild Turkey Dr					NA		NA			01/04/2011
						To: 88-1405 Meadowlark Lane										
(1418) Goldfinch Circle	0.04	45	R			From: Cul-de-Sac					NA		NA			08/01/2005
						To: 88-1405 Meadowlark Lane										
(1419) Judiciary Dr	0.24	240	R			From: 88-613 Brock Rd					NA		NA			12/06/2010
						To: Cul-de-Sac										
(1420) Battle Park Dr	0.52	190	R			From: Dead End					NA		NA			01/19/2011
						To: 88-608 Massaponax Church Rd										
(1421) Plantation Forest Dr	1.43	1500	R			From: SR 208 Courthouse Rd					NA		NA			01/19/2011
						To: Cul-de-Sac										
(1422)	0.08	100	R			From: 88-1421					NA		NA			08/21/2002
						To: Cul-de-Sac										
(1423)	0.09	140	R			From: 88-1403 Bluebird Lane					NA		NA			08/21/2002
						To: Cul-de-Sac										
(1424) Pool Dr	0.07	300	R			From: Cul-de-Sac					NA		NA			01/19/2011
						To: 88-1425										
(1424) Pool Dr	0.19	350	R			From: 88-613 Brock Rd					NA		NA			01/19/2011
						To: 88-1424										
(1425) Crestar Dr	0.09	490	R			From: 88-1424					NA		NA			01/19/2011
						To: SR 208 Courthouse Rd										
(1426)	0.08	150	R			From: 88-1421					NA		NA			08/21/2002
						To: Cul-de-Sac										
(1427)	0.08	70	R			From: 88-1421					NA		NA			08/21/2002
						To: Cul-de-Sac										
(1428) Gibbs Dr	0.48	180	R			From: 88-606 Morris Rd					NA		NA			01/19/2011
						To: Cul-de-Sac										
(1429) Fisher Dr	0.42	170	R			From: 88-606 Morris Rd					NA		NA			01/19/2011
						To: Cul-de-Sac										
(1430) Shade Tree Lane	0.24	300	R			From: Cul-de-Sac					NA		NA			01/05/2011
						To: 88-722 Tanglewood Rd										
(1430) Shade Tree Lane	0.17	100	R			From: 88-722 Tanglewood Rd					NA		NA			09/16/2002
						To: Cul-de-Sac										
(1431) Salem Run Rd	0.46	680	R			From: 88-639 S. Salem Church Rd					NA		NA			10/25/2010
						To: 88-639; 88-1114 NORTH										
(1432) Armand Ct	0.07	80	R			From: Cul-de-Sac					NA		NA			08/21/2002
						To: 88-1421										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1433) Bayberry Lane	0.17	210	R								NA		NA			01/04/2011
(1434) Gayle Ct	0.20	30	R								NA		NA			01/19/2011
(1435)	0.09	60	R								NA		NA			08/21/2002
(1436)	0.05	70	R								NA		NA			08/21/2002
(1437) General Dr	0.15	380	R								NA		NA			01/13/2011
(1437) General Dr	0.20	180	R								NA		NA			01/13/2011
(1437) General Dr	0.21	50	R								NA		NA			01/13/2011
(1438) Godwin Dr	0.09	110	R								NA		NA			01/19/2011
(1439) Stanley Court	0.09	70	R								NA		NA			01/19/2011
(1440) Berkshire Lane	0.71	640	R								NA		NA			01/04/2011
(1441) Arabian Trl	0.38	270	R								NA		NA			01/04/2011
(1442) Morgan Lane	0.47	190	R								NA		NA			01/04/2011
(1443)	0.15	90	R								NA		NA			09/16/2002
(1444) Mustang Court	0.13	40	R								NA		NA			11/02/2005
(1445) Cherry Blossom Lane	0.25	100	R								NA		NA			01/19/2011
(1446) Appaloosa Dr	0.40	240	R								NA		NA			01/04/2011
(1447) Palorino Ct	0.19	80	R								NA		NA			01/04/2011
(1448)	0.06	30	R								NA		NA			09/16/2002
(1449) Castlebridge Rd	0.13	1200	R								NA		NA			10/25/2010

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1450) Jeans Dr	0.19	340	R								NA		NA			01/05/2011
(1451) Lando Dr	0.07	30	R								NA		NA			08/01/2005
(1451) Lando Dr	0.10	280	R								NA		NA			01/05/2011
(1452) Stephen Dr	0.04	8	R								NA		NA			08/01/2005
(1452) Stephen Dr	0.14	180	R								NA		NA			01/05/2011
(1452) Stephen Dr	0.20	60	R								NA		NA			08/01/2005
(1453) Marc Dr	0.17	120	R								NA		NA			01/05/2011
(1454) Ronnie Court	0.04	20	R								NA		NA			08/01/2005
(1455) Taverneer Lane	0.13	180	R								NA		NA			01/19/2011
(1455) Tavarneer Lane	0.32	500	R								NA		NA			01/19/2011
(1456) East Point Circle	0.07	70	R								NA		NA			10/31/2005
(1457) Cloverhill Rd	0.15	490	R								NA		NA			01/04/2011
(1457) Cloverhill Rd	0.36	350	R								NA		NA			01/04/2011
(1457) Cloverhill Rd	0.16	160	R								NA		NA			01/04/2011
(1457) Coverhill Rd	0.16	70	R								NA		NA			08/03/2005
(1458) Sourwood Court	0.38	120	R								NA		NA			01/04/2011
(1459) Pioneer Court	0.16	40	R								NA		NA			08/03/2005
(1460) Cloverhill Court	0.14	60	R								NA		NA			08/03/2005
(1461) Wexwood Ct	0.04	170	R								NA		NA			01/04/2011
(1462) North Point Dr	0.27	70	R								NA		NA			01/04/2011
(1462) North Point Dr	0.29	190	R								NA		NA			01/04/2011

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1462) Larkin Chew Rd	0.28	1200	R								NA			NA		01/04/2011
(1463) Yakama Trail	0.27	90	R								NA			NA		01/04/2011
(1464)	0.13	40	R								NA			NA		10/21/2002
(1464)	0.12	40	R								NA			NA		10/21/2002
(1465) Collingwood Court	0.14	130	R								NA			NA		10/25/2010
(1466)	0.05	30	R								NA			NA		11/12/2002
(1467) Danielle Dr	0.49	620	R								NA			NA		10/25/2010
(1468) Alicia Ct	0.11	90	R								NA			NA		10/28/2002
(1469) Ashbrook Ct	0.05	40	R								NA			NA		11/13/2002
(1469) Ashbrook Ct	0.06	NA									NA			NA		
(1470) Bloomsbury Lane	0.11	40	R								NA			NA		08/29/2005
(1470) Bloomsbury Lane	0.10	140	R								NA			NA		12/06/2010
(1470) Bloomsbury Lane	0.21	300	R								NA			NA		12/06/2010
(1470) Bloomsbury Lane	1.39	970	R								NA			NA		12/06/2010
(1471)	0.10	100	R								NA			NA		08/05/2002
(1472)	0.09	70	R								NA			NA		08/05/2002
(1473) Trisler Dr	0.22	370	R								NA			NA		10/27/2010
(1474) Griffith Way	0.34	480	R								NA			NA		10/27/2010
(1475) Salem Station Blvd	0.86	2000	R								NA			NA		11/30/2010
(1476) Castle Court	0.08	70	R								NA			NA		11/14/2005

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1477) Queens Mill Circle	0.43	210	R								NA			NA		11/30/2010
(1478) Regal Court	0.10	110	R								NA			NA		11/14/2005
(1479) Crown Court	0.09	80	R								NA			NA		11/14/2005
(1480) Prince Court	0.07	80	R								NA			NA		11/14/2005
(1481) Cheshire Court	0.07	90	R								NA			NA		11/14/2005
(1482) Yorkshire Court	0.11	110	R								NA			NA		11/14/2005
(1483) Barrister Court	0.24	80	R								NA			NA		12/06/2010
(1484)	0.07	30	R								NA			NA		11/12/2002
(1485) Sunkist Court	0.04	40	R								NA			NA		11/07/2005
(1486) Courthouse Commons Blvd	0.37	140	R								NA			NA		01/19/2011
(1487) Commons Circle	0.22	110	R								NA			NA		01/19/2011
(1488) Aldrich Ct	0.09	10	R								NA			NA		10/29/2002
(1489) Market St	0.21	11000	R								NA			NA		01/19/2011
(1490) Valley View Rd	0.27	110	R								NA			NA		11/14/2005
(1491) Dapple Grey Court	0.04	40	R								NA			NA		11/14/2005
(1492) Inglewood Dr	0.19	290	R								NA			NA		11/14/2005
(1493) Courtland Lane	0.13	170	R								NA			NA		11/14/2005
(1494) Woods Court	0.06	40	R								NA			NA		11/14/2005
(1495) Rodeo Court	0.06	70	R								NA			NA		11/14/2005

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1496) Chinaberry Court	0.17	110	R								NA			NA		11/14/2005
(1497) Carmine Circle	0.06	60	R								NA			NA		11/14/2005
(1498) Abingdon Court	0.22	70	R								NA			NA		10/25/2010
(1499) Halifax Court	0.07	130	R								NA			NA		10/25/2010
(1501) Valentine Dr	0.43	80	R								NA			NA		01/19/2011
(1501) Valentine Dr	0.07	110	R								NA			NA		01/19/2011
(1502) Katy Ber Dr	0.11	20	R								NA			NA		01/19/2011
(1503) Waddell Rd	0.11	10	R								NA			NA		10/24/2005
(1504) Pierson Dr	0.33	810	R								NA			NA		01/25/2011
(1505) Oakwood Dr	0.15	80	R								NA			NA		11/03/2010
(1505) Oakwood Dr	0.43	40	R								NA			NA		11/03/2010
(1506) Parkwood Circle	0.16	30	R								NA			NA		09/26/2005
(1507) Cedar Lane	0.10	30	R								NA			NA		09/26/2005
(1508)	0.13	10	R								NA			NA		10/03/2002
(1509) Ballston Rd	0.19	60	R								NA			NA		12/08/2008
(1510) Oak Crest Dr	0.40	360	R								NA			NA		01/19/2011
(1510) Oak Crest Dr	0.47	180	R								NA			NA		01/19/2011
(1511)	0.11	70	R								NA			NA		11/07/2002
(1511) Cypress Court	0.45	100	R								NA			NA		01/19/2011
(1512) Harris Mill Court	0.29	510	R								NA			NA		10/05/2005

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
1513	Carriage Way Lane	0.15	280	R								NA		NA		10/05/2005
1514	Gunnery Hill Rd	0.96	150	R								NA		NA		01/19/2011
1515	Oxbow Court	0.08	90	R								NA		NA		10/05/2005
1515	Oxbow Court	0.06	NA									NA		NA		
1516	Lakes Ridge Way	0.24	50	R								NA		NA		11/03/2010
1517	Lake Point Dr	0.66	110	R								NA		NA		11/03/2010
1518	Ventura Lane	0.24	190	R								NA		NA		09/20/2010
1519	Argall Lane	0.10	40	R								NA		NA		09/20/2010
1520	Billman Dr	0.20	60	R								NA		NA		01/24/2011
1521	Eustace Dr	0.28	46	R								NA		NA		01/24/2011
1521	Eustace Dr	0.06	30	R								NA		NA		11/07/2002
1522	Bricken Lane	0.08	130	R								NA		NA		10/27/2005
1522	Bricken Lane	0.12	NA									NA		NA		
1523	Little River Dr	0.12	140	R								NA		NA		10/27/2005
1524	Purley Dr	0.09	80	R								NA		NA		10/27/2005
1525	Morning Glory Dr	0.03	30	R								NA		NA		10/24/2005
1525	Morning Glory Dr	0.38	130	R								NA		NA		01/19/2011
1526	Dukes Dr	0.27	60	R								NA		NA		01/19/2011
1527	South Woods Dr	1.00	450	R								NA		NA		01/05/2011
1528	Bridlepath Ct	0.22	90	R								NA		NA		01/05/2011

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1528)	0.18	NA					From: 88-1527				NA			NA		
							To: Cul-de-Sac									
(1529)	0.12	90	R				From: Cul-de-Sac				NA			NA		10/21/2002
							To: 88-1527									
(1530) Noranda Dr	0.41	40	R				From: Cul-de-Sac				NA			NA		11/03/2010
							To: 88-612 Stubbs Bridge Rd									
(1531) Anna Rd	0.10	20	R				From: Cul-de-Sac				NA			NA		11/03/2010
							To: 88-612 Stubbs Bridge Rd									
(1532) Duchess Dr	0.27	150	R				From: Cul-de-Sac				NA			NA		10/05/2005
							To: 88-1533 Chivalry Dr									
(1532) Duchess Dr	0.19	140	R				From: 88-1533 Chivalry Dr				NA			NA		10/05/2005
							To: Cul-de-Sac									
(1533) Chivalry Dr	0.05	49	R				From: 88-1344 Kingswood Blvd				NA			NA		01/19/2011
							To: 88-1532 Duchess Dr									
(1534)	0.10	30	R				From: Dead End				NA			NA		10/03/2002
							To: 88-719 Days Bridge Rd									
(1535) September Dr	0.37	40	R				From: Cul-de-Sac				NA			NA		11/03/2010
							To: 88-719 Days Bridge Rd									
(1536) Heth Dr	0.09	60	R				From: 88-1540 Julian Lane				NA			NA		11/03/2010
							To: 88-1539 Ruth Lane									
(1536) Heth Dr	0.15	90	R				From: 88-1539 Ruth Lane				NA			NA		11/03/2010
							To: 88-1538 Bryn Lane									
(1536) Heth Dr	0.20	160	R				From: 88-1538 Bryn Lane				NA			NA		11/03/2010
							To: 88-1537 Connie Lane									
(1536) Heth Dr	0.31	180	R				From: 88-1537 Connie Lane				NA			NA		11/03/2010
							To: 88-719 Days Bridge Rd									
(1537) Connie Lane	0.18	50	R				From: 88-1536 Heth Drive				NA			NA		09/26/2005
							To: Cul-de-Sac									
(1538) Bryn Lane	0.20	45	R				From: 88-1536 Heth Drive				NA			NA		09/26/2005
							To: Cul-de-Sac									
(1539) Ruth Lane	0.22	20	R				From: 88-1536 Heth Drive				NA			NA		11/03/2010
							To: 88-1540 Julian Lane									
(1539) Ruth Lane	0.05	10	R				From: 88-1540 Julian Lane				NA			NA		09/26/2005
							To: Cul-de-Sac									
(1540) Julian Lane	0.28	40	R				From: 88-1536 Heth Dr				NA			NA		11/03/2010
							To: 88-1539 Ruth Lane									
(1541)	0.16	70	R				From: Cul-de-Sac				NA			NA		10/03/2002
							To: 88-719									
(1542) Bills Rd	0.12	190	R				From: 88-719 Days Bridge Rd				NA			NA		11/03/2010
							To: 88-1543 Eds Rd									

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1542) Bills Rd	0.32	100	R								NA		NA			11/03/2010
(1543) Eds Rd	0.46	100	R								NA		NA			11/03/2010
(1544) Logan Heights Circle	0.85	40	R								NA		NA			11/05/2009
(1545) Windway Dr	0.62	80	R								NA		NA			11/04/2010
(1546) Windy Hill Ct	0.12	10	R								NA		NA			09/26/2005
(1548) Bellevue Court	0.10	110	R								NA		NA			10/19/2005
(1549) Heriot Row Court	0.14	80	R								NA		NA			10/19/2005
(1550) Whitfield Lane	0.28	60	R								NA		NA			01/19/2011
(1551) Lakeside Woods Dr	0.17	50	R								NA		NA			01/19/2011
(1552) Laken Woods Dr	0.06	30	R								NA		NA			10/08/2002
(1552) Laken Woods Dr	0.06	40	R								NA		NA			10/08/2002
(1553) Commons Court	0.05	60	R								NA		NA			10/05/2005
(1554) Monarch Court	0.05	60	R								NA		NA			10/05/2005
(1555) Waterford Dr	1.63	260	R								NA		NA			08/01/2005
(1556) Lismore Lane	0.17	49	R								NA		NA			08/01/2005
(1557) Tranquility Court	0.13	40	R								NA		NA			08/01/2005
(1558) Harvest Glen Court	0.12	100	R								NA		NA			10/05/2005
(1559) Integrity Court	0.11	90	R								NA		NA			10/05/2005
(1560) Raynold Court	0.10	60	R								NA		NA			11/09/2005

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1561) Doran Rd	0.23	100	R								NA		NA			07/12/2010
(1562) Copperleaf Rd	0.08	130	R								NA		NA			07/12/2010
(1563) Hazel Court	0.16	70	R								NA		NA			09/28/2010
(1563) Hazel Court	0.31	280	R								NA		NA			07/12/2010
(1564)	0.04	30	R								NA		NA			1999
(1564)	0.24	80	R								NA		NA			1999
(1564) Glen Eagles Dr	0.07	300	R								NA		NA			07/12/2010
(1564) Glen Eagles Dr	0.16	630	R								NA		NA			07/12/2010
(1564) Glen Eagles Dr	0.32	180	R								NA		NA			09/28/2010
(1564)	0.05	120	R								NA		NA			1999
(1564) Glen Eagles Dr	0.24	170	R								NA		NA			09/28/2010
(1565) Sawgrass Lane	0.16	180	R								NA		NA			09/28/2010
(1565) Sawgrass Lane	0.15	690	R								NA		NA			09/28/2010
(1566)	0.05	40	R								NA		NA			11/12/2002
(1567) Innisbrook Circle	0.25	250	R								NA		NA			09/28/2010
(1568) Inverary Dr	0.20	260	R								NA		NA			07/12/2010
(1569)	0.09	20	R								NA		NA			1999
(1571)	0.08	80	R								NA		NA			08/05/2002
(1572) Ashley Ct	0.09	70	R								NA		NA			08/05/2002
(1573)	0.09	45	R								NA		NA			08/05/2002
(1573)	0.09	NA									NA		NA			

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1574) Hillwood Court	0.19	90	R								NA			NA		08/29/2005
(1575) Pineberry Court	0.04	60	R								NA			NA		08/29/2005
(1576)	0.06	80	R								NA			NA		1999
(1577)	0.06	80	R								NA			NA		1999
(1578)	0.06	70	R								NA			NA		1999
(1579)	0.06	80	R								NA			NA		1999
(1580)	0.12	120	R								NA			NA		1999
(1580) Queensbury Circle	0.57	110	R								NA			NA		01/19/2011
(1580)	0.09	130	R								NA			NA		09/25/2002
(1581)	0.11	80	R								NA			NA		1999
(1581)	0.16	150	R								NA			NA		09/25/2002
(1582)	0.04	80	R								NA			NA		1999
(1583)	0.08	120	R								NA			NA		1999
(1583)	0.04	40	R								NA			NA		1999
(1584) Alton Ct	0.04	40	R								NA			NA		10/05/2005
(1584) Alton Ct	0.05	60	R								NA			NA		10/05/2005
(1585)	0.20	180	R								NA			NA		1999
(1585) New Bond St	0.13	290	R								NA			NA		01/19/2011
(1585)	0.06	80	R								NA			NA		1999
(1586)	0.06	60	R								NA			NA		1999

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1587)	0.05	50	R								NA			NA		1999
(1588) Ropers Run	0.04	20	R								NA			NA		10/24/2005
(1588) Ropers Run	0.06	30	R								NA			NA		01/19/2011
(1589) Waterside Dr	0.33	20	R								NA			NA		01/19/2011
(1590) Ballantraye Dr	0.20	4000	R								NA			NA		12/08/2010
(1591) Horseshoe Bend Dr	0.21	30	R								NA			NA		10/24/2005
(1592) Heritage Hills Circle	0.75	930	R								NA			NA		09/20/2010
(1593) Old Dickerson's Rd	0.49	120	R								NA			NA		11/02/2010
(1594) Drummers Lane	0.16	30	R								NA			NA		09/26/2005
(1594) Drummers Lane	0.11	20	R								NA			NA		09/26/2005
(1595) Castaway Beach Lane	0.18	10	R								NA			NA		09/26/2005
(1596) Deer Hill Rd	0.14	20	R								NA			NA		09/26/2005
(1597) Sugar Hollow	0.19	20	R								NA			NA		11/02/2010
(1598) Hidden Brook	0.17	40	R								NA			NA		09/26/2005
(1599) Edgewood Dr	0.05	6	R								NA			NA		09/26/2005
(1601) Winewood Dr	0.17	130	R								NA			NA		10/06/2010
(1601) Winewood Dr	0.40	680	R								NA			NA		10/06/2010
(1602) Small Court	0.03	40	R								NA			NA		08/08/2005
(1603) Maplewood Dr	0.07	80	R								NA			NA		08/08/2005
(1603) Maplewood Dr	0.07	220	R								NA			NA		10/06/2010

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
1603	Maplewood Dr	0.06	140	R							NA			NA		10/06/2010
1603	Maplewood Dr	0.07	70	R							NA			NA		10/06/2010
1603	Maplewood Dr	0.07	110	R							NA			NA		10/06/2010
1604	Oakdale Court	0.05	40	R							NA			NA		08/08/2005
1605	Birchwood Court	0.06	60	R							NA			NA		08/08/2005
1606	Ashwood Ct	0.08	90	R							NA			NA		08/08/2005
1607	Cherrywood Dr	0.07	290	R							NA			NA		10/06/2010
1607	Cherrywood Dr	0.12	380	R							NA			NA		10/06/2010
1608	Timberwood Rd	0.07	80	R							NA			NA		08/08/2005
1609	Rolling Ridge Dr	0.28	130	R							NA			NA		11/05/2009
1610	Beechplum Rd	0.14	60	R							NA			NA		10/18/2010
1611		0.04	10	R							NA			NA		09/30/2002
1612	Brittany Commons Blvd	0.28	2900	R							NA			NA		12/06/2010
1613	OBryant Ct	0.12	170	R							NA			NA		01/04/2011
1614		0.05	40	R							NA			NA		11/04/2002
1615	Overview Dr	0.81	630	R							NA			NA		01/19/2011
1616	Ardwick Circle	0.34	120	R							NA			NA		01/19/2011
1617		0.03	60	R							NA			NA		09/30/2002
1618		0.08	70	R							NA			NA		09/30/2002

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1619)	0.08	110	R				88-1615				NA			NA		09/30/2002
							Cul-de-Sac									
(1620) Fox Gate Dr	0.26	720	R				SR 3 Plank Rd				NA			NA		11/02/2010
							88-1621 Fox Gate Lane									
(1621) Fox Gate Lane	0.98	560	R				88-1620 Fox Gate Dr				NA			NA		11/02/2010
							Cul-de-Sac									
(1622)	0.19	200	R				88-1621 Fox Gate Lane				NA			NA		10/28/2002
							Cul-de-Sac									
(1623) Bridlerain Court	0.19	100	R				88-1621 Fox Gate Lane				NA			NA		10/03/2005
							Cul-de-Sac									
(1624) Pelham Dr	0.07	350	R				88-621 Orange Plank Rd				NA			NA		10/05/2010
							88-1625 Dana Ct									
(1624) Pelham Dr	0.10	250	R				88-1626 Tracy Lane				NA			NA		10/05/2010
							88-1627 Kelsey Cir									
(1624) Pelham Dr	0.11	190	R				88-1624 Pelham Dr				NA			NA		08/08/2005
							Cul-de-Sac									
(1625) Dana Ct	0.13	45	R				88-1624 Pelham Dr				NA			NA		08/08/2005
							88-1624 Pelham Dr									
(1626) Tracy Lane	0.11	40	R				88-1624 Pelham Dr				NA			NA		08/08/2005
							Cul-de-Sac									
(1627) Kelsey Circle	0.13	48	R				88-621 Orange Plank Rd				NA			NA		08/08/2005
							Cul-de-Sac									
(1628) Kirk Lane	0.17	50	R				88-621 Orange Plank Rd				NA			NA		08/08/2005
							Cul-de-Sac									
(1629) West Lake Circle	0.12	40	R				88-608 Massaponax Church Rd				NA			NA		08/08/2005
							Cul-de-Sac									
(1630) Rising Sun Rd	0.29	230	R				88-1631				NA			NA		01/19/2011
							88-1632									
(1631) Surry Rd	0.47	80	R				Dead End				NA			NA		01/19/2011
							Cul-de-Sac									
(1632)	0.08	20	R				88-1631				NA			NA		09/16/2002
							Cul-de-Sac									
(1632)	0.16	46	R				88-1621 Fox Gate Lane				NA			NA		09/16/2002
							Cul-de-Sac									
(1633)	0.18	70	R				88-1621 Fox Gate Lane				NA			NA		10/29/2002
							Cul-de-Sac									
(1634)	0.19	60	R				88-1621 Fox Gate Lane				NA			NA		10/29/2002
							Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1635)	0.09	40	R								NA			NA		09/16/2002
(1636) Jenny Lane	0.49	240	R								NA			NA		01/04/2011
(1637) Forrest Glen Circle	0.17	60	R								NA			NA		01/04/2011
(1638) South Branch Rd	0.65	890	R								NA			NA		01/04/2011
(1639)	0.06	60	R								NA			NA		09/16/2002
(1640) Edinburgh Dr	0.98	680	R								NA			NA		12/06/2010
(1641) Coventry Ct	0.11	160	R								NA			NA		09/19/2002
(1642) Dover Ct	0.05	130	R								NA			NA		09/19/2002
(1643) South Oaks Ave	0.21	80	R								NA			NA		01/04/2011
(1643) South Oaks Ave	0.08	530	R								NA			NA		01/04/2011
(1643) South Oaks Ave	0.06	600	R								NA			NA		01/04/2011
(1643) South Oaks Ave	0.05	790	R								NA			NA		01/04/2011
(1643) South Oaks Ave	0.09	880	R								NA			NA		01/04/2011
(1643) South Oaks Ave	0.07	1000	R								NA			NA		01/04/2011
(1643) South Oaks Ave	0.03	1200	R								NA			NA		01/04/2011
(1644) Lesley Court	0.17	160	R								NA			NA		08/15/2005
(1644) Lesley Court	0.06	60	R								NA			NA		08/15/2005
(1645) Southfork Court	0.16	140	R								NA			NA		08/15/2005
(1646) Oak Glen Court	0.07	80	R								NA			NA		08/03/2005
(1646) Oak Glen Court	0.13	140	R								NA			NA		08/03/2005
(1647) Glenmont Dr	0.04	220	R								NA			NA		01/04/2011

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1647) Glenmont Dr	0.10	240	R			From 88-1648 Veld Court					NA		NA			01/04/2011
						To 88-1643 South Oaks Ave										
(1648) Veld Court	0.08	90	R			From Cul-de-Sac					NA		NA			08/03/2005
						To 88-1647										
(1649) South Oaks Court	0.06	60	R			From Cul-de-Sac					NA		NA			08/03/2005
						To 88-1643 South Oaks Ave										
(1650) Holleybrooke Dr	0.97	2900	R			From 88-628 Smith Station Rd					NA		NA			12/07/2010
						To Cul-de-Sac										
(1651) Cobblestone Dr	0.16	1100	R			From 88-628 Smith Station Rd					NA		NA			12/08/2008
(1651) Cobblestone Dr	0.06	790	R			From 88-1652 NORTH					NA		NA			12/08/2008
(1651) Cobblestone Dr	0.60	270	R			From 88-1653					NA		NA			12/08/2008
						To 88-1653										
(1652) Heatherwood Dr	0.57	130	R			From 88-1650 Holleybrooke Dr					NA		NA			12/07/2010
						To End Loop										
(1653)	0.04	48	R			From Cul-de-Sac					NA		NA			1999
(1653) Chesterwood Dr	0.14	170	R			From 88-1666					NA		NA			12/07/2010
(1653) Chesterwood Dr	0.14	330	R			From 88-1651 NORTH					NA		NA			12/07/2010
(1653) Chesterwood Dr	0.10	120	R			From 88-1651					NA		NA			12/07/2010
(1653) Chesterwood Dr	0.07	180	R			From 88-1655 Maple Ridge Dr					NA		NA			12/07/2010
(1653) Chesterwood Dr	0.21	770	R			From 88-1650					NA		NA			12/07/2010
(1653) Chesterwood Dr	0.09	480	R			From 88-1662					NA		NA			12/07/2010
(1653) Chesterwood Dr	0.07	430	R			From 88-1663					NA		NA			12/07/2010
(1653) Chesterwood Dr	0.09	310	R			From 88-1664					NA		NA			12/07/2010
(1653) Chesterwood Dr	0.20	200	R			From 88-1658 Cedar Post Lane					NA		NA			12/07/2010
(1654)	0.10	NA				From Cul-de-Sac					NA		NA			
						To 88-635 Lee Hill School Dr										
(1655) Maple Ridge Dr	0.41	120	R			From 88-1653					NA		NA			12/07/2010
						To 88-1658 Cedar Post Lane										
(1656) Bentwood Court	0.04	40	R			From Cul-de-Sac					NA		NA			11/09/2005
						To 88-1655 Maple Ridge Dr										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1657) Whipperwill Court	0.04	48	R			From: 88-1655 Maple Ridge Dr					NA		NA			11/09/2005
						To: Cul-de-Sac										
(1658) Cedar Post Lane	1.02	180	R			From: 88-1653					NA		NA			12/07/2010
						To: Cul-de-Sac										
(1659) Bradford St	0.12	120	R			From: 88-1650					NA		NA			11/09/2005
						To: Cul-de-Sac										
(1660) Heavenwood Court	0.08	70	R			From: 88-1650					NA		NA			11/09/2005
						To: Cul-de-Sac										
(1661) Southridge Ct	0.08	210	R			From: Cul-de-Sac; O.08 MW					NA		NA			11/09/2005
(1661) Southridge Ct	0.16	110	R			From: 88-1658 Cedar Post Lane					NA		NA			11/09/2005
						To: Cul-de-Sac										
(1662) Crestwood Dr	0.13	60	R			From: 88-1653					NA		NA			12/07/2010
(1662) Crestwood Dr	0.18	160	R			From: 88-1663					NA		NA			12/07/2010
(1662) Crestwood Dr	0.24	240	R			From: 88-1658 Cedar Post Lane					NA		NA			12/07/2010
(1662) Crestwood Dr	0.05	110	R			From: 88-1902					NA		NA			12/07/2010
(1662) Crestwood Dr	0.09	60	R			From: 88-1903					NA		NA			12/07/2010
						To: 88-1658 E, Cedar Post Lane										
(1663) Eden Park Dr	0.15	160	R			From: 88-1651					NA		NA			12/08/2008
(1663) Eden Brook Dr	0.09	200	R			From: 88-1650					NA		NA			12/07/2010
(1663) Eden Brook Dr	0.06	60	R			From: 88-1662					NA		NA			12/07/2010
						To: 88-1653										
(1664) Seven Oaks Dr	0.15	80	R			From: 88-1653					NA		NA			12/07/2010
						To: 88-1658; 88-1906										
(1665) Driftwood Lane	0.06	40	R			From: 88-1651 WEST					NA		NA			12/07/2010
						To: 88-1651 EAST										
(1666)	0.06	50	R			From: Cul-de-Sac					NA		NA			11/04/2002
						To: 88-1653										
(1667) Crestfield Lane	0.13	120	R			From: Cul-de-Sac					NA		NA			11/04/2002
(1667) Crestfield Lane	0.21	120	R			From: 88-1668 Autumn Wood Dr					NA		NA			12/01/2010
						To: 88-1678 Silverbrook Dr										
(1668) Autumn Wood Dr	0.09	190	R			From: 88-1677 Springwood Dr					NA		NA			12/01/2010
(1668) Autumn Wood Dr	0.16	500	R			From: Dead End					NA		NA			12/01/2010
						To: 88-1669										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1668) Autumn Wood Dr	0.07	770	R			From: 88-1669					NA		NA			12/01/2010
						To: 88-628; 88-1651										
(1669) Westfield Lane	0.37	100	R			From: 88-1668 Autumn Wood Dr					NA		NA			12/01/2010
						To: 88-1678 Silverbrook Dr										
(1670)	0.21	470	R			From: 88-627 Gordon Rd					NA		NA			08/19/2002
						To: 88-1673										
(1671) Warner Dr	0.23	100	R			From: 88-1670					NA		NA			01/04/2011
						To: 88-1675										
(1672)	0.14	200	R			From: 88-1670					NA		NA			08/19/2002
						To: Cul-de-Sac										
(1673) Roslyn Rd	0.23	130	R			From: 88-1670					NA		NA			01/04/2011
						To: 88-1674										
(1674)	0.17	170	R			From: 88-1673					NA		NA			08/19/2002
						To: Cul-de-Sac										
(1675) Redground Rd	0.21	600	R			From: 88-1673					NA		NA			01/04/2011
						To: 88-627 Gordon Rd										
(1676)	0.07	100	R			From: Cul-de-Sac					NA		NA			11/04/2002
						To: 88-1668 Autumn Wood Dr										
(1677) Springwood Dr	0.07	60	R			From: Cul-de-Sac					NA		NA			08/29/2005
						To: 88-1668 Autumn Wood Dr										
(1677) Springwood Dr	0.12	NA				From: Cul-de-Sac					NA		NA			
						To: Cul-de-Sac										
(1678) Silverbrook Dr	0.29	250	R			From: 88-1609					NA		NA			12/01/2010
						To: 88-628 Smith Station Rd										
(1679) Saxony Circle	0.06	90	R			From: Dead End					NA		NA			08/29/2005
						To: 88-1667										
(1680) Glade Dr	0.63	390	R			From: Cul-de-Sac					NA		NA			09/23/2010
						To: SR 3 Plank Rd										
(1681) Dell Way	0.69	130	R			From: 88-1680					NA		NA			09/23/2010
						To: 88-1680										
(1682) Mindy Court	0.12	130	R			From: 88-1689					NA		NA			10/19/2005
						To: Cul-de-Sac										
(1683) Tatiana Court	0.05	60	R			From: 88-1689					NA		NA			10/19/2005
						To: Cul-de-Sac										
(1684) Timberlake Rd	0.41	260	R			From: 88-2155 Hickory Hill Dr					NA		NA			01/19/2011
						To: 88-1691 Layton St										
(1684) Timberlake Rd	0.29	550	R			From: 88-1615					NA		NA			01/19/2011
						To: 88-1615										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1685) East Glen Dower Dr	0.12	80	R								NA		NA			10/19/2005
(1685) East Glen Dower Dr	0.12	NA									NA		NA			
(1686) Carter Grove Court	0.28	930	R								NA		NA			01/19/2011
(1687)	0.04	40	R								NA		NA			11/07/2002
(1688)	0.23	190	R								NA		NA			11/07/2002
(1689) Carlyle Court	0.70	260	R								NA		NA			01/19/2011
(1690) Heather Greens Circle	0.69	480	R								NA		NA			01/13/2011
(1691) Layton St	0.10	80	R								NA		NA			10/19/2005
(1691) Layton St	0.06	120	R								NA		NA			01/19/2011
(1692) Jansen Ct	0.06	40	R								NA		NA			10/19/2005
(1693) Albert Dr	0.45	110	R								NA		NA			01/19/2011
(1694) Twiford Court	0.07	90	R								NA		NA			10/19/2005
(1695) Andrews Mill Lane	0.20	100	R								NA		NA			01/19/2011
(1696) River Junction Dr	0.88	200	R								NA		NA			10/05/2010
(1697) Gold Mine Court	0.26	40	R								NA		NA			11/07/2005
(1698) Riverview Dr	0.49	80	R								NA		NA			10/05/2010
(1699) Junction Ct	0.12	20	R								NA		NA			11/07/2005
(1700) Dorthy Lane	0.39	110	R								NA		NA			01/24/2011
(1701) Ni River Dr	0.42	70	R								NA		NA			11/09/2010

Virginia Department of Transportation
 Traffic Engineering Division
 2013
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1701) Ni River Dr	0.06	120	R			From: 88-1704 Colise Lane					NA			NA		11/09/2010
(1701) Ni River Dr	0.14	230	R			To: Begin Loop					NA			NA		11/09/2010
(1701) Ni River Dr	0.09	460	R			From: 88-1703 Shaw Dr					NA			NA		11/09/2010
(1701) Ni River Dr	0.14	360	R			To: 88-1702 Marathon Pl					NA			NA		11/09/2010
(1701) Ni River Dr	0.13	520	R			From: 88-1705 Helena Terrace					NA			NA		11/09/2010
(1702) Marathon Pl	0.14	200	R			To: 88-627 Gordon Rd					NA			NA		11/09/2010
(1703) Shaw Dr	0.34	210	R			From: 88-627 Gordon Rd					NA			NA		11/09/2010
(1703) Shaw Dr	0.19	60	R			To: 88-1701 Ni River Dr					NA			NA		11/09/2010
(1704) Colise Lane	0.15	40	R			From: 88-1704 Colise Lane					NA			NA		11/09/2010
(1705) Helena Terrace	0.11	150	R			To: 88-1701 Ni River Dr					NA			NA		11/09/2010
(1705) Helena Terrace	0.13	90	R			From: 88-1706 Beau Court					NA			NA		08/03/2005
(1706) Beau Court	0.06	30	R			To: Cul-de-Sac					NA			NA		08/03/2005
(1707) Mineral Springs Dr	0.10	270	R			From: 88-1705 Helena Terrace					NA			NA		10/05/2010
(1708) Fiths Corps Lane	0.86	100	R			To: Cul-de-Sac					NA			NA		10/05/2010
(1709) Kalmbacks Mill Dr	0.88	140	R			From: 88-1708; 88-1709					NA			NA		10/05/2010
(1710) Hunting Run Dr	0.98	220	R			To: 88-616 US Ford Rd					NA			NA		09/23/2010
(1711) Avocet Way	0.44	270	R			From: 88-1709; 88-1707					NA			NA		10/19/2010
(1712) Cinnamon Teal	0.27	820	R			To: 88-1709					NA			NA		10/19/2010
(1712) Cinnamon Teal	0.46	550	R			From: 88-1708; 88-1707					NA			NA		10/19/2010
(1712) Cinnamon Teal	0.84	230	R			To: 88-1710					NA			NA		11/29/2010
(1713) Pintail Pt	0.35	140	R			From: 88-616 US Ford Rd					NA			NA		10/19/2010
						To: 88-1712 Cinnamon Teal					NA			NA		
						From: 88-625 Ashby Dr					NA			NA		
						To: 88-612 Catharpin Rd					NA			NA		
						From: 88-1712 Cinnamon Teal					NA			NA		
						To: 88-1713					NA			NA		
						From: 88-1723 S. Blue Herron Circle					NA			NA		
						To: 88-625 Ashby Dr					NA			NA		
						From: 88-1712 Cinnamon Teal					NA			NA		
						To: Dead End					NA			NA		

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1714) Cherokee Lane	0.14	270	R				88-613 Brock Rd				NA			NA		11/09/2010
							88-1715 Shawnee Lane									
(1714)	0.36	70	R				88-1715				NA			NA		10/22/2002
							Cul-de-Sac									
(1715) Shawnee Lane	0.90	180	R				88-1714 Cherokee Lane				NA			NA		11/09/2010
							Cul-de-Sac									
(1716) Ashleigh Park Blvd	0.18	1900	R				88-610 Old Plank Rd				NA			NA		10/12/2010
							Dead End									
(1716) Ashleigh Park Blvd	0.05	20	R				88-1753 Stonehenge Dr				NA			NA		09/08/2005
							Dead End									
(1717) Heathrow Dr	0.13	170	R				88-1784 Wales Dr				NA			NA		10/12/2010
							88-1716 Ashleigh Park Blvd									
(1717) Heathrow Dr	0.19	320	R				88-1719 Teeside Dr				NA			NA		10/12/2010
							88-1784 Wales Dr									
(1718) Sterling Dr	0.29	460	R				88-1716 Ashleigh Park Blvd				NA			NA		10/12/2010
							88-1719									
(1718) Sterling Dr	0.11	90	R				88-1716 Ashleigh Park Blvd				NA			NA		10/12/2010
							88-1719									
(1719) Teeside Dr	0.22	60	R				88-1716 Ashleigh Park Blvd				NA			NA		10/12/2010
							88-1717 Heathrow Dr									
(1720) Chapel Hills Dr	0.41	230	R				88-620 Spotswood Furnace Rd				NA			NA		09/20/2010
							88-1722									
(1720)	0.06	45	R				88-1722				NA			NA		10/17/2002
							Cul-de-Sac									
(1721) Hickory Ct	0.34	150	R				88-620 Spotswood Furnace Rd				NA			NA		09/20/2010
							88-1722									
(1722) Brookcrest Ct	0.10	50	R				88-1720				NA			NA		09/20/2010
							88-1721									
(1722)	0.10	40	R				88-1721				NA			NA		10/17/2002
							Cul-de-Sac									
(1723) Blue Herron Circle	0.51	90	R				88-1712 S, Cinnamon Teal				NA			NA		10/19/2010
							88-1712 N, Cinnamon Teal									
(1724) Sanderling Court	0.09	70	R				88-1723 Blue Herron Circle				NA			NA		09/29/2005
							Cul-de-Sac									
(1725) Millstream Dr	0.59	280	R				88-1726 Millwood Dr				NA			NA		01/13/2011
							88-747 Old Mill Lane									
(1726) Millwood Dr	0.50	100	R				88-1727 Millwood Ct				NA			NA		01/13/2011
							88-747 Old Mill Lane									
(1726) Millwood Dr	0.36	190	R				88-747 Old Mill Lane				NA			NA		01/13/2011
							88-1725 Millstream Dr									

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1726) Millwood Dr	0.16	46	R			From: 88-1725 Millstream Dr					NA		NA			10/31/2002
						To: Dead End										
(1727) Millwood Ct	0.09	50	R			From: Dead End					NA		NA			10/31/2002
						To: 88-1726 Millwood Dr										
(1727) Millwood Ct	0.06	60	R			From: 88-1726 Millwood Dr					NA		NA			10/31/2002
						To: Cul-de-Sac										
(1728) Canvasback Court	0.19	110	R			From: Cul-de-Sac					NA		NA			09/29/2005
						To: 88-1712 Cinnamon Teal										
(1729)	0.29	110	R			From: 88-620 Spotswood Furnace Rd					NA		NA			09/04/2002
						To: Cul-de-Sac										
(1730)	0.76	150	R			From: Cul-de-Sac					NA		NA			09/04/2002
						To: 88-620 Spotswood Furnace Rd										
(1731)	0.16	40	R			From: Cul-de-Sac					NA		NA			09/04/2002
(1731) Secca Dr	0.50	140	R			From: 88-1732					NA		NA			10/05/2010
						To: 88-620 Spotswood Furnace Rd										
(1732)	0.27	60	R			From: 88-1731					NA		NA			09/04/2002
						To: Cul-de-Sac										
(1733) Antler Rd	0.60	160	R			From: 88-620 Spotswood Furnace Rd					NA		NA			10/05/2010
						To: 88-1734 Antler Ct										
(1733) Antler Rd	0.22	40	R			From: 88-1734 Antler Ct					NA		NA			09/04/2002
						To: Cul-de-Sac										
(1734) Antler Ct	0.26	80	R			From: Cul-de-Sac					NA		NA			09/04/2002
						To: 88-1733 Antler Rd										
(1735)	0.25	90	R			From: Cul-de-Sac					NA		NA			10/17/2002
						To: 88-618 River Rd										
(1736)	0.18	60	R			From: 88-618 River Rd					NA		NA			10/17/2002
						To: Cul-de-Sac										
(1737) Sedgwick Dr	0.21	140	R			From: 88-618 River Rd					NA		NA			09/20/2010
						To: 88-1738 McLane Pl										
(1737) Sedgwick Dr	0.22	70	R			From: 88-1738 McLane Pl					NA		NA			10/17/2005
						To: Cul-de-Sac										
(1738) McLane Pl	0.10	90	R			From: 88-1737 Sedgwick Dr					NA		NA			10/17/2005
						To: Cul-de-Sac										
(1739) Floral Pl	0.12	30	R			From: 88-1741 River Bend Dr E					NA		NA			10/17/2002
						To: Cul-de-Sac										
(1740) River Bluffs Dr	0.13	600	R			From: 88-618 River Rd					NA		NA			09/20/2010
						To: 88-1741 River Bend Dr										
(1740) River Bluffs Dr	0.35	290	R			From: 88-1741 River Bend Dr E; River Bend Dr W					NA		NA			09/20/2010
						To: Cul-de-Sac										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1741) River Bend Dr W	0.32	90	R								NA			NA		09/20/2010
(1741) River Bend Dr W	0.48	220	R								NA			NA		09/20/2010
(1741) River Bend Dr E	0.64	120	R								NA			NA		09/20/2010
(1742) Old Ridge Rd	0.13	60	R								NA			NA		10/17/2005
(1742) Old Ridge Rd	0.06	100	R								NA			NA		09/20/2010
(1743) Bluff Point Rd	0.21	49	R								NA			NA		10/17/2005
(1744) Goldview Dr	0.62	240	R								NA			NA		09/20/2010
(1745) Beech Tree Ct	0.19	90	R								NA			NA		10/17/2005
(1746) River Oak Pl	0.25	80	R								NA			NA		10/17/2005
(1747) Wesley Dr	0.42	150	R								NA			NA		10/04/2010
(1748) Hemlock Ct	0.20	20	R								NA			NA		10/17/2005
(1749) Snowy Egret Court	0.53	190	R								NA			NA		10/19/2010
(1750) Riverdowns Dr	0.28	110	R								NA			NA		09/20/2010
(1750)	0.12	30	R								NA			NA		10/17/2005
(1751) Rosecroft Dr	0.20	90	R								NA			NA		10/17/2005
(1752) Pemwood Lane	0.28	60	R								NA			NA		10/21/2010
(1753) Stonehenge Dr	0.42	110	R								NA			NA		10/12/2010
(1753) Stonehenge Dr	0.37	540	R								NA			NA		10/12/2010
(1754) Knight Court	0.11	110	R								NA			NA		09/08/2005
(1755) McClain St	0.04	60	R								NA			NA		08/26/2002

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1755) McClain St	0.06	210	R								NA			NA		10/04/2010
(1755) McClain St	0.20	30	R								NA			NA		10/04/2010
(1756) Willow Woods Dr	0.23	130	R								NA			NA		10/04/2010
(1757) Drew Lane	0.15	120	R								NA			NA		10/04/2010
(1757) Drew Lane	0.21	110	R								NA			NA		10/04/2010
(1758) Middleton Dr	0.06	40	R								NA			NA		10/04/2010
(1758) Middleton Dr	0.10	560	R								NA			NA		10/04/2010
(1758) Middleton Dr	0.11	630	R								NA			NA		10/04/2010
(1759) General Sickles Court	0.14	60	R								NA			NA		11/07/2005
(1760) Springfield Dr	0.60	500	R								NA			NA		01/05/2011
(1761) Kyle Ct	0.06	100	R								NA			NA		1999
(1762) Perimeter Dr	0.25	290	R								NA			NA		10/05/2010
(1762) Perimeter Dr	0.81	240	R								NA			NA		10/05/2010
(1763) Last Line Lane	0.38	100	R								NA			NA		11/29/2010
(1764) Barnes Ct	0.10	30	R								NA			NA		11/05/2002
(1765)	0.07	50	R								NA			NA		09/10/2002
(1765) Stonewall Lane	0.18	100	R								NA			NA		10/12/2010
(1765) Stonewall Lane	0.08	280	R								NA			NA		10/12/2010
(1765) Stonewall Lane	0.07	430	R								NA			NA		10/12/2010
(1765) Stonewall Lane	0.10	770	R								NA			NA		10/12/2010
(1765) Stonewall Lane	0.10	900	R								NA			NA		10/12/2010

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1765) Stonewall Lane	0.06	610	R			From: 88-1768					NA		NA			10/12/2010
(1765) Stonewall Lane	0.05	1100	R			To: 88-1767					NA		NA			10/12/2010
(1765) Stonewall Lane	0.05	1200	R			From: 88-1766					NA		NA			10/12/2010
						To: 88-610 Old Plank Rd										
(1766)	0.05	60	R			From: 88-1765					NA		NA			09/10/2002
						To: Cul-de-Sac										
(1767)	0.08	80	R			From: Cul-de-Sac					NA		NA			09/10/2002
						To: 88-1765										
(1768) Gettysburg Lane	0.10	100	R			From: 88-1765					NA		NA			11/29/2010
						To: 88-1769										
(1769) Casey Pl	0.15	30	R			From: 88-1765 Stonewall Lane					NA		NA			10/12/2010
						To: 88-1768										
(1770) Halleck St	0.32	70	R			From: Cul-de-Sac					NA		NA			10/12/2010
						To: 88-1771										
(1770) Halleck St	0.16	230	R			From: 88-1765 Stonewall Lane					NA		NA			10/12/2010
						To: 88-1765 Stonewall Lane										
(1771) Montrose Dr	0.12	40	R			From: 88-1765 Stonewall Lane					NA		NA			10/12/2010
						To: 88-1770 Halleck St										
(1772) Lamplighter Dr	0.12	48	R			From: 88-1765 Stonewall Lane					NA		NA			10/12/2010
						To: 88-1770 Halleck St										
(1773)	0.16	60	R			From: Cul-de-Sac					NA		NA			10/28/2002
						To: 88-1762 Perimeter Dr										
(1774) Twelfth Corp Dr	0.32	250	R			From: 88-1762 Perimeter Dr					NA		NA			10/05/2010
						To: 88-1778										
(1775) Post Lane	0.36	130	R			From: SR 208 Courthouse Rd					NA		NA			01/24/2011
						To: Cul-de-Sac										
(1776)	0.12	60	R			From: 88-1774; 88-1777					NA		NA			10/28/2002
						To: Cul-de-Sac										
(1777)	0.12	70	R			From: Cul-de-Sac					NA		NA			10/28/2002
						To: 88-1774; 88-1776										
(1778)	0.13	60	R			From: 88-1774					NA		NA			10/28/2002
						To: Cul-de-Sac										
(1779) Quail Meadows Dr	0.34	150	R			From: 88-702 Curtis Lane					NA		NA			01/24/2011
						To: Cul-de-Sac										
(1780) Grantwood Dr	0.26	550	R			From: 88-610 Old Plank Rd					NA		NA			10/12/2010
						To: 88-1783										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1781) Sharon Rd	0.19	180	R			From: 88-1780 Grantwood Dr					NA			NA		10/12/2010
						To: Dead End										
(1782) Kenny Ln	0.20	130	R			From: 88-1780 Grantwood Dr					NA			NA		10/12/2010
						To: Dead End										
(1783) Christina Court	0.13	30	R			From: 88-1782 Kenny Ln					NA			NA		10/12/2010
						To: Cul-de-Sac										
(1784) Wales Dr	0.40	140	R			From: Dead End					NA			NA		10/12/2010
						To: 88-1753 Stonehenge Dr										
(1785)	0.26	NA				From: 88-01527(L)/					NA			NA		
						To: Cul-de-Sac/										
(1786) Musket Ridge Lane	0.10	140	R			From: 88-618 River Rd					NA			NA		09/23/2010
						To: 88-1787 Pipe Run Dr										
(1786) Musket Ridge Lane	0.16	80	R			From: 88-1787 Pipe Run Dr					NA			NA		09/23/2010
						To: 88-1788 Canteen Circle										
(1786) Musket Ridge Lane	0.10	20	R			From: 88-1788 Canteen Circle					NA			NA		10/03/2005
						To: Dead End										
(1787) Pipe Run Dr	0.09	90	R			From: 88-1789 Bayonet Point Court; Bayonet Point Ct					NA			NA		09/23/2010
						To: 88-1788 Canteen Circle										
(1787) Pipe Run Dr	0.30	50	R			From: 88-1788 Canteen Circle					NA			NA		09/23/2010
						To: 88-1786 Musket Ridge Lane										
(1788) Canteen Circle	0.40	30	R			From: 88-1787 Pipe Run Dr					NA			NA		09/23/2010
						To: 88-1786 Musket Ridge Lane										
(1789) Bayonet Point Ct	0.09	130	R			From: 88-618 River Rd					NA			NA		09/23/2010
						To: 88-1787 Pipe Run Dr										
(1789) Bayonet Point Court	0.19	40	R			From: 88-1787 Pipe Run Dr					NA			NA		10/03/2005
						To: Dead End										
(1790) Nine Mile Run Dr	0.44	460	R			From: SR 3 Plank Rd					NA			NA		09/23/2010
						To: 88-618 River Rd										
(1791)	0.25	90	R			From: 88-1790					NA			NA		10/17/2002
						To: Cul-de-Sac										
(1792)	0.27	60	R			From: SR 3 Plank Rd					NA			NA		10/17/2002
						To: Cul-de-Sac										
(1793) Trench Court	0.06	30	R			From: Dead End					NA			NA		10/03/2005
						To: 88-1795 Campfire Lane										
(1793) Trench Court	0.31	100	R			From: 88-1795 Campfire Lane					NA			NA		09/23/2010
						To: 88-618 River Rd										
(1794) Davmar Lane	0.31	130	R			From: Cul-de-Sac					NA			NA		09/23/2010
						To: 88-618 River Rd										
(1795) Campfire Lane	0.24	90	R			From: 88-1793 Trench Court					NA			NA		09/23/2010
						To: 88-618 River Rd										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1796)	0.22	80	R								NA		NA			10/28/2002
(1797) Wilton Lane	0.58	110	R								NA		NA			01/24/2011
(1798) Elizabeth Court	0.06	30	R								NA		NA			10/03/2005
(1799) Wood Ibis Court	0.13	90	R								NA		NA			09/29/2005
(1800) Treemont Lane	0.32	190	R								NA		NA			12/06/2010
(1801) Conaty Circle	0.14	49	R								NA		NA			12/06/2010
(1802) Bernly Court	0.10	60	R								NA		NA			12/06/2010
(1803)	0.46	NA									NA		NA			
(1804) Five Mile Rd	0.19	840	R								NA		NA			12/11/2008
(1805) St Catherines Court	0.17	130	R								NA		NA			11/07/2005
(1806) Dartmoor Court	0.19	140	R								NA		NA			11/07/2005
(1807) Dunstable Court	0.07	70	R								NA		NA			11/07/2005
(1808) Wellington Glen Dr	0.23	370	R								NA		NA			10/18/2010
(1809) Regency Glen Dr	0.43	160	R								NA		NA			10/18/2010
(1810) Hampstead Dr	0.27	450	R								NA		NA			10/18/2010
(1811) Brixton Dr	0.18	210	R								NA		NA			11/29/2010
(1812)	0.04	48	R								NA		NA			09/17/2002
(1813) Kenton Dr	0.13	160	R								NA		NA			10/18/2010
(1814) Stockwell Dr.	0.24	150	R								NA		NA			10/18/2010

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1815)	0.06	90	R								NA		NA			09/17/2002
(1816) Gants Hill Lane	0.06	270	R								NA		NA			10/18/2010
(1817) Westchester Lane	0.13	90	R								NA		NA			12/08/2010
(1818) Caledonia Ct	0.16	80	R								NA		NA			01/04/2011
(1819)	0.06	70	R								NA		NA			10/28/2002
(1820)	0.10	650	R								NA		NA			10/28/2002
(1821) Wellington St.	0.31	320	R								NA		NA			01/04/2011
(1822)	0.14	80	R								NA		NA			10/28/2002
(1823)	0.10	180	R								NA		NA			09/17/2002
(1824)	0.04	60	R								NA		NA			09/17/2002
(1825) Peach Tree Dr	0.15	120	R								NA		NA			09/29/2005
(1825) Peach Tree Dr	0.12	330	R								NA		NA			09/29/2005
(1825) Peach Tree Dr	0.22	510	R								NA		NA			10/12/2010
(1825) Peach Tree Dr	0.09	580	R								NA		NA			10/12/2010
(1826) Sandalwood Lane	0.06	60	R								NA		NA			09/29/2005
(1827) Bridgewod Court	0.13	180	R								NA		NA			09/29/2005
(1828) Blossom Wood Court	0.14	150	R								NA		NA			09/29/2005
(1829) Live Oak Court	0.06	60	R								NA		NA			09/29/2005
(1830)	0.20	100	R								NA		NA			09/04/2002

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1831) Willow Court	0.09	100	R								NA		NA			09/29/2005
(1831) Sumac Court	0.04	40	R								NA		NA			09/29/2005
(1832) White Pine Court	0.08	110	R								NA		NA			09/29/2005
(1833) Cedar Cove Court	0.04	30	R								NA		NA			09/29/2005
(1834) Locust Court	0.11	150	R								NA		NA			09/29/2005
(1835) Red Ash Court	0.05	60	R								NA		NA			09/29/2005
(1836) Elmwood Lane	0.14	110	R								NA		NA			10/12/2010
(1837) Highland Oaks Dr	0.15	30	R								NA		NA			10/12/2010
(1837) Highland Oaks Dr	0.05	40	R								NA		NA			09/29/2005
(1838) Walnut St	0.09	280	R								NA		NA			10/12/2010
(1838) Walnut St	0.11	150	R								NA		NA			10/12/2010
(1839) Spruce Court	0.05	30	R								NA		NA			09/29/2005
(1840) Chancellor West Blvd	0.18	580	R								NA		NA			01/04/2011
(1841) Pathfinders Court	0.31	110	R								NA		NA			11/29/2010
(1842) Lee Jackson Dr	1.31	240	R								NA		NA			11/29/2010
(1843)	0.08	50	R								NA		NA			09/17/2002
(1844)	0.07	49	R								NA		NA			09/17/2002
(1845) Catharines Furnace Court	0.11	60	R								NA		NA			10/03/2005
(1846)	0.14	120	R								NA		NA			09/17/2002

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1847) Boulevard Of The Genera	0.63	350	R								NA			NA		10/21/2010
(1848)	0.11	90	R								NA			NA		10/24/2002
(1849) Westerlo Court	0.06	60	R								NA			NA		08/31/2005
(1850) Blackstone Blvd	0.48	3700	R								NA			NA		01/04/2011
(1850) Blackstone Blvd	0.06	1100	R								NA			NA		01/04/2011
(1851) Prospect St	0.93	200	R								NA			NA		01/04/2011
(1851) Prospect St	0.18	240	R								NA			NA		01/04/2011
(1851)	0.07	NA									NA			NA		
(1852) Hope Cour	0.05	60	R								NA			NA		08/31/2005
(1853) Justice Dr	0.06	46	R								NA			NA		08/31/2005
(1854) Fox Point Dr	0.29	540	R								NA			NA		01/04/2011
(1854) Fox Point Dr	0.26	990	R								NA			NA		12/14/2010
(1854) Fox Point Dr	0.03	1500	R								NA			NA		12/14/2010
(1855) Sweetbriar Dr	0.53	300	R								NA			NA		08/31/2005
(1856) Cranston Lane	0.39	560	R								NA			NA		08/31/2005
(1856) Cranston Lane	0.06	1100	R								NA			NA		08/31/2005
(1856) Cranston Lane	0.11	120	R								NA			NA		01/04/2011
(1857) Providence Court	0.12	150	R								NA			NA		08/31/2005
(1858) Thayer Court	0.17	190	R								NA			NA		12/14/2010
(1859) Charlesfield Dr	0.03	450	R								NA			NA		08/26/2002
(1859) Charlesfield Dr	0.25	350	R								NA			NA		12/14/2010

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1859) Charlesfield Dr	0.29	760	R			From: 88-1865 N, Benevolent St					NA			NA		12/14/2010
(1859) Charlesfield Dr	0.06	260	R			To: 88-1858 Thayer Court					NA			NA		12/14/2010
						From: 88-1851										
(1861) Waterman Dr	0.08	70	R			To: Cul-de-Sac					NA			NA		08/31/2005
(1861) Waterman Dr	0.34	330	R			From: 88-1859					NA			NA		08/31/2005
						To: Cul-de-Sac										
(1862) New Pembroke Lane	0.21	250	R			From: Dead End					NA			NA		10/05/2009
(1862) New Pembroke Lane	0.15	390	R			From: 88-1867 Danford St					NA			NA		01/04/2011
(1862) New Pembroke Lane	0.09	690	R			To: 88-1850 Blackstone Blvd					NA			NA		01/04/2011
(1862) New Pembroke Lane	0.06	NA				From: 88-1863 Barton Lane					NA			NA		
						To: Dead End										
(1863) Barton Lane	0.12	590	R			From: 88-1862					NA			NA		08/31/2005
						To: 88-1868 West Melody Court										
(1865) Benevolent St	0.19	130	R			From: 88-1859 S, Charlesfield Dr					NA			NA		08/31/2005
						To: 88-1859 NORTH										
(1866) Avery St	0.06	48	R			From: 88-1867 Danford St					NA			NA		08/31/2005
						To: 88-1856 Cranston Lane										
(1867) Danford St	0.10	150	R			From: Cul-de-Sac					NA			NA		08/31/2005
(1867) Danford St	0.18	320	R			To: 88-1856 Cranston Lane					NA			NA		08/31/2005
(1867) Danford St	0.58	300	R			From: 88-1866 Avery St					NA			NA		01/04/2011
						To: Dead End										
(1868) West Melody Court	0.12	160	R			From: 88-1863 Barton Lane					NA			NA		08/31/2005
(1868) West Melody Court	0.11	NA				To: 88-1869 North Cranston Lane					NA			NA		
						To: Dead End										
(1869) North Cranston Lane	0.15	170	R			From: Cul-de-Sac					NA			NA		08/31/2005
(1869) North Cranston Lane	0.15	420	R			To: 88-1868 West Melody Court					NA			NA		12/09/2008
						To: 88-1862										
(1870) Aspen Lane	0.13	NA				From: Cul-de-Sac					NA			NA		
(1870) Aspen Lane	0.19	220	R			To: 88-1871 Tupelo Dr					NA			NA		01/05/2011
(1870) Aspen Lane	0.08	NA				To: 88-1430 Shade Tree Lane					NA			NA		
						To: Cul-de-Sac										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1871) Tupelo Dr	0.31	100	R								NA		NA			01/05/2011
(1872) Sawmill Circle	0.05	10	R								NA		NA			09/16/2002
(1873) Raintree Dr	0.09	670	R								NA		NA			10/12/2010
(1874) Cherry Tree Dr.	0.53	410	R								NA		NA			10/12/2010
(1875)	0.05	40	R								NA		NA			11/05/2002
(1876)	0.07	90	R								NA		NA			11/05/2002
(1877) Furbeck Rd	0.09	30	R								NA		NA			12/11/2008
(1878) Setter Dr	0.17	120	R								NA		NA			12/11/2008
(1879)	0.16	NA									NA		NA			
(1880) Patrician Court	0.18	290	R								NA		NA			11/30/2010
(1881) N Willow Pond Dr	0.20	110	R								NA		NA			11/30/2010
(1882) Mossy Bank Lane	0.37	390	R								NA		NA			01/19/2011
(1883) Hackberry Court	0.05	60	R								NA		NA			10/19/2005
(1884) Fieldstone Court	0.09	30	R								NA		NA			10/19/2005
(1885) Cotter Court	0.04	60	R								NA		NA			10/19/2005
(1886)	0.41	NA									NA		NA			
(1887) Stove Haven Pkwy	0.13	150	R								NA		NA			01/19/2011
(1888)	0.09	110	R								NA		NA			11/05/2002
(1889)	0.05	40	R								NA		NA			11/05/2002

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
1890 Saddlebrook Dr	0.50	430	R			From: Dead End					NA			NA		01/20/2011
						To: 88-604; 88-605										
1891 Danbury Circle	0.32	60	R			From: Cul-de-Sac					NA			NA		01/20/2011
						To: 88-1893										
1891 Danbury Circle	1.14	320	R			From: 88-1891					NA			NA		01/20/2011
						To: 88-1890										
1892	0.18	40	R			From: 88-1891					NA			NA		10/10/2002
						To: Cul-de-Sac										
1893 Kerrydale Court	0.60	130	R			From: Cul-de-Sac					NA			NA		01/20/2011
						To: 88-1891										
1894 Crown Grant Dr	0.36	1100	R			From: Dead End					NA			NA		12/06/2010
						To: SR 208 Courthouse Rd										
1895 Chesney Dr	0.39	290	R			From: Cul-de-Sac					NA			NA		12/06/2010
						To: 88-1894 Crown Grant Dr										
1895 Chesney Dr	0.48	140	R			From: 88-1894 Crown Grant Dr					NA			NA		12/09/2008
						To: End of Loop										
1896	0.06	NA				From: Dead End					NA			NA		
						To: 88-1517 Lake Point Dr										
1897	0.12	NA				From: 88-1894 Crown Grant Dr					NA			NA		
						To: Cul-de-Sac										
1902	0.05	40	R			From: Cul-de-Sac					NA			NA		08/26/2002
						To: 88-1662										
1903	0.04	70	R			From: 88-1662					NA			NA		08/26/2002
						To: Cul-de-Sac										
1904 Big Oak Court	0.12	190	R			From: Cul-de-Sac					NA			NA		12/07/2010
						To: 88-1658 Cedar Post Lane										
1905	0.06	60	R			From: 88-1904					NA			NA		08/26/2002
						To: Cul-de-Sac										
1906	0.11	110	R			From: 88-1658; 88-1664					NA			NA		1999
						To: Cul-de-Sac										
1908	0.07	90	R			From: 88-1917					NA			NA		10/24/2002
						To: Cul-de-Sac										
1909	0.06	60	R			From: 88-1917					NA			NA		10/24/2002
						To: Cul-de-Sac										
1910 Smoketree Blvd	0.14	430	R			From: 88-1911 Arbor Glen Dr					NA			NA		11/29/2010
						To: 88-1912 Cedar Crest Dr										
1910 Smoketree Blvd	0.09	1600	R			From: 88-1912 Cedar Crest Dr					NA			NA		11/29/2010
						To: 88-610 Old Plank Rd										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1911) Arbor Glen Dr	0.16	230	R								NA			NA		11/29/2010
(1911) Arbor Glen Dr	0.15	130	R								NA			NA		11/29/2010
(1911) Arbor Glen Dr	0.11	90	R								NA			NA		10/12/2005
(1912) Cedar Crest Dr	0.06	280	R								NA			NA		11/29/2010
(1912) Cedar Crest Dr	0.06	590	R								NA			NA		11/29/2010
(1912) Cedar Crest Dr	0.11	850	R								NA			NA		11/29/2010
(1912) Cedar Crest Dr	0.09	330	R								NA			NA		11/29/2010
(1913) Oakhurst Dr	0.18	130	R								NA			NA		11/29/2010
(1913) Oakhurst Dr	0.16	220	R								NA			NA		11/29/2010
(1914) Timbermill Lane	0.16	30	R								NA			NA		01/04/2011
(1915) Hickory Creek Dr	0.30	90	R								NA			NA		11/29/2010
(1915) Hickory Creek Dr	0.05	30	R								NA			NA		10/12/2005
(1916) Woodland View Dr	0.42	110	R								NA			NA		11/29/2010
(1916) Woodland View Dr	0.08	120	R								NA			NA		11/29/2010
(1916) Woodland View Dr	0.11	140	R								NA			NA		11/29/2010
(1916) Woodland View Dr	0.38	190	R								NA			NA		11/29/2010
(1917) Falcons Ridge Dr	0.51	1300	R								NA			NA		11/29/2010
(1918) Ford Hollow Dr	0.17	70	R								NA			NA		11/29/2010
(1919) Stone Crossing Dr	0.29	600	R								NA			NA		11/29/2010
(1920) Locklear Landing Dr	0.18	40	R								NA			NA		11/12/2005
(1920) Locklear Landing Dr	0.13	150	R								NA			NA		01/19/2011
(1920) Locklear Landing Dr	0.35	250	R								NA			NA		01/19/2011

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
1921	Richmond Rd	0.33	80	R								NA		NA		01/19/2011
1922	Maxie Lee Court	0.18	40	R								NA		NA		11/12/2005
1923	Tree Haven Lane	0.20	60	R								NA		NA		11/02/2005
1923	Tree Haven Lane	0.17	110	R								NA		NA		01/19/2011
1924	Ta River Dr	0.22	60	R								NA		NA		11/02/2005
1925		0.10	160	R								NA		NA		10/24/2002
1925		0.17	NA									NA		NA		
1926	Angell Ct	0.10	130	R								NA		NA		08/31/2005
1927	Wickenden Court	0.12	160	R								NA		NA		08/31/2005
1928	Cedar Ridge Lane	0.08	200	R								NA		NA		08/31/2005
1928	Cedar Ridge Lane	0.17	NA									NA		NA		
1929	Elm St	0.10	200	R								NA		NA		12/14/2010
1929	Elm St	0.05	310	R								NA		NA		12/14/2010
1930	Millstone Dr	0.05	600	R								NA		NA		12/14/2010
1930	Millstone Dr	0.07	610	R								NA		NA		12/14/2010
1931	Cascade Dr	0.41	120	R								NA		NA		12/14/2010
1932	Windridge Dr	0.15	780	R								NA		NA		12/14/2010
1932	Windridge Dr	0.05	410	R								NA		NA		12/14/2010
1932	Windridge Dr	0.20	160	R								NA		NA		09/06/2005
1933		0.10	120	R								NA		NA		08/07/2002

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1934)	0.05	80	R								NA			NA		08/07/2002
(1935) Stone Meadow Dr	0.14	50	R								NA			NA		12/14/2010
(1935) Stone Meadow Dr	0.07	570	R								NA			NA		12/14/2010
(1935) Stone Meadow Dr	0.04	460	R								NA			NA		01/19/2011
(1935) Stone Meadow Dr	0.06	270	R								NA			NA		01/19/2011
(1935) Stone Meadow Dr	0.06	170	R								NA			NA		01/19/2011
(1936) Southwick Court	0.18	150	R								NA			NA		09/06/2005
(1937) Erlwood Court	0.04	47	R								NA			NA		08/31/2005
(1938) Wellford Court	0.05	90	R								NA			NA		08/31/2005
(1939) Wellford Court	0.08	70	R								NA			NA		08/31/2005
(1940) Peppermill Court	0.09	50	R								NA			NA		08/31/2005
(1941)	0.15	120	R								NA			NA		08/07/2002
(1942) Big Ben Blvd	0.27	930	R								NA			NA		12/11/2008
(1942) Big Ben Blvd	0.30	1300	R								NA			NA		10/18/2010
(1943) Governors Grant Lane	0.18	240	R								NA			NA		10/12/2010
(1944) Tower of London Dr	0.15	120	R								NA			NA		10/12/2010
(1945) Enchanted Court	0.07	70	R								NA			NA		09/08/2005
(1945) Enchanted Court	0.17	240	R								NA			NA		11/09/2009
(1946) Paddock Pl	0.16	150	R								NA			NA		09/08/2005
(1947) Brandontown Court	0.06	80	R								NA			NA		09/08/2005

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1948) Huntington Meadows Lane	0.25	460	R								NA			NA		12/09/2008
(1949) Sunny Meadows Lane	0.15	NA									NA			NA		
(1949) Sunny Meadows Lane	0.12	NA									NA			NA		
(1950) Runnymede Trail	0.96	1200	R								NA			NA		11/09/2010
(1951) Century Ct	0.06	80	R								NA			NA		07/31/2002
(1952) Creeks View Dr	0.07	220	R								NA			NA		11/09/2010
(1953) Ridge Way Dr	0.11	190	R								NA			NA		07/31/2002
(1953) Ridge Way Dr	0.05	NA									NA			NA		
(1954) Saddleback Dr	0.06	80	R								NA			NA		07/31/2002
(1955) Joy Lane	0.19	80	R								NA			NA		11/09/2010
(1956) Enchanted Woods Way	0.25	540	R								NA			NA		11/09/2010
(1956) Enchanted Woods Way	0.63	380	R								NA			NA		11/09/2010
(1957) Lord Barton Dr	0.27	90	R								NA			NA		11/09/2010
(1958) Hearthside Trail	0.16	50	R								NA			NA		11/09/2010
(1959) Arrow Head Ct	0.04	210	R								NA			NA		07/31/2002
(1959) Bend Bow Dr	0.25	240	R								NA			NA		11/09/2010
(1960) Tuck Trail	0.05	70	R								NA			NA		07/31/2002
(1961) Bow Ct	0.03	30	R								NA			NA		07/31/2002
(1962) Meadow Wood Ave	0.08	940	R								NA			NA		11/09/2010
(1963) Mayflower Court	0.06	40	R								NA			NA		11/07/2005

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
1964 North River Landing	0.88	650	R								NA			NA		11/09/2010
1965 Cattail Ct	0.25	70	R								NA			NA		11/09/2010
1966 Teal Wing Cove	0.46	170	R								NA			NA		11/09/2010
1967	0.08	70	R								NA			NA		10/24/2002
1968 River Crest Ct.	0.30	240	R								NA			NA		01/05/2011
1969 Riparian Ct	0.31	120	R								NA			NA		01/05/2011
1970 Brian Dr	0.44	530	R								NA			NA		10/18/2010
1971 Daughtry Dr	0.09	150	R								NA			NA		10/18/2010
1972 Katie Dr	0.10	70	R								NA			NA		10/18/2010
1973	0.04	60	R								NA			NA		09/19/2002
1974 N Katie Dr	0.29	120	R								NA			NA		10/18/2010
1974 N. Katie Dr	0.14	400	R								NA			NA		10/18/2010
1975 McGinty Rd	0.23	420	R								NA			NA		10/18/2010
1976 Pullen Dr	0.26	90	R								NA			NA		10/18/2010
1976 Pullen Dr.	0.52	970	R								NA			NA		10/18/2010
1977 Nicholas Dr	0.21	200	R								NA			NA		11/29/2010
1978 Danalu Court	0.06	140	R								NA			NA		09/08/2005
1979 Bethwood Dr	0.26	130	R								NA			NA		10/05/2009
1980 Calvert Court	0.23	260	R								NA			NA		12/07/2010

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1981)		0.10	100	R				88-1980				NA		NA		09/25/2002
								Cul-de-Sac								
(1982)	McManus Dr	0.32	260	R				88-1223				NA		NA		12/07/2010
								Cul-de-Sac								
(1983)		0.05	60	R				88-1982				NA		NA		09/25/2002
								Cul-de-Sac								
(1984)		0.06	70	R				88-1982				NA		NA		09/25/2002
								Dead End								
(1985)	Coventry Creek Dr	0.15	760	R				Cul-de-Sac				NA		NA		01/19/2011
								88-635 Lee Hill School Dr								
(1986)	Summerview Lane	0.08	30	R				88-1987				NA		NA		12/09/2008
								88-1545 Windway Dr								
(1987)		0.07	NA					Dead End				NA		NA		
(1987)		0.04	NA					88-1986				NA		NA		
								Dead End								
(1988)	Winding Hollow Dr	0.34	290	R				Dead End				NA		NA		01/05/2011
								88-1319								
(1989)	Maple Springs Dr	0.35	130	R				88-1988 SOUTH				NA		NA		01/05/2011
								88-1988 NORTH								
(1990)		0.05	70	R				Dead End				NA		NA		11/13/2002
								88-1989								
(1991)		0.05	80	R				88-1988; 88-1989 SOUTH				NA		NA		11/13/2002
								Dead End								
(1992)		0.07	90	R				88-1988				NA		NA		11/13/2002
								Dead End								
(1993)	Cherub Way	0.11	49	R				88-1988				NA		NA		01/05/2011
								88-1994								
(1994)	Fallwood Lane	0.15	150	R				Dead End				NA		NA		01/05/2011
								88-1319								
(1995)	Skinner Hill Rd	0.15	380	R				Cul-de-Sac				NA		NA		01/05/2011
								88-636 Mine Rd								
(1996)	Forrest Hill Ct	0.17	150	R				Cul-de-Sac				NA		NA		01/05/2011
								88-1995								
(1997)	Brown Hill Dr	0.15	80	R				88-1996				NA		NA		01/05/2011
								88-1995								
(1998)		0.07	NA					Dead End				NA		NA		
								88-723 Dovey Rd								

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1999)	0.68	NA												NA		
(2000)	Farmstead Lane	0.29	300	R										NA		01/04/2011
(2000)	Red Rose Village Dr	0.29	820	R										NA		12/02/2010
(2001)	Lottie Ct	0.09	60	R										NA		01/04/2011
(2002)		0.05	40	R										NA		08/19/2002
(2003)	Elsie Lane	0.10	150	R										NA		01/04/2011
(2004)	Green Arbor Dr	0.43	960	R										NA		12/01/2010
(2005)		0.06	110	R										NA		08/19/2002
(2006)	Doryl Dr	0.14	210	R										NA		12/01/2010
(2007)	Clarence Dr	0.19	50	R										NA		12/01/2010
(2008)	Switchback Lane	0.18	160	R										NA		12/01/2010
(2009)	Meredith Lane	0.15	130	R										NA		12/01/2010
(2010)	Camelot Way	0.25	170	R										NA		12/01/2010
(2011)		0.38	NA											NA		
(2012)		0.06	NA											NA		
(2013)	Tipperary Tr	0.46	220	R										NA		10/05/2009
(2014)		0.12	NA											NA		
(2015)		0.12	NA											NA		
(2016)		0.11	NA											NA		

Virginia Department of Transportation
 Traffic Engineering Division
 2013
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2017) Piedmont Landing Dr	0.34	530	R								NA			NA		11/30/2010
(2018)	0.05	70	R								NA			NA		09/19/2002
(2019)	0.05	110	R								NA			NA		09/19/2002
(2020) Royal Oaks Dr	0.30	1200	R								NA			NA		11/30/2010
(2020) Royal Oaks Dr	0.64	NA									NA			NA		
(2021) Forest Grove Dr	0.79	390	R								NA			NA		11/30/2010
(2022)	0.08	190	R								NA			NA		09/19/2002
(2023) Sugar Maple Court	0.20	300	R								NA			NA		11/30/2010
(2024) Regency Rd	0.36	190	R								NA			NA		10/05/2009
(2025)	0.24	NA									NA			NA		
(2026)	0.27	NA									NA			NA		
(2028)	0.17	170	R								NA			NA		1999
(2028) Scott Dr	0.03	280	R								NA			NA		11/30/2010
(2029)	0.05	80	R								NA			NA		1999
(2030) Chancellors Park Dr	0.19	2900	R								NA			NA		11/30/2010
(2031) Willow Pond Dr	0.46	380	R								NA			NA		11/30/2010
(2031) Wilsn Pond Dr	0.17	510	R								NA			NA		11/30/2010
(2032) Chinquapin Way	0.13	220	R								NA			NA		11/30/2010
(2033) Marsh Court	0.24	49	R								NA			NA		11/30/2010

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2034) Cardinal Lane	0.26	70	R			From: 88-2031					NA			NA		11/30/2010
						To: 88-2030										
(2035) Reed Rd	0.19	180	R			From: 88-2031					NA			NA		11/30/2010
						To: 88-2037										
(2036) Kimberly Lane	0.18	160	R			From: 88-2031					NA			NA		11/30/2010
						To: 88-2037										
(2037)	0.05	NA				From: Cul-de-Sac					NA			NA		
						To: 88-2035										
(2037) Basil Court	0.10	50	R			From: 88-2035					NA			NA		11/30/2010
						To: Cul-de-Sac										
(2038) Coventry Meadows	0.16	570	R			From: 88-2039					NA			NA		12/08/2008
						To: 88-635 Lee Hill School Dr										
(2039)	0.44	NA				From: 88-2038					NA			NA		
						To: Cul-de-Sac										
(2040) Lakeland Way	0.05	30	R			From: Cul-de-Sac					NA			NA		10/05/2005
						To: 88-2043 SOUTH										
(2040) Lakeland Way	0.08	48	R			From: 88-2043 SOUTH					NA			NA		12/02/2010
						To: 88-2046 Hillsborough Lane										
(2040) Lakeland Way	0.19	170	R			From: 88-2046 Hillsborough Lane					NA			NA		01/04/2011
						To: 88-2043 NORTH										
(2040) Lakeland Way	0.24	730	R			From: 88-2043 NORTH					NA			NA		12/02/2010
						To: 88-627 Gordon Rd										
(2041) Crystal Lakes Dr	0.18	390	R			From: 88-2043					NA			NA		01/04/2011
						To: 88-627 Gordon Rd										
(2042)	0.10	150	R			From: 88-2041					NA			NA		08/19/2002
						To: Cul-de-Sac										
(2043) Glen Park Dr	0.11	160	R			From: 88-2040 S, Lakeland Way					NA			NA		12/02/2010
						To: 88-2046 Hillsborough Lane										
(2043) Glen Park Dr	0.09	300	R			From: 88-2046 Hillsborough Lane					NA			NA		12/02/2010
						To: 88-2040 N, Lakeland Way										
(2043) Glen Park Dr	0.25	180	R			From: 88-2040 N, Lakeland Way					NA			NA		01/04/2011
						To: 88-2044										
(2044) Willcher Ct	0.16	70	R			From: 88-2045					NA			NA		01/04/2011
						To: Cul-de-Sac										
(2045) Lakeridge Dr	0.16	60	R			From: 88-2043					NA			NA		01/04/2011
						To: 88-2044										
(2046) Hillsborough Lane	0.09	40	R			From: 88-2043					NA			NA		12/02/2010
						To: 88-2040 Lakeland Way										
(2047) Foxon Pl	0.22	140	R			From: 88-2039					NA			NA		12/08/2008
						To: 88-2038 Coventry Meadows										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2048) Pinetap Ct	0.41	70	R			From: 88-605 Wallers Rd					NA			NA		10/05/2009
						To: Dead End										
(2050)	0.07	160	R			From: Cul-de-Sac					NA			NA		09/12/2002
						To: 88-1249										
(2051) Amherst Ct	0.05	70	R			From: Cul-de-Sac					NA			NA		09/12/2002
						To: 88-2050										
(2052)	0.05	90	R			From: 88-1249					NA			NA		09/12/2002
						To: Cul-de-Sac										
(2053) Amelia Dr	0.22	550	R			From: 88-1249					NA			NA		12/14/2010
						To: 88-2056 Augusta Ct										
(2053) Amelia Dr	0.22	220	R			From: 88-2056 Augusta Ct					NA			NA		12/14/2010
						To: 88-2058 Norfolk Way										
(2053) Amelia Dr	0.10	730	R			From: 88-2058 Norfolk Way					NA			NA		12/14/2010
						To: 88-2060 N. Hampton Lane										
(2054)	0.07	90	R			From: Cul-de-Sac					NA			NA		09/12/2002
						To: 88-2053 Amelia Dr										
(2055)	0.11	140	R			From: Cul-de-Sac					NA			NA		09/12/2002
						To: 88-2053 Amelia Dr										
(2056) Augusta Ct	0.17	170	R			From: Cul-de-Sac					NA			NA		09/12/2002
						To: 88-2053 Amelia Dr										
(2057) Bristol Court	0.04	40	R			From: 88-2053 Amelia Dr					NA			NA		08/18/2005
						To: Cul-de-Sac										
(2058) Norfolk Way	0.04	830	R			From: 88-2053 Amelia Dr					NA			NA		01/19/2011
						To: 88-2059 Chris Shan Court										
(2058) Norfolk Way	0.05	860	R			From: 88-2059 Chris Shan Court					NA			NA		08/18/2005
						To: 88-636 Mine Rd										
(2059) Chris Shan Court	0.04	46	R			From: Cul-de-Sac					NA			NA		08/18/2005
						To: 88-2058 Norfolk Way										
(2060) N Hampton Lane	0.24	210	R			From: Cul-de-Sac					NA			NA		08/18/2005
						To: 88-2061 Gloucester Lane										
(2060) N Hampton Lane	0.11	580	R			From: 88-2061 Gloucester Lane					NA			NA		12/14/2010
						To: 88-2053 Amelia Dr										
(2060) N. Hampton Lane	0.05	40	R			From: 88-2053 Amelia Dr					NA			NA		08/18/2005
						To: Cul-de-Sac										
(2061) Gloucester Lane	0.12	130	R			From: Cul-de-Sac					NA			NA		08/18/2005
						To: 88-2062 Bath Court										
(2061) Gloucester Lane	0.05	230	R			From: 88-2062 Bath Court					NA			NA		08/18/2005
						To: 88-2060 N. Hampton Lane										
(2062) Bath Court	0.05	100	R			From: 88-2060 N. Hampton Lane					NA			NA		08/18/2005
						To: Cul-de-Sac										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2065) Mystic Point Dr	0.60	170	R				From: Dead End				NA			NA		10/18/2010
							To: 88-714 Cloverdale St									
(2066)	0.11	NA					From: 88-1945				NA			NA		
							To: Dead End									
(2067)	0.06	NA					From: 88-1945				NA			NA		
							To: Dead End									
(2068)	0.05	NA					From: 88-1942				NA			NA		
							To: Dead End									
(2069)	0.13	NA					From: Dead End				NA			NA		
							To: 88-1942									
(2070) Apple Blossom Ct	0.05	50	R				From: 88-2000 Red Rose Village Dr				NA			NA		10/12/2005
							To: Cul-de-Sac									
(2071) Violet Dr	0.30	220	R				From: Cul-de-Sac				NA			NA		12/02/2010
							To: 88-2000 Red Rose Village Dr									
(2072) Geranium St	0.20	490	R				From: 88-2071 Violet Dr				NA			NA		12/02/2010
							To: Cul-de-Sac									
(2073) Carnation St	0.04	60	R				From: 88-2071 Violet Dr				NA			NA		10/12/2005
							To: Cul-de-Sac									
(2074) Orchard Lane	0.17	480	R				From: 88-2072 Geranium St				NA			NA		12/02/2010
							To: Cul-de-Sac									
(2075) Gardeia Dr	0.44	1000	R				From: 88-2074 Orchard Lane				NA			NA		12/02/2010
							To: 88-610 Old Plank Rd									
(2076) Daisy Lane	0.10	180	R				From: 88-2077 Hyacinth Court				NA			NA		12/02/2010
							To: 88-2075 Gardeia Dr									
(2077) Hyacinth Court	0.06	70	R				From: Cul-de-Sac				NA			NA		10/12/2005
							To: 88-2076 Daisy Lane									
(2077) Hyacinth Court	0.03	20	R				From: 88-2076 Daisy Lane				NA			NA		10/12/2005
							To: Dead End									
(2078) Lilly Lane	0.04	60	R				From: 88-2075 Gardeia Dr				NA			NA		12/02/2010
							To: Cul-de-Sac									
(2079) Buttercup Lane	0.14	160	R				From: 88-2075 Gardeia Dr				NA			NA		12/02/2010
							To: Cul-de-Sac									
(2081)	0.16	NA					From: 88-635 Lee Hill School Dr				NA			NA		
							To: Cul-de-Sac									
(2085) Sawhill Blvd	0.51	1700	R				From: 88-612 Catharpin Rd				NA			NA		10/12/2010
							To: 88-2090 Broadmore Lane									
(2085) Sawhill Blvd	0.33	930	R				From: 88-2090 Broadmore Lane				NA			NA		10/13/2009
							To: 88-2200									

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2086) Duck Circle	0.34	120	R			From: 88-2085 S, Sawhill Blvd					NA			NA		10/12/2010
						To: 88-2085 N, Sawhill Blvd										
(2087) West Hildy Court	0.15	110	R			From: Cul-de-Sac					NA			NA		10/03/2005
(2087) East Hildy Court	0.05	NA				From: 88-2085 Sawhill Blvd					NA			NA		
						To: Cul-de-Sac										
(2088) Palmer Court	0.18	100	R			From: 88-2085 Sawhill Blvd					NA			NA		10/19/2010
						To: Cul-de-Sac										
(2089) McGee Court	0.08	60	R			From: 88-2088 Palmer Court					NA			NA		10/03/2005
						To: Cul-de-Sac										
(2090) Broadmore Lane	0.37	170	R			From: Cul-de-Sac					NA			NA		10/19/2010
						To: 88-2091 Powder Mill Court										
(2091) Powder Mill Court	0.09	100	R			From: Cul-de-Sac					NA			NA		10/03/2005
(2091) Powder Mill Court	0.08	NA				From: 88-2090 Broadmore Lane					NA			NA		
						To: Cul-de-Sac										
(2093)	0.17	NA				From: Bus SR 208					NA			NA		
						To: Dead End										
(2094) Chapman Dr	0.74	350	R			From: Cul-de-Sac					NA			NA		10/05/2009
						To: 88-638 Lansdowne Rd										
(2095)	0.05	NA				From: 88-2094					NA			NA		
						To: Cul-de-Sac										
(2096)	0.05	NA				From: Cul-de-Sac					NA			NA		
						To: 88-2094										
(2097) George Dr	0.13	320	R			From: 88-2098					NA			NA		10/05/2009
						To: 88-1344 Beauclaire Blvd										
(2098)	0.16	NA				From: Dead End					NA			NA		
(2098)	0.20	NA				From: 88-2097					NA			NA		
						To: Dead End										
(2099)	0.05	NA				From: 88-2098					NA			NA		
						To: Dead End										
(2100) Brighten Court	0.13	80	R			From: 88-1091 Lancaster Ring Rd					NA			NA		10/26/2005
						To: Cul-de-Sac										
(2101) Cornwall Court	0.12	90	R			From: Cul-de-Sac					NA			NA		10/26/2005
						To: 88-1091 Lancaster Ring Rd										
(2102) Wexam Court	0.13	180	R			From: 88-1091 Lancaster Ring Rd					NA			NA		10/26/2005
						To: Dead End										

Virginia Department of Transportation
 Traffic Engineering Division
 2013
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2103) Caven Court S	0.17	90	R				From: Dead End				NA			NA		10/26/2005
							To: Dead End									
(2104)	0.04	NA					From: Dead End				NA			NA		
							To: 88-2126									
(2105) River Meadows Way	0.61	930	R				From: Bus US 17				NA			NA		10/05/2009
							To: Dead End									
(2106)	0.10	NA					From: 88-2105				NA			NA		
							To: Cul-de-Sac									
(2107)	0.41	NA					From: Cul-de-Sac				NA			NA		
							To: 88-2105									
(2108) Meadow Springs Dr	0.09	49	R				From: 88-2105				NA			NA		12/08/2008
							To: 88-2107									
(2109) Heronview Dr	0.28	60	R				From: 88-2107				NA			NA		12/08/2008
							To: 88-2105									
(2110)	0.04	NA					From: 88-2126				NA			NA		
							To: Dead End									
(2111) Proud Foot Lane	0.09	260	R				From: 88-2137				NA			NA		12/09/2008
							To: 88-2122									
(2112)	0.03	NA					From: 88-2137				NA			NA		
							To: Dead End									
(2113)	0.06	NA					From: Dead End				NA			NA		
							To: 88-2137									
(2114) Copeland Ct	0.25	1000	R				From: 88-2137				NA			NA		11/05/2009
							To: Dead End									
(2115)	0.05	NA					From: 88-2119				NA			NA		
							To: Dead End									
(2116)	0.14	NA					From: Dead End				NA			NA		
							To: Dead End									
(2117)	0.05	NA					From: 88-2126 Hot Springs Lane				NA			NA		
							To: Dead End									
(2118) Vercaille Dr	0.27	190	R				From: 88-2126				NA			NA		12/09/2008
							To: 88-2126									
(2118)	0.05	NA					From: 88-2126 Hot Springs Lane				NA			NA		
							To: Dead End									
(2119) Quitman Dr.	0.19	290	R				From: Dead End				NA			NA		10/13/2009
							To: 88-2126 Hot Springs Lane									
(2119) Robnel Ct	0.05	NA					From: 88-2126 Hot Springs Lane				NA			NA		
							To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2120) Salem Fields Blvd	0.42	2800	R								NA			NA		12/01/2010
(2121) Rappahannock Dr	1.05	3600	R								NA			NA		12/01/2010
(2121) Rappahannock Rd	0.42	3000	R								NA			NA		12/09/2008
(2122) Spring Meadow Blvd	0.17	500	R								NA			NA		12/01/2010
(2122) Spring Meadow Blvd	0.28	710	R								NA			NA		12/01/2010
(2123) Adios Ct	0.10	340	R								NA			NA		01/04/2011
(2124) Palladium Way	0.18	220	R								NA			NA		12/01/2010
(2125) Maple Court	0.17	200	R								NA			NA		12/01/2010
(2126) Hot Springs Lane	0.19	1900	R								NA			NA		12/02/2010
(2126) Hot Springs Lane	1.05	1300	R								NA			NA		12/02/2010
(2126) Hot Springs Lane	0.54	1100	R								NA			NA		12/09/2008
(2127) Sandusky Court	0.09	60	R								NA			NA		09/12/2005
(2128) Rose Hill Court	0.09	60	R								NA			NA		09/12/2005
(2129) Plume Court	0.12	70	R								NA			NA		09/12/2005
(2130) North Dewey Court	0.08	50	R								NA			NA		09/12/2005
(2131) South Dewey Court	0.14	220	R								NA			NA		09/12/2005
(2132) Englewood Court	0.17	70	R								NA			NA		09/12/2005
(2133) Jarvis Court	0.14	90	R								NA			NA		09/12/2005
(2134) Polaris Court	0.11	40	R								NA			NA		09/12/2005
(2135) North Lamont Court	0.20	190	R								NA			NA		12/01/2010

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2136) Omega Court	0.07	48	R								NA			NA		09/12/2005
(2137) Castleton Dr	0.11	1200	R								NA			NA		12/01/2010
(2137) Castleton Dr	0.29	990	R								NA			NA		11/05/2009
(2138) Yorktown Lane	0.11	180	R								NA			NA		12/01/2010
(2139) Winthrop Court	0.20	130	R								NA			NA		09/12/2005
(2140)	0.11	NA									NA			NA		
(2140) Fillmore Lane	0.24	490	R								NA			NA		12/11/2008
(2141)	0.20	NA									NA			NA		
(2142)	0.15	NA									NA			NA		
(2143)	0.48	NA									NA			NA		
(2143)	0.20	NA									NA			NA		
(2144)	0.04	NA									NA			NA		
(2145) Davidson Lane	0.07	260	R								NA			NA		12/09/2008
(2146)	0.30	NA									NA			NA		
(2147)	0.11	NA									NA			NA		
(2148) Hawthorne Woods Circle	0.19	70	R								NA			NA		12/09/2008
(2149)	0.11	NA									NA			NA		
(2150) Greely Court	0.05	45	R								NA			NA		10/19/2005
(2155) Hickory Hill Dr	0.86	840	R								NA			NA		01/19/2011

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2156) West Forester Ct	0.04	40	R								NA			NA		08/11/2005
(2156) East Forester Ct	0.08	NA									NA			NA		
(2157) Cameo St	0.20	120	R								NA			NA		01/19/2011
(2158) Andover Lane	0.24	250	R								NA			NA		01/19/2011
(2158) Andover Lane	0.22	110	R								NA			NA		01/19/2011
(2159) Townsley St	0.23	110	R								NA			NA		01/19/2011
(2160) Dabney Court	0.21	90	R								NA			NA		08/11/2005
(2161) Bracken Court	0.06	50	R								NA			NA		08/11/2005
(2162)	0.42	NA									NA			NA		
(2168) Wisteria Dr	0.35	280	R								NA			NA		10/05/2009
(2169)	0.04	NA									NA			NA		
(2170) Glamorgan Way	0.82	90	R								NA			NA		10/04/2009
(2171)	0.25	NA									NA			NA		
(2171)	0.79	NA									NA			NA		
(2172)	0.11	NA									NA			NA		
(2173)	0.47	NA									NA			NA		
(2174)	0.11	NA									NA			NA		
(2175)	0.07	NA									NA			NA		
(2176)	0.10	NA									NA			NA		

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2177)	0.35	NA										NA		NA		
(2178) Corolla Dr	0.13	290	R									NA		NA		11/09/2009
(2179)	0.21	NA										NA		NA		
(2180)	0.36	NA										NA		NA		
(2181) Napoleon St	0.40	420	R									NA		NA		12/08/2008
(2182) O Conner Ct	0.17	NA										NA		NA		
(2182) O'Conner Ct	0.27	300	R									NA		NA		04/22/2009
(2183)	0.11	NA										NA		NA		
(2184) Betsy St	0.26	480	R									NA		NA		10/05/2009
(2185) Cahill St	0.31	1500	R									NA		NA		12/08/2008
(2186) Summerview Lane	0.28	120	R									NA		NA		12/08/2008
(2187)	0.23	NA										NA		NA		
(2188)	0.18	NA										NA		NA		
(2189)	0.20	NA										NA		NA		
(2190) Glendas Way	0.57	1500	R									NA		NA		10/05/2009
(2191) Stacy Run	0.52	90	R									NA		NA		12/08/2008
(2191)	0.15	NA										NA		NA		
(2192) Samantha Dr	0.23	90	R									NA		NA		12/08/2008
(2193)	0.16	NA										NA		NA		

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2194)	0.06	NA					From: Cul-de-Sac				NA			NA		
							To: 88-2193									
(2195)	0.10	NA					From: Cul-de-Sac				NA			NA		
							To: 88-2191									
(2196) King Eider Court	0.58	280		R			From: Dead End				NA			NA		10/19/2010
							To: 88-1712 Cinnamon Teal									
(2197) Chester Court	0.29	70		R			From: Dead End				NA			NA		10/19/2010
							To: 88-2196 King Eider Court									
(2198) Gannett Lane	0.56	190		R			From: Dead End				NA			NA		10/19/2010
							To: 88-1712 Cinnamon Teal									
(2199) Ashy Petral Way	0.09	50		R			From: Dead End				NA			NA		09/29/2005
							To: 88-2198 Gannett Lane									
(2200) Sandy Hill Ct	0.30	160		R			From: Cul-de-Sac				NA			NA		10/21/2010
							To: 88-2085 Sawhill Blvd									
(2200)	0.07	NA					From: 88-2085				NA			NA		
							To: Cul-de-Sac									
(2210) HCC Dr	0.08	1000		R			From: Bus US 17				NA			NA		01/25/2011
							To: 88-2211 Hamilton Crossing Rd									
(2210) HCC Dr	0.39	510		R			From: 88-2211 Hamilton Crossing Rd				NA			NA		01/25/2011
							To: Cul-de-Sac									
(2211) Hamilton Crossing Rd	0.57	240		R			From: 88-2210 HCC Dr				NA			NA		12/14/2010
							To: 88-2213									
(2212) Allie Dr	0.38	48		R			From: Dead End				NA			NA		01/25/2011
							To: Dead End									
(2213)	0.05	NA					From: Cul-de-Sac				NA			NA		
							To: 88-2211 Hamilton Crossing Rd									
(2213)	0.07	NA					From: 88-2211 Hamilton Crossing Rd				NA			NA		
							To: Cul-de-Sac									
(2215)	1.14	NA					From: JB-68-VA/				NA			NA		
							To: US-00522(B)/									
(2216)	0.18	NA					From: 88-02215(B)/				NA			NA		
							To: Cul-de-Sac/									
(2217)	0.08	NA					From: 88-02215(B)/				NA			NA		
							To: Cul-de-Sac/									
(2218) Big Horn Dr	0.42	240		R			From: Dead End				NA			NA		11/05/2009
							To: 88-628 Smith Station Rd									
(2219)	0.24	NA					From: 88-2218				NA			NA		
							To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2220) Dogwood Tree Lane	0.60	240	R								NA			NA		11/04/2010
(2221) Hickory Tree Lane	0.43	80	R								NA			NA		11/04/2010
(2221) Hickory Tree Lane	0.06	NA									NA			NA		
(2222) Sycamore Tree Dr	0.18	20	R								NA			NA		11/04/2010
(2222) Sycamore Tree Dr	0.28	80	R								NA			NA		04/21/2009
(2223) Chestnut Tree Ct	0.18	90	R								NA			NA		09/26/2005
(2224) Cedar Tree Ct	0.10	45	R								NA			NA		09/26/2005
(2225) Loblolly Lane	0.09	30	R								NA			NA		09/26/2005
(2226) Wynd St	0.07	30	R								NA			NA		09/21/2005
(2227) Pecan Tree Dr	0.12	20	R								NA			NA		12/09/2008
(2228)	0.07	NA									NA			NA		
(2229)	0.04	NA									NA			NA		
(2230)	0.26	100	R								NA			NA		04/21/2009
(2231) Maple Tree Lane	0.10	40	R								NA			NA		04/21/2009
(2232)	0.06	NA									NA			NA		
(2237) Lees Crossing Lane	0.47	680	R								NA			NA		10/05/2009
(2237) Lees Crossing Lane	0.25	730	R								NA			NA		12/08/2008
(2238) McClellan Dr	0.50	230	R								NA			NA		12/08/2008
(2239) N McClellan Dr	0.26	150	R								NA			NA		10/05/2009

Virginia Department of Transportation
 Traffic Engineering Division
 2013
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2240) Carolina Ct	0.30	320	R				From: Dead End				NA		NA			10/05/2009
							To: 88-2237									
(2241)	0.05	NA					From: 88-2240				NA		NA			
							To: Dead End									
(2242)	0.07	NA					From: Cul-de-Sac				NA		NA			
							To: 88-2238									
(2243)	0.49	NA					From: Cul-de-Sac				NA		NA			
							To: 88-2238 McClellan Dr									
(2247) Magnolia Harbour Dr	0.47	90	R				From: 88-2248				NA		NA			12/09/2008
							To: SR 208 Courthouse Rd									
(2248) Black Walnut Lane	0.48	NA					From: Cul-de-Sac				NA		NA			
(2248) Black Walnut Lane	0.63	40	R				To: 88-2247 Magnolia Harbour Dr				NA		NA			11/23/2009
							To: End Loop									
(2249)	0.06	NA					From: Dead End				NA		NA			
							To: 88-2248									
(2250) Whiteheart Dr	0.37	800	R				From: 88-2254 Basswood Dr				NA		NA			12/09/2008
							To: 88-628 Spotsylvania Pkwy									
(2251) Windbreak Dr	0.32	NA					From: 88-2261 Inkwood Dr				NA		NA			
							To: 88-2252 Laurel Oak Dr									
(2252) Laurel Oak Dr	0.48	NA					From: 88-2262				NA		NA			
(2252) Laurel Oak Dr	0.41	440	R				To: 88-2254 Basswood Dr				NA		NA			10/05/2009
							To: Dead End									
(2253) Grey Oak Circle	0.10	40	R				From: 88-2252 Laurel Oak Dr				NA		NA			12/09/2008
							To: 88-2252 Laurel Oak Dr									
(2254) Basswood Dr	0.12	50	R				From: 88-2252 Laurel Oak Dr				NA		NA			12/09/2008
							To: 88-2256 Yellow Birch Dr									
(2255) Joshua Tree Circle	0.74	280	R				From: End of Loop				NA		NA			12/09/2008
							To: 88-2250 Whiteheart Dr									
(2256) Yellow Birch Dr	0.35	960	R				From: 88-628 Spotsylvania Pkwy				NA		NA			12/09/2008
							To: 88-2257 Linden Dr									
(2256) Yellow Birch Dr	0.15	240	R				From: 88-2250 Whiteheart Dr				NA		NA			12/09/2008
							To: 88-2250 Whiteheart Dr									
(2257) Linden Dr	0.10	50	R				From: 88-2252 Laurel Oak Dr				NA		NA			12/09/2008
							To: 88-2256 Yellow Birch Dr									
(2258) Holly Leaf Ln	0.15	NA					From: Cul-de-Sac				NA		NA			
							To: 88-2256 Yellow Birch Dr									
(2258) Holly Leaf Ln	0.05	410	R				From: 88-2255 Joshua Tree Circle				NA		NA			04/21/2009
							To: 88-2255 Joshua Tree Circle									

Virginia Department of Transportation
 Traffic Engineering Division
 2013
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2259)	0.19	NA										NA		NA		
(2260) Smith Station Rd	0.19	530	R									NA		NA		11/23/2009
(2261)	0.16	140	R									NA		NA		04/21/2009
(2262) Silver Maple Lane	0.29	NA										NA		NA		
(2263) Holly Oak Rd	0.22	1100	R									NA		NA		10/05/2009
(2263) Deep Creek Dr	0.25	300	R									NA		NA		10/05/2009
(2264) Ivy Hill Dr	0.54	280	R									NA		NA		10/05/2009
(2286)	0.42	NA										NA		NA		
(2287)	0.11	NA										NA		NA		
(2288)	0.33	NA										NA		NA		
(2289)	0.08	NA										NA		NA		
(2290)	0.58	NA										NA		NA		
(2291)	0.25	NA										NA		NA		
(2291)	0.15	NA										NA		NA		
(2292)	0.14	NA										NA		NA		
(2293)	0.09	NA										NA		NA		
(2294)	0.07	NA										NA		NA		
(2294)	0.06	NA										NA		NA		
(2295)	0.12	NA										NA		NA		

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2296)	0.19	NA					From: 88-2290					NA		NA		
							To: Cul-de-Sac									
(2297)	0.05	NA					From: 88-2296					NA		NA		
							To: Cul-de-Sac									
(2298)	0.06	NA					From: 88-2296					NA		NA		
							To: Cul-de-Sac									
(2300) Browns Farm Rd	0.44	740					From: Dead End					NA		NA		11/05/2009
							To: 88-627 Gordon Rd									
(2325)	0.38	NA					From: SR 208 Courthouse Rd					NA		NA		
							To: Cul-de-Sac									
(2326)	0.16	NA					From: 88-2325					NA		NA		
							To: Cul-de-Sac									
(2327)	0.30	720					From: 88-2328					NA		NA		04/21/2009
							To: 88-2325									
(2328)	0.25	330					From: 88-2327					NA		NA		04/21/2009
							To: 88-2325									
(2329)	0.15	NA					From: 88-2327					NA		NA		
							To: Cul-de-Sac									
(2337)	0.78	NA					From: 88-00620(B)/					NA		NA		
							To: Cul-de-Sac/									
(2338)	0.14	NA					From: Cul-de-Sac/					NA		NA		
							To: Cul-de-Sac/									
(2339)	0.21	NA					From: Cul-de-Sac/					NA		NA		
							To: 88-02337(B)/									
(2340)	0.08	NA					From: Dead End					NA		NA		
							To: 88-1516									
(2341)	0.05	NA					From: Dead End					NA		NA		
							To: 88-1516									
(2342)	0.06	NA					From: Dead End					NA		NA		
							To: 88-1517 Lake Point Dr									
(2344) Kennett Ct	0.83	460					From: Cul-de-Sac					NA		NA		09/23/2010
							To: 88-620 Spotswood Furnace Rd									
(2345) Eastmont Dr	0.44	380					From: 88-2346					NA		NA		09/23/2010
							To: 88-2344									
(2346) Ashley Farms Dr	0.38	NA					From: Cul-de-Sac					NA		NA		
							To: 88-2345									
(2346) Ashley Farms Dr	0.41	140					From: 88-2345					NA		NA		09/23/2010
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2347)	0.30	NA				From: 88-2346					NA			NA		
						To: Cul-de-Sac										
(7000) State Park Lane	2.99	170	R			From: Dead End					NA			NA		11/11/2010
						To: 88-601 Lawyers Rd										
(9393) Spotswood Elementary School	0.06	400	R			From: 88-681 Lorraine Ave					NA			NA		10/31/2005
						To: 88-681 Lorraine Ave										
(9398)	0.26	160	R			From: SR 208 Courthouse Rd					NA			NA		01/19/2011
						To: SR 208 Courthouse Rd										
(9490) School Entrance	0.12	270	R			From: 88-613 Brock Rd					NA			NA		12/06/2010
						To: 88-613 Brock Rd										
(9491)	0.15	250	R			From: SR 208 Courthouse Rd					NA			NA		11/13/2002
						To: SR 208 Courthouse Rd										
(9803)	0.07	110	R			From: SR 208 Courthouse Rd					NA			NA		11/13/2002
						To: SR 208 Courthouse Rd										
(9804)	0.05	170	R			From: 88-647 Blaydes Corner Rd					NA			NA		11/07/2002
						To: 88-738 Partlow Rd										
(2043/89) Minnier Ct	0.06	110	R			From: 89-2044; 89-2041					NA			NA		09/19/2012
						To: Cul-de-Sac										
City of Fredericksburg																
(1/111) Cowan Blvd	0.47	15000	G	99%	0%	1%	0%	0%	0%	C	NA			16000	G	2013
						From: US 1 Jefferson Davis Hwy										
						To: Snowden Hills Blvd										
(1/111) Cowan Blvd	1.23	18000	G	99%	0%	1%	0%	0%	0%	F	0.095	F	0.82	19000	G	2013
						From: US 1 Jefferson Davis Blvd										
						To: Carl D Silver Pkwy										
(3950/111) Twin Lake Dr	0.46	3000	G	99%	0%	0%	0%	0%	0%	C	0.093	F	0.543	3100	G	2013
						From: WCL Fredericksburg; 88-638										
						To: Lafayette Blvd										
(3952/111) Lansdowne Rd	0.47	7400	G	94%	1%	1%	1%	4%	0%	C	0.089	F	0.6	7800	G	2013
						From: Bus US 17, SR 2 Dixon St										
						To: William Street										
(3953/111) Stafford Avenue	0.50	1800	G	94%	1%	5%	0%	0%	0%	C	0.079	F	0.746	1900	G	2013
						From: Cardwell St										
						To: Howard Ave										
(3954/111) Howison St	0.09	630	G	98%	0%	1%	0%	1%	0%	F	0.102	F	0.549	670	G	2013
						From: Howard Avenue										
						To: Dixon Street										
(3954/111) Howison Avenue	0.16	1500	G	98%	0%	1%	0%	1%	0%	C	0.098	F	0.536	1500	G	2013
						From: William Street										
						To: Jefferson Davis Highway										
(3955/111) College Ave	0.67	7100	G	99%	0%	0%	0%	0%	0%	C	NA			7700	G	2013
						From: Bus SR 3 William St										
						To: Hanover St										
(3958/111) High St	0.04	670	G	96%	1%	2%	0%	0%	0%	F	0.124	F	0.918	710	G	2013
						From: High St										
						To: 111-3959 Littlepage St										
(3958/111) Hanover St	0.60	2600	G	96%	1%	2%	0%	0%	0%	C	0.088	F	0.578	2700	G	2013

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Fredericksburg																
3958 111 Hanover St	0.49	760	G	99%	0%	1%	0%	0%	0%	C	0.101	F		810	G	2013
			From: 111-3959 Littlepage St													
			To: Bus US 1 Par Princess Anne St													
3958 111 Hanover St	0.12	630	G	97%	0%	3%	0%	0%	0%	F	0.157	F		670	G	2013
			From: 111-3973 Sophia St													
			To: Bus US 1 LaFayette Blvd													
3959 111 Littlepage St	0.44	1200	G	97%	0%	3%	0%	0%	0%	C	0.085	F	0.699	1300	G	2013
			From: Bus SR 3 William St													
			To: Bus US 1 LaFayette Blvd													
3961 111 Kenmore Ave	0.49	3100	G	98%	0%	1%	0%	0%	0%	C	0.095	F	0.651	3300	G	2013
			From: Bus SR 3 William St													
3961 111 Kenmore Ave	0.40	1300	G	99%	0%	0%	0%	0%	0%	C	0.087	F	0.516	1400	G	2013
			From: Mary Ball St													
			To: Kenmore Ave													
3961 111 Mary Ball St	0.10	1700	G	99%	0%	0%	0%	0%	0%	F	0.085	F	0.578	1800	G	2013
			From: 111-6963 Washington Ave													
			To: Bus SR 3 P Amelia St													
3963 111 Washington Ave	0.43	2000	G	98%	1%	1%	0%	0%	0%	C	0.085	F	0.623	2200	G	2013
			From: 111-3975 Maury St													
3963 111 Washington Ave	0.44	1900	G	98%	0%	1%	0%	0%	0%	C	0.092	F		2000	G	2013
			From: 111-3965; Fall Hill Ave													
			To: Kenmore Avenue													
3965 111 Prince Edward St	0.35	2200	G	99%	0%	0%	0%	0%	0%	F	0.109	F	0.752	2300	G	2013
			From: William Street													
3965 111 Prince Edward St	0.44	1700	G	99%	0%	0%	0%	0%	0%	C	0.102	F	0.751	1800	G	2013
			From: Canal Street													
3965 111 Fall Hill Avenue	0.10	2000	G	97%	0%	1%	1%	0%	0%	F	0.089	F	0.776	2200	G	2013
			From: Maury Street													
3965 111 Fall Hill Avenue	0.39	2900	G	97%	0%	1%	1%	0%	0%	C	0.094	F		3100	G	2013
			From: Washington Street													
3965 111 Fall Hill Avenue	0.15	8400	G	97%	0%	1%	1%	0%	0%	F	NA			9100	G	2013
			From: Jefferson Davis Highway													
3965 111 Fall Hill Avenue	1.59	15000	G	99%	0%	0%	0%	0%	0%	C	0.091	F	0.673	16000	G	2013
			From: I-95													
3965 111 Fall Hill Avenue	0.95	16000	G	99%	0%	0%	0%	0%	0%	C	0.088	F	0.642	17000	G	2013
			From: WCL Fredericksburg													
			To: Bus 17 Dixon St													
3967 111 Charles St	0.24	5400	G	98%	0%	1%	0%	0%	0%	F	0.082	F	0.542	5800	G	2013
			From: Bus US 1 Lafayette Blvd													
			To: Lafayette Blvd													
3973 111 Sophia St	0.37	5000	G	99%	0%	0%	0%	0%	0%	C	0.098	F	0.516	5300	G	2013
			From: Bus SR 3 William St													
			To: Washington St													
3975 111 Maury St	0.14	2000	G	98%	0%	1%	0%	0%	0%	C	0.093	F	0.557	2200	G	2013
			From: Fall Hill Avenue													
			To: Plank Rd													
3976 111 Westwood Dr	0.20	850	G	99%	0%	0%	0%	0%	0%	C	0.102	F	0.632	900	G	2013
			From: Woodland Dr													
			To: Westwood Dr													
3976 111 Woodland Rd	0.04	870	G	99%	1%	0%	0%	0%	0%	F	0.110	F	0.602	920	G	2013
			From: Falling Creek Rd													
3976 111 Keenland Rd	0.36	910	G	99%	1%	0%	0%	0%	0%	C	0.121	F	0.653	960	G	2013
			From: Cowan Boulevard													
			To: Cowan Blvd													
3976 111 Powhatan St	0.24	1400	G	99%	1%	0%	0%	0%	0%	C	0.097	F	0.846	1500	G	2013
			From: Jefferson Davis Hwy													

Virginia Department of Transportation
 Traffic Engineering Division
 2013
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Fredericksburg																
Hays St		640	G			From Mahone Dr				0.085	F	0.577	640	G	2013	
					To Oakwood St											
Jackson St		970	G			From Charlotte Street				0.097	F	0.667	970	G	2013	
					To Wolfe Street											
Sophia St		2600	G			From Fauquier St				0.097	F	0.911	2600	G	2013	
					To Lewis St											
Summit St		100	G			From Railroad Avenue				0.118	F	0.704	100	G	2013	
					To White Street											
Twin Lakes Dr		3100	G			From Goodloe Drive				0.093	F	0.514	3100	G	2013	
					To Lafayette Blvd											