

2018
Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates
where available

Special Locality Report
125
Town of Pulaski

Information in this report is included in Report
77
(Pulaski County)

Prepared By
Virginia Department of Transportation
Traffic Engineering Division

In Cooperation With
U.S. Department of Transportation
Federal Highway Administration

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

-  Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route


Special Routes

-  Bus - Business Route
-  Bypass - Bypass Route
-  Truck - Truck Route
-  ALT - Alternate Route
-  Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Town of Pulaski

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
11 Washington Ave	From: SCL Pulaski															
	Town of Pulaski	0.71	3100	G	98%	0%	1%	0%	0%	0%	F	0.099	F	0.613	3200	G
11 Washington St	To: 2nd St															
	From: 2nd St SW															
11 Washington Ave	Town of Pulaski	0.30	3900	G	98%	0%	1%	0%	0%	0%	C	0.1	F	0.582	4100	G
	To: Main St SR 99; 2nd St N															
11 Washington Ave	From: Main St; SR 99															
	Town of Pulaski	0.22	3800	G	98%	1%	1%	0%	0%	0%	F	0.101	F	0.605	4000	G
11 5th St	To: 5th St															
	From: Washington Ave															
11 5th St	Town of Pulaski	0.20	6000	G	98%	1%	1%	0%	0%	0%	F	0.094	F	0.58	6400	G
	To: Lee Highway															
11 Lee Highway	From: 5th St															
	Town of Pulaski	0.84	8300	G	98%	1%	1%	0%	0%	0%	C	0.096	F	0.529	8800	G
11 Lee Highway	To: Alum Spring Rd															
	From: Alum Spring Rd															
11 Lee Highway	Town of Pulaski	1.60	11000	G	98%	1%	1%	0%	0%	0%	F	0.101	F	0.576	12000	G
	To: ECL Pulaski															
99 Randolph Ave	From: NCL Pulaski															
	Town of Pulaski	0.68	900	G	97%	1%	1%	0%	1%	0%	C	0.097	F	0.578	960	G
99 Randolph Ave	To: 9th St															
	From: 9th St															
99 Randolph Ave	Town of Pulaski	0.47	2400	G	98%	0%	1%	0%	0%	0%	C	0.090	F	0.603	2600	G
	To: 3rd St															
99 Randolph Ave	From: 3rd St															
	Town of Pulaski	0.08	2700	G	98%	0%	1%	0%	0%	0%	F	0.101	F	0.688	2900	G
99 Main St	To: Main St; 2nd St															
	From: Randolph Ave; Valley St															
99 Main St	Town of Pulaski	0.20	960	G	98%	0%	1%	1%	0%	0%	C	0.09	F	0.822	1000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		2000	G	98%	0%	1%	1%	0%	0%	C	0.086	F	0.635	2100	G
99 Main St	To: Washington Ave; US 11															
	From: Washington Ave; US 11															
99 Main St	Town of Pulaski	0.32	2300	G	98%	0%	1%	0%	1%	0%	C	0.105	F		2500	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		4700	G	98%	1%	1%	0%	0%	0%	C	0.104	F	0.505	5000	G
99 Main St	To: 3rd St															
	From: 3rd St															
99 Main St	Town of Pulaski	1.10	9400	G	98%	1%	1%	0%	0%	0%	C	0.089	F	0.505	10000	G
	To: Bob White Blvd															
99 Main St	From: Bob White Blvd															
	Town of Pulaski	1.00	6300	G	98%	1%	1%	0%	0%	0%	F	0.092	F	0.62	6700	G
99 3rd St	To: ECL Pulaski															
	From: ECL Pulaski															
99 3rd St	Town of Pulaski	0.12	1000	G	98%	0%	1%	0%	0%	0%	C	0.113	F	0.968	1100	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		2000	G	98%	0%	1%	1%	0%	0%	C	0.086	F	0.635	2100	G
99 3rd St	To: Jefferson Ave															
	From: Jefferson Ave															
99 3rd St	Town of Pulaski	0.13	1600	G	98%	1%	1%	0%	0%	0%	F	0.103	F		1700	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		2500	G	98%	1%	1%	1%	0%	0%	F	NA			2700	G
	To: US 11 Washington Ave															

Virginia Department of Transportation
 Traffic Engineering Division
 2018
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Town of Pulaski

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From:	US 11 Washington Ave														
 3rd St	Town of Pulaski	0.34	2400	G	98%	1%	1%	0%	0%	0%	C	0.101	F	2600	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			4700	G	98%	1%	1%	0%	0%	0%	C	0.104	F	5000	G	
	To:	SR 99 Main St														

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Town of Pulaski

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Pulaski																
(4600) Dora Hwy	0.22	1800	G	97%	1%	1%	0%	0%	0%	C	0.1	F	0.52	1900	G	2018
			From: US 11 Washington Ave													
			To: Pierce Ave													
(4600) Dora Hwy	0.96	1000	G	97%	1%	1%	0%	0%	0%	C	0.113	F	0.532	1100	G	2018
			From: Springer Ave													
			To: SR 99													
(4601) Valley Rd; Randolph Ave	0.55	300	G	96%	2%	2%	0%	0%	0%	C	0.117	F	0.694	310	G	2018
			From: 77-650; SCL Pulaski													
			To: Pulaski Street													
(4601) Valley Rd; Randolph Ave	0.33	1000	G	98%	1%	1%	0%	0%	0%	C	0.107	F	0.552	1100	G	2018
			From: Pulaski St													
			To: Commerce St													
(4601) Valley Rd; Randolph Ave	0.13	2400	G	97%	1%	1%	0%	0%	0%	C	0.111	F	0.53	2500	G	2018
			From: 125-4602 Commerce St													
			To: SR 99 Randolph St													
(4602) Case Knife Rd	0.58	550	G	98%	2%	0%	0%	0%	0%	C	0.099	F	0.55	590	G	2018
			From: SCL Pulaski													
			To: Howard St													
(4602) Howard St	0.21	790	G	98%	1%	1%	0%	0%	0%	C	0.086	F	0.627	840	G	2018
			From: Case Knife Rd													
			To: Commerce St													
(4602) Commerce St	0.69	2000	G	97%	1%	1%	1%	0%	0%	C	0.088	F	0.533	2100	G	2018
			From: Howard St													
			To: Valley Rd; Randolph Ave													
(4602) Commerce St	0.27	2100	G	97%	1%	1%	0%	1%	0%	C	0.120	F	0.699	2200	G	2018
			From: Valley St													
			To: US 11 Washington Ave													
(4603) Altoona St	0.32	950	G	98%	1%	1%	0%	0%	0%	C	0.096	F	0.566	1000	G	2018
			From: Magnox St													
			To: NCL Pulaski													
(4604) Mt. Olivet Rd	0.28	850	G	98%	1%	1%	0%	0%	0%	C	0.112	F	0.529	900	G	2018
			From: WCL Pulaski													
			To: Magazine St													
(4604) Magazine St	0.13	980	G	98%	0%	1%	0%	0%	0%	C	0.102	F	0.528	1000	G	2018
			From: Mt. Olivet Rd													
			To: Magnox Dr; 2nd St													
(4604) Magnox St	0.08	1000	G	98%	1%	1%	0%	0%	0%	C	0.103	F		1100	G	2018
			From: Magazine St													
			To: Altoona Rd													
(4604) Magnox St	0.15	1900	G	98%	0%	1%	0%	0%	0%	C	0.096	F	0.523	2000	G	2018
			From: Altoona Rd													
			To: SR 99 Randolph Ave													
(4607) Alum Spring Rd	0.57	1500	G	98%	1%	0%	1%	0%	0%	C	0.101	F	0.5	1600	G	2018
			From: Lee Highway US 11													
			To: NCL Pulaski													
(4608) Peppers Ferry Rd	1.10	2200	G	96%	1%	1%	1%	0%	0%	C	0.107	F	0.567	2300	G	2018
			From: US 11 Lee Highway; 5th St													
			To: Memorial Dr													
(4608) Peppers Ferry Rd	0.37	530	G	97%	2%	1%	0%	0%	0%	C	0.129	F	0.523	560	G	2018
			From: Memorial Dr													
			To: Beth Scott Dr Old ECL													
(4608) Peppers Ferry Rd	1.22	640	G	98%	1%	1%	0%	0%	0%	C	0.119	F	0.602	680	G	2018
			From: Beth Scott Dr Old ECL													
			To: US 11 Lee Highway													
(4609) Memorial Dr	1.21	6300	G	98%	1%	0%	0%	0%	0%	C	0.095	F	0.511	6700	G	2018
			From: Bob White Blvd													
			To: US11 Main St													
(4611) Bob White Blvd	0.39	7800	G	97%	0%	1%	1%	1%	0%	C	0.094	F	0.584	8300	G	2018
			From: Main St; SR 99													
			To: Memorial Dr													

Virginia Department of Transportation
 Traffic Engineering Division
 2018
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Town of Pulaski

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year		
						2Axle	3+Axle	1Trail	2Trail									
Town of Pulaski																		
						From	Memorial Dr											
(4611) Bob White Blvd	0.36	6600	G	97%	0%		1%	1%	1%	0%	F	0.099	F	0.550	7000	G	2018	
						To	Peakland Rd											
(4611) Bob White Blvd	1.33	6400	G	97%	0%		1%	1%	1%	0%	F	0.099	F	0.601	6700	G	2018	
						To	NCL Pulaski											
						From	Washington Ave											
5th St		2900	G								F	0.087	F	0.612	3000	G	2018	
						To	Randolph Ave											
						From	1st St											
Duncan Avenue		3500	G	98%	0%		1%	0%	1%	0%	C	0.087	F	0.512	3500	G	2018	
						To	SR 99 Main St											
						From	Newbern Rd											
Grove Ave		300	G								F	0.166	F	0.534	300	G	2018	
						To	English Forest Rd											
						From	Grove Dr											
Hopkins Dr		140	G								F	0.134	F	0.535	150	G	2018	
						To	Peppers Ferry Rd											
						From	Hill St											
MacGill St		610	G								F	0.11	F	0.524	650	G	2018	
						To	Dillon St											
						From	Peppers Ferry Road											
Mashburn Ave		920	G								F	0.118	F	0.518	920	G	2018	
						To	Newbern Road											